

CALIFORNIA BIRDS/WESTERN BIRDS, INDEX, 1970–1979

Volumes **1** (1970), **2** (1971), **3** (1972), **4** (1973), **5** (1974),
6 (1975), **7** (1976), **8** (1977), **9** (1978), and **10** (1979)

Compiled by Daniel D. Gibson

- Acanthis flammea*—**1**:21; **7**:10; **9**:61
hornemanni—**7**:20, 85
- Accipiter cooperii*—**1**:11; **5**:61–80; **6**:157; **7**:4; **10**:1–16
gentilis—**1**:11; **6**:158; **7**:4, 108–110; **8**:29; **10**:1–16, 222
striatus—**1**:11; **6**:157–158; **7**:4; **10**:1–16
- Acridotheres cristatellus*—**1**:25; **7**:20
- Actitis macularia*—**1**:13, 106; **3**:13; **4**:84; **5**:61–80; **6**:4, 45–54; **7**:5; **8**:97; **10**:201–213
- Adamastor cinereus*—**1**:23
- Adams, John K., and Scott, Virgil E., Timber Harvest Modification Around an Active Osprey Nest—**10**:157–158
- Aechmophorus occidentalis*—**1**:9; **3**:25–32; **4**:68, 83; **7**:3; **8**:76; **10**:14, 49–56
- aedon*, *Troglodytes aedon*—**6**:75
- Aegolius acadicus*—**1**:15; **7**:7; **10**:69
funereus—**6**:21–23; **7**:7, 15, 90, 93; **8**:117; **10**:64
- Aeronautes saxatilis*—**1**:16; **2**:101; **6**:110; **7**:7; **8**:98
- Aethia cristatella*—**6**:143; **9**:45–66
pusilla—**9**:45–66
pygmaea—**9**:45–66
- Agelaius phoeniceus*—**1**:21; **2**:59–61; **7**:9; **8**:9, 65–66
tricolor—**1**:21; **3**:39; **7**:85; **8**:9
- Aimophila botterii*—**6**:81
cassinii—**1**:22; **10**:163–164, 185
quinquestriata—**8**:121–130
ruficeps—**1**:22; **10**:45–46
- Ainley, David G., Brown Pelicans in North-Central Coastal California—**3**:59–64
- Ainley, David G., The Occurrence of Seabirds in the Coastal Region of California—**7**:33–68
- Ainley, David G., and Manolis, Bill, Occurrence and Distribution of the Mottled Petrel—**10**:113–123
- Ainley, David G., and Osborne, Timothy, A Marin County, California, Breeding Site for Ashy Petrels—**3**:71
- Ainley, David G., and Whitt, Michael C., Numbers of Marine Birds Breeding in Northern California—**4**:65–70
- Ainley, David G.—**3**:see Smail, J.; **5**:see Scott, J. M.
- Aix sponsa*—**1**:11; **5**:61–80; **7**:4; **10**:221
- Ajaia ajaja*—**1**:10; **4**:103; **6**:137, 140, 147; **10**:166, 221
- Akaialoa—**3**:1–8
- Akepa—**3**:1–8; **8**:113–116; **10**:71–80
- Akialoa, Lanai—**9**:72
- Akiapolaau—**3**:1–8
- Alauda arvensis*—**3**:1–8; **7**:8, 16
- Albatross, Black-footed—**1**:9, 113–114; **4**:45–52; **6**:117–134; **7**:3, 33–68, 114, 115; **8**:95;

9:45–66
 Laysan—**1:9; 6:117–134; 7:3, 12, 33–68, 115; 8:27–28; 9:45–66**
 Short-tailed—**1:9, 113–114; 6:117–134; 7:3, 12, 115, 116; 8:95; 10:172**
 Shy—**6:130; 7:3**
 Wandering—**1:9; 6:119; 10:171**
 Yellow-nosed—**8:27**
albidorsalis, Sterna maxima—**9:103**
albilora, Dendroica dominica—**3:17–18; 4:56, 104; 10:181–182**
Alectoris chukar—**1:6, 12; 7:5**
 graeca—**1:6**
 magna—**1:6**
 rufa—**7:82**
aliciae, Catharus minimus—**7:88**
almae, Catharus ustulatus—**6:75**
alticola, Anthus spinoletta—**6:76**
 Amakihi—**3:1–8; 8:113–116; 9:76, 77; 10:71–80**
Amazilia verticalis—**9:91–92; 10:177**
 yucatanensis—**7:84**
Amazona albifrons—**8:109–112**
americana, Certhia familiaris—**6:79**
 Melanitta nigra—**8:80**
Ammodramus bairdii—**1:22; 7:20; 10:63**
 savannarum—**1:22; 6:65, 66; 7:10; 8:101; 10:69, 164**
Ammospiza caudacuta—**1:22; 6:139; 7:92; 10:69, 185**
 leconteii—**6:65–66; 7:10, 18, 89; 10:63, 69, 184**
Amphispiza belli—**1:22; 4:87; 7:10**
 bilineata—**1:22; 3:1; 7:20; 9:85–89**
Anas acuta—**1:11; 3:25–32; 7:4; 8:4–5, 96**
 americana—**7:4**
 carolinensis—**1:6;**
 clypeata—**7:4; 8:4–5**
 crecca—**1:6, 11; 6:140; 7:4**
 cyanoptera—**1:11; 4:84; 6:70–71, 84; 7:4; 8:4–5**
 diasi—**10:58**
 discors—**1:11; 4:84; 6:4, 70–71; 7:4**
 falcata—**1:24**
 formosa—**1:24**
 fulvigula—**10:58**
 penelope—**7:4, 87; 10:59**
 platyrhynchos—**1:10; 2:102; 4:112; 7:4; 8:4–5**
 poecilorhyncha—**9:127–128**
 querquedula—**10:173**
 rubripes—**1:10; 7:19; 9:127; 10:186**
 strepera—**1:11; 7:4; 8:4–5; 10:221**
 Anderson, Walter L.—**2:see Littlefield, C. D.**

Andrews, Robert, Colorado Field Ornithologists Official Records Committee

Report 1976-1977—10:57-70

- Anhinga—10:186
Anhinga anhinga—10:186
Ani, Groove-billed—4:54; 7:84, 153-154; 10:58, 177
Anianiau—3:1-8
Annear, John T.—9:see Henny, C. J.
Anous stolidus—9:75
 tenuirostris—9:74, 77
Anser albifrons—1:10; 4:84; 7:3
Antbird, Spotted—3:1-8
antelius, *Larus argentatus*—9:145
anthonyi, *Butorides virescens*—6:73
Anthus cervinus—1:19; 6:29-30
 spinoletta—1:19; 4:86; 6:29, 72, 76, 80; 7:9; 8:100; 10:201-213
 spragueii—1:25; 6:29-30; 7:95; 10:62, 64, 180
Antrim, Brooke S.—10:see Baltz, D. M.
anulus, *Passerculus sandwichensis*—8:70
Apapane—3:1-8; 8:113-116; 9:76, 77
Aphelocoma coerulescens—1:17, 81; 3:93-95; 5:61-80; 7:8; 9:42; 10:46
 ultramarina—8:109-112; 10:43
Aphriza virgata—1:13; 7:5; 8:97
Aquila chrysaetos—1:12; 7:4, 137-152; 10:1-16, 201-213
Archilochus alexandri—1:16; 2:41-54; 5:61-80; 6:73; 7:7; 8:99
 colubris—6:73; 7:84; 8:105; 10:58
Ardea herodias—1:10; 4:50; 5:61-80, 127-136; 7:3; 8:3, 65-66, 96; 9:106;
 10:221
Arenaria interpres—1:13; 6:45-54, 147; 7:5; 8:97; 9:75, 77
 melanocephala—1:13; 7:5; 8:97; 10:201-213
argentatus, *Larus argentatus*—9:145, 146
argenteus, *Larus argentatus*—9:145, 146
arizonae, *Caprimulgus vociferus*—2:33-36, 37-40; 5:46; 6:63-64
armenicus, *Larus argentatus*—9:146
artemisiae, *Molothrus ater*—8:100
Ashman, Philip, Northern (Bullock's) Oriole Eats Hummingbird—9:105
Asio flammeus—1:15; 3:1-8; 7:7; 8:8, 98; 9:76, 77; 10:201-213
 otus—1:15; 5:61-80; 6:158; 7:7; 8:98; 9:9-20
Asyndesmus lewis—1:16; 4:85; 7:7
Athene cunicularia—8:8, 98
atlantis, *Larus fuscus*—9:145, 146
Atwood, Jon L., Sharp-tailed Sandpiper in Santa Barbara—1:153-154
Atwood, Jonathan L., Robbery of Nesting Materials by the Calliope Hummingbird—10:43-44
auduboni, *Dendroica coronata*—4:50, 86; 5:81-90
Auklet, Cassin's—1:15; 4:45-52, 65-70; 5:17; 6:117-134; 7:6, 61, 133; 8:98; 9:45-66;
 10:49-56, 193
 Crested—6:143; 9:45-66
 Least—9:45-66

Parakeet—1:15; 6:14, 90, 130; 7:6, 133; 9:45–66; 10:189–200
 Rhinoceros—1:15; 3:25–32; 5:13–20, 65–70; 6:117–134; 7:6, 33–68, 111–112,
 133; 8:98; 9:55; 10:49–56, 193, 196
 Whiskered—9:45–66
Auriparus flaviceps—1:18; 8:109–112; 9:9–20
 Austin, George T., Roadside Distribution of the Common Raven in the Mohave Desert—2:98
 Austin, George T., Smith, E. Linwood, and Speich, Steve, New Arizona Bird Records—3:43–44
 Avocet, American—1:14; 4:84; 6:4, 45–54; 7:6; 8:6–7, 10, 82
 Axelson, Keith, Photography:Another View—8:34–44
Aythya affinis—1:11; 7:4, 13
 americana—1:11; 7:4
 collaris—1:11; 3:25–32; 7:4; 10:221
 fuligula—1:11; 4:103; 7:4, 13; 10:173–174
 marila—1:11; 6:153; 7:4
 valisineria—1:11; 3:25–32; 4:111; 7:4; 10:221

bairdi, *Melanerpes formicivorus*—8:89
 Baldrige, Alan, The Status of the Brown Pelican in the Monterey Region of California:Past and
 Present—4:93–100
 Baltz, Donald M., and Morejohn, G. Victor, Evidence from Seabirds of Plastic Particle Pollution
 off Central California—7:111–112
 Baltz, Donald M., Morejohn, G. Victor, and Antrim, Brooke S., Size Selective Predation and
 Food Habits of two California Terns—10:17–24
 Bananaquit—10:43
bancrofti, *Nyctanassa violacea*—9:178
 Banks, Richard C., and Dickerman, Robert W., Mexican Nesting Records for the American
 Bittern—9:130
 Baptista, Luis F.—10:see Wells, S.
barabensis, *Larus argentatus*—9:146
 Barrett, Michael—9:see Boswall, J.
barrovianus, *Larus hyperboreus*—2:15
 Barrows, Cameron, and Barrows, Katherine, Roost Characteristics and Behavioral
 Thermoregulation in the Spotted Owl—9:1–8
 Barrows, Katherine—9:see Barrows, C.
Bartramia longicauda—1:6, 13; 7:5; 8:82; 10:175
baueri, *Limosa lapponica*—4:89–90
 Becard, Rose-throated—7:85
 Behle, William H., and Perry, Michael L., A Record of the Bay-breasted Warbler from Utah—
 5:57
beldingi, *Passerculus sandwichensis*—8:67–70
 Binford, Laurence C., Identification of Northern and Louisiana Waterthrushes—2:1–10
 Binford, Laurence C., Northern and Louisiana Waterthrushes in California—2:77–92
 Binford, Laurence C., Roadrunner Captures Orchard Oriole in California—2:139
 Binford, Laurence C., Lesser Black-backed Gull in California, with Notes on Field
 Identification—9:141–150
 Binford, Laurence C., Fall Migration of Diurnal Raptors at Pt. Diablo, California—10:1–16

- Binford, Laurence C., and Perrone, Michael Jr., First Record for the Ruff in Washington State—**2:103**
- Binford, Laurence C., and Remsen, J. V. Jr., Identification of the Yellow-billed Loon (*Gavia adamsii*)—**5:111–126**
- Binford, Laurence C., and Stallcup, Richard W., American Redstart Breeding in California—**3:87–90**
- Binford, Laurence C.—**6:see** Remsen, J. V. Jr.; **10:see** Manolis, T.
birulae, *Larus argentatus*—**9:145**
- Bittern, American—**1:10; 4:83; 7:3; 8:4, 10; 9:130**
Least—**1:10; 7:28, 87**
- Blackbird, Brewer's—**1:21; 2:59–61; 4:50, 87; 5:61–80; 7:9; 8:9, 45–62, 156**
Redwinged—**1:21, 84**
Red-winged—**1:84; 2:59–61; 7:9; 8:9, 65–66**
Rusty—**1:21; 2:55–68; 4:104; 5:30; 6:142; 7:9, 17; 10:184, 201–213**
Tricolored—**1:21; 3:39; 7:85; 8:9**
Yellow-headed—**1:21; 3:39–42; 4:87; 6:1–6; 7:9; 8:65–66, 100**
- Bleich, Vernon C., and Blong, Bonnar, A Magnificent Frigatebird in San Bernardino County, California—**9:129**
- Blong, Bonnar—**9:see** Bleich, V. C.
- Bluebird, Eastern—**1:25; 6:79**
Mountain—**1:19; 7:9; 8:45–62; 9:21–32**
Western—**1:19; 4:86; 7:9; 9:21–32**
- Bobolink—**1:21; 4:37, 87; 7:9**
- Bobwhite—**7:5; 9:134**
- Bock, Carl E., and Lepthien, Larry W., Patterns of Bird Species Diversity Revealed by Christmas Bird Counts Versus Breeding Bird Surveys—**6:95–100**
- Bombycilla cedrorum*—**1:19; 4:86; 7:9, 101**
garrula—**1:19, 84**
garrulus—**1:84; 7:9, 101, 102**
- Bonasa umbellus*—**1:12; 5:138, 139; 7:4, 87, 93; 9:121–126; 10:58**
- Bond, Suzanne I., Red Phalarope Mortality in Southern California—**2:97**
- Booby, Blue-faced—**9:175–176**
Blue-footed—**1:10, 117–142; 3:63; 4:23–30, 106; 6:136; 7:3, 33–68, 124, 155–157; 8:27, 96; 9:106, 175**
Brown—**1:10, 117–142; 3:63; 4:23–30; 6:137, 143; 7:33–68; 8:27, 96; 9:75, 106; 10:185**
Masked—**9:5–6; 10:172**
Red-footed—**9:175; 10:172**
- borealis*, *Lanius excubitor*—**9:165–167**
- Boswall, Jeffery, and Barrett, Michael, Notes on the Breeding Birds of Isla Raza, Baja California—**9:93–108**
- Botaurus lentiginosus*—**1:10; 4:83; 7:3; 8:4, 10; 9:130**
- Brachyramphus brevirostre*—**3:33–38**
brevirostris—**7:6, 15, 59; 9:55; 10:186**
marmoratum—**3:33–38**
marmoratus—**1:15; 6:130; 7:6, 33–68, 133; 9:55**

brachyrhynchus, *Larus canus*—2:11–26
 Brant—1:6, 10; 5:91–93; 7:3, 13; 8:96; 10:173
 Brant, Atlantic—5:91–93
 Black—1:6; 3:43; 4:53–54; 5:91–93; 6:147; 10:58
Branta bernicla—1:6, 10; 5:91–93; 7:3, 13; 8:96; 10:173
 canadensis—1:10; 7:3; 8:108; 10:159–162
 leucopsis—7:19; 10:58
 nigricans—1:6; 3:43; 4:53–54; 6:147; 10:58
 ruficollis—1:23
 Braun, Clait E.—9:see Hoffman, R. W.
brewsteri, *Sula leucogaster*—1:123–124; 4:26
 Brown, David E., Western Range Extensions of Scaled Quail, Montezuma Quail, and Coppery-tailed Trogon in Arizona—4:59–60
browni, *Sterna albifrons*—3:49–58; 8:7, 10, 67–70
Bubo virginianus—1:15; 5:61–80; 6:101–105; 7:7; 8:29, 148; 9:82
Bubulcus ibis—1:10; 7:3, 12, 86, 87; 8:77, 96, 151; 10:37–41, 59, 221
Bucephala albeola—1:11; 3:25–32; 7:4, 13
 clangula—1:11; 7:4; 8:77
 islandica—1:11; 6:147; 7:4; 8:77–79
 Bufflehead—1:11; 3:25–32; 7:4, 13
bullockii, *Icterus galbula*—4:87; 6:77, 80
Bulweria bulwerii—9:74
 Bunting, Indigo—1:21; 4:105; 6:143, 151, 153, 154; 7:10, 18; 10:186
 Lark—1:22; 2:73–76; 7:10, 18; 10:164
 Lazuli—1:21; 4:87; 5:61–80; 7:10, 101, 102–103; 8:45–62, 101, 109–112
 Painted—1:21; 3:91–92; 4:56–57, 106; 6:139; 7:86, 89, 92; 10:184, 186
 Rustic—1:25
 Snow—1:22; 7:10, 86, 92; 10:185
 Varied—1:21; 10:184
 Burleigh, Thomas D., A Breeding Record for Spotted Sandpiper in Monterey County—1:106
 Burleigh, Thomas D., The Present Status of the Northwestern Race of the Robin in California—3:22
 Burleigh, Thomas D., A Winter Record for the Rough-winged Swallow in Monterey County, California—3:45
 Bushtit—3:1; 5:61–80; 7:8; 8:19; 10:46
 Bushtit, Black-eared—7:85
 Common—1:18
Buteo albicaudatus—10:58
 albonotatus—1:12; 4:103; 8:81; 10:174, 185
 harlani—1:6;
 jamaicensis—1:6, 11; 5:61–80; 6:55–62; 7:4, 83; 8:45–62, 96, 155; 9:9–20, 82; 10:1–16
 lagopus—1:12; 6:56, 57; 7:4, 28; 8:64; 10:1–16, 201–213
 lineatus—1:11; 4:15–22; 5:61–80; 7:90, 95; 10:1–16, 59, 64
 nitidus—7:84
 platypterus—1:11; 4:54, 106; 6:137, 140; 10:1–16, 64, 174
 regalis—1:12; 6:57; 7:4; 8:155; 10:1–16

solitarius—3:1–8
swainsoni—1:12; 4:84; 6:153; 7:4; 8:81; 9:82; 10:1–16
Butorides striatus—8:96; 10:59
virescens—1:10; 5:61–80; 6:73; 7:3, 28

cachinnans, Larus argentatus—9:146
caerulescens, Dendroica caerulescens—6:31
Calamospiza melanocoryx—1:22; 2:73–76; 7:10, 18; 10:164
Calcarius lapponicus—1:22; 6:72; 7:10; 8:26; 10:201–213
mccownii—4:106; 10:163
ornatus—1:22; 4:106; 6:29, 139, 143; 7:10, 18
pictus—7:84, 85, 96
Calidris acuminata—6:45–54, 140; 7:5; 10:58, 86–91, 175, 185
alba—3:25–32; 7:5, 45–54; 8:97; 9:76, 106
alpina—2:103; 4:50, 84; 5:1–12; 6:45–54; 7:5; 8:26
bairdii—6:45–54; 7:5
canutus—1:13; 6:45–54, 147; 7:5, 86, 87
ferruginea—6:137; 7:5, 14; 10:175
fuscicollis—7:5, 14; 10:175
mauri—3:79–86; 4:84; 5:1–12; 6:13, 45–54, 111–112; 7:5; 8:26, 97
melanotos—6:45–54; 7:5; 8:26; 10:86–91
minuta—6:112
minutilla—4:84; 5:1–12; 6:45–54, 111; 7:5; 8:97; 10:201–213
ptilocnemis—7:5
pusilla—6:83, 111; 7:5; 8:26; 10:175–176, 185
ruficollis—4:106; 6:111–113, 136
californica, Sula dactylatra—9:175–176
Uria aalge—3:25–32
californicus, Pelecanus occidentalis—1:117–118; 4:93–100
Callipepla squamata—4:59–60; 5:54; 7:5; 9:134
Calocitta formosa—8:109–112
Calonectris leucomelas—7:121; 9:55; 10:172
Calothorax lucifer—3:16; 4:54; 6:148, 151
calurus, Buteo jamaicensis—6:55, 56
Calypte anna—1:16; 2:41–54; 5:61–80; 6:82, 158; 7:7, 15, 83, 90, 92; 8:99
anna × *Lampornis clemenciae*—6:153
costae—1:16; 2:41–54; 6:82; 8:99; 9:9–20; 10:143
Campbell, Erick G., and Wolf, Gregory A., Great Egret Predation on a Virginia Rail—8:64
Campbell, R. Wayne—10:see Sealy, S. G.
Camptostoma imberbe—7:85
Campylorhynchus brunneicapillus—1:18; 3:1; 7:85; 8:99, 109–112; 9:9–20
rufinucha—8:109–112
Canachites canadensis—7:4, 82
canadensis, Grus canadensis—8:159
canescens, Aimophila ruficeps—10:45
Canvasback—1:11; 3:25–32; 4:111; 7:4; 10:221
Capella gallinago—1:13, 84; 6:45–54, 82; 7:5; 10:201–213

Caprimulgus vociferus—1:16; 2:33–36, 37–40; 4:103; 5:46; 6:63–64
 Caracara—7:83
Caracara cheriway—7:83
Cardellina rubrifrons—1:145–146; 6:101–105; 10:183, 186
 Cardiff, Eugene A., and Driscoll, Alfred T., Red-headed Woodpecker in the Imperial Valley of California—3:23–24
 Cardiff, Steven—10:see Remsen, J. V. Jr.
 Cardinal—1:21, 84; 2:99–100; 3:1–8; 4:35
Cardinalis cardinalis—1:84; 2:99–100; 4:35
 Cardinalis sinuatus—2:99–100
Carduelis carduelis—1:25
 flammea—10:201–213
 pinus—8:45–62; 10:201–213
 psaltria—8:109–112
 tristis—8:109; 9:85
 Carlson, Charles M., and Skaar, P. D., Piping Plover in Montana—7:69–70
carolae, *Pipilo fuscus*—10:131, 153
carolinensis, *Anas crecca*—1:6
 Pelecanus occidentalis—1:117–118
Carpodacus cassinii—1:21; 7:10, 101; 8:45–62; 9:80
 erythrinus—1:102
 mexicanus—1:21, 79; 4:87; 5:61–80; 6:33–44; 7:10, 18, 101, 102–103; 8:9, 101, 109; 9:9–20; 10:146
 purpureus—1:21; 6:78, 154; 7:10, 92, 95, 96; 10:63
 Carrier, W. Dean—2:see Wilbur, S. R.
Casarca ferruginea—1:25
Casmerodius albus—1:10; 4:83; 5:61–80, 127–136; 7:3, 12; 8:4, 64; 9:106
Cassidix major—1:8
 mexicanus—1:8, 21; 7:30, 84, 89, 92
cassinii, *Vireo solitarius*—5:49; 6:76
 Castetter, Richard C., and Hill, Herbert O., Additions to the Birds of the Nevada Test Site—10:221–223
 Catbird—1:18; 3:65
 Catbird, Gray—7:8; 8:109–112; 10:179
Catharacta antarctica—6:126
 chilensis—6:126; 7:33–68
 lonnbergi—6:126
 maccormicki—4:45–52; 6:117–134; 7:33–68, 128; 9:45–66
 skua—1:14; 4:49, 51; 7:6, 128
 (sp.)—4:45–52
Cathartes aura—1:11; 4:84; 7:4; 8:81; 9:9–20; 10:1–16, 125–130
Catharus fuscescens—6:75, 83, 143; 7:8; 10:180, 186
 guttatus—4:86; 6:69, 75, 101–105; 7:8, 101; 8:45–62, 100; 10:201–213
 minimus—6:75, 138, 153; 7:88, 89, 94; 10:61–62, 201–213
 ustulatus—4:86; 5:61–80; 6:69, 75, 80, 84; 7:8, 29, 101; 8:100
Catherpes mexicanus—1:18; 7:8; 8:99; 10:61, 223

Catoptrophorus semipalmatus—1:13; 3:25–32; 4:84; 6:45–54; 7:5; 9:106; 10:222
caurina, *Strix occidentalis*—8:131–146
caurinus, *Corvus brachyrhynchos*—7:16
Turdus migratorius—3:22
cauta, *Diomedea cauta*—6:130
celata, *Vermivora celata*—5:85
Centrocerus urophasianus—1:12; 7:4
Centurus uropygialis—1:16
Cephus columba—1:15; 3:71; 4:65–70; 5:13–20; 6:117–134; 7:6, 61, 132; 8:98; 9:45–66; 10:193
Cerorhinca monocerata—1:15; 3:25–32; 4:65–70; 5:13–20; 6:117–134; 7:6, 33–68, 111–112, 133; 8:98; 9:55; 10:49–56, 193, 196
Certhia familiaris—1:18; 4:86; 6:24, 72, 75, 79, 84, 101–105; 7:8, 101; 8:19
Chaetura pelagica—1:16, 147–152; 4:103, 106
vauxi—1:16, 148–151; 2:101; 6:110; 7:7, 84; 8:98
(sp.)—10:61
Chamaea fasciata—1:18; 5:61–80; 7:85; 8:109–112
Charadrius alexandrinus—1:13; 4:84; 5:22; 6:45–54; 7:5, 13; 8:6, 10; 10:69
melodus—7:69–70, 87, 89, 90, 93; 10:60, 174
montanus—6:45–54; 7:5, 14
semipalmatus—1:13; 5:22; 6:45–54; 7:5, 13, 29; 10:201–213
vociferus—1:13; 4:84; 5:22, 61–80; 6:4, 45–54; 7:5; 8:6; 10:86, 91, 92
wilsonia—1:13
Chasiempis sandwichensis—3:1–8
Chat, Yellow-breasted—1:20; 4:87; 5:61–80; 6:77; 7:9
Chen caerulescens—1:6, 10; 4:84; 7:3, 83; 10:221
hyperborea—1:6
rossii—1:10; 4:84; 6:147; 7:3, 13, 86, 87; 10:59
Chickadee, Black-capped—1:18; 6:67, 162; 7:8, 29; 8:19
Boreal—7:8
Carolina—6:162
Chestnut-backed—1:18; 6:67; 7:8; 8:19, 109–112; 9:41–42
Mountain—1:18; 3:91; 5:86; 6:83, 101–105, 154, 162; 7:8; 8:13–20, 45–62; 9:41
chilensis, *Catharacta skua*—4:49, 51
Chlidonias niger—1:14, 33; 4:85; 5:59; 6:4; 7:6; 10:222
Chloroceryle americana—6:154
chlororhynchus, *Puffinus pacificus*—9:74, 77
Chlorura chlorura—1:22; 4:87; 6:104; 7:10
Chondestes grammacus—1:22; 4:87; 5:61–80; 6:78; 7:10; 8:65–66, 101
Chordeiles acutipennis—1:16; 5:31, 61–80; 8:98; 9:9–20
minor—1:16; 4:85; 6:72; 7:7, 29
chrysoides, *Colaptes auratus*—7:84
Chukar—1:6, 12; 7:5
Cinclus cinclus—10:215–216
mexicanus—1:18; 3:65; 7:8; 9:174; 10:215–216
cinnamomea, *Tringa solitari*—6:73

Circus cyaneus—1:12; 7:4; 8:5, 96; 9:9–20; 10:1–16
Cistothorus palustris—6:75; 8:8, 10, 99
 platensis—6:75; 7:89, 91, 94, 95; 10:61
Clangula hyemalis—1:11; 7:4; 8:79
Clarke, Herbert, Fifteen Years in a Blind—4:3–14
coccineus, Loxops coccineus—10:71–80
Coccyzus americanus—1:15; 5:61–80; 7:7, 15
 erythrophthalmus—1:15; 4:54; 7:7, 15; 10:177
Coereba flaveola—10:43
Colaptes auratus—1:7, 16, 81; 5:61–80; 6:101–105; 7:7, 83, 84, 101; 8:45–62, 99, 109–112;
 10:61, 224
 cafer—1:7
 chrysoides—1:7
 (sp.)—6:70
Colibri thalassinus—10:43
Colinus virginianus—7:5; 9:134
Collins, Charles T., A Probable Swift-Cactus Collision—2:101
Collins, Charles T., A Further Record of the Western Whip-poor-will in California—6:63–64
Columba fasciata—1:15; 7:6; 8:107
 livia—1:15; 7:6; 8:98
Columbigallina passerina—1:15
Columbina passerina—7:82; 8:87–88; 9:9–20
Conant, Sheila—10:see Scott, J. M.
Condor, Andean—10:125–129
 California—1:11; 7:4; 10:125–129
confinis, Turdus migratorius—6:153
Conover, Michael R., Thompson, Bruce C., Fitzner, Richard E., and Miller, Don E., Increasing Populations of Ring-billed and California Gulls in Washington State—10:31–36
Conry, Jeanne A.—9:see Webb, B. E.; 10:see Webb, B. E.
Contopus pertinax—1:17; 6:138; 8:158; 10:178
 sordidulus—1:17; 4:85; 5:61–80; 6:153; 7:8; 8:45–62, 99; 10:201–213
 virens—6:73, 108; 7:88, 94, 95; 10:179, 185
Conuropsis carolinensis—7:82
Cooper, John R.—8:see Remsen, J. V. Jr.
cooperi, Piranga rubra—6:70, 78, 80
Coot, American—1:12; 3:25–32, 72; 7:5; 8:6
Copper, William A., Ohmart, Clifford P., and Dahlsten, Donald L., Predation by a Rubber Boa on Chestnut-backed Chickadees in an Artificial Nest Site—9:41–42
Coragyps atratus—1:25; 7:82, 84; 10:186
Cord, Bart, and Jehl, Joseph R. Jr., Distribution, Biology, and Status of a Relict Population of Brown Towhee (*Pipilo fuscus eremophilus*)—10:131–156
Cormorant, Brandt's—1:10; 3:25–32; 4:65–70; 5:13–20; 7:3, 61, 124; 8:96; 9:106
 Double-crested—1:10; 2:134; 3:25–32; 4:23, 65–70, 83; 5:61–80; 6:140; 7:3, 61, 124;
 8:96; 9:5–6, 38; 10:221
 Japanese—9:55
 Olivaceous—2:134; 4:102, 103; 6:140, 151

Pelagic—**1:10; 3:25–32, 60; 4:65–70; 7:3, 61, 124; 8:96; 9:55**
 Red-faced—**9:45–66**
coronata, Dendroica coronata—**4:86; 5:81–90**
Corvus brachyrhynchos—**1:17; 4:86; 5:97–98; 6:153; 7:8, 16**
 corax—**1:17; 2:98; 5:98; 7:8; 8:99; 9:106; 10:201–213**
 corone—**5:98**
 cryptoleucus—**2:98**
 frugilegus—**10:43**
 moneduloides—**5:98**
Coturnicops noveboracensis—**1:12; 7:5; 9:169, 170**
coturniculus, Laterallus jamaicensis—**8:6; 9:151–158, 169–170**
 Coughran, Virginia P.—**1:see McCaskie, G.**
 Cowbird, Bronzed—**1:21; 6:70**
 Brown-headed—**1:21; 3:89; 4:87; 5:61–80; 6:70, 72, 77, 84; 7:9; 8:45–62, 65–66, 100**
 Craig, Alan M., Editorial—**1:1–2**
 Craig, Alan M., Two California Records of Grace’s Warbler—**1:77–78**
 Craig, Alan M.—**1:see McCaskie, G.**
 Craig, Jean T., Kentucky Warbler in San Diego—**1:37–38**
 Craig, Jean T., Eastern Whip-poor-will in San Diego—**2:37–40**
 Craig, Jean T., Two Fall Yellow-throated Warblers in California—**3:17–18**
 Craig, Jean T.—**1:see McCaskie, G.**
 Crane, Sandhill—**1:12; 4:84; 7:5; 8:159–160**
 Whooping—**7:87**
 Crase, Frederick T., and DeHaven, Richard W., Current Breeding Status of the Yellow-headed Blackbird in California—**3:39–42**
crecca, Anas crecca—**1:6; 6:140**
 Creeper—**3:1–8**
 Creeper, Brown—**1:18; 4:86; 6:24, 72, 75, 79, 84, 101–105; 7:8, 101; 8:19**
 Hawaiian—**10:71–80**
 Lanai—**9:72**
 Maui—**8:113–116**
crepitans, Rallus longirostris—**8:5**
crissalis, Pipilo fuscus—**10:154**
Crocethia alba—**1:14**
 Crockett, Allen B., and Hansley, Paula L., Apparent Response of *Picoides* Woodpeckers to Outbreaks of the Pine Bark Beetle—**9:67–70**
 Crockett, Allen B.—**6:see Hubbard, J. D.**
 Crossbill, Red—**1:22; 6:72, 78, 79, 84; 7:10, 101, 102, 104; 8:45–62; 9:79, 80; 10:223**
 White-winged—**7:10, 101, 105, 106; 9:79–81; 10:201–213**
Crotophaga sulcirostris—**4:54; 7:84, 153–154; 10:58, 177**
 Crow, Carrion—**5:98**
 Common—**1:17; 4:86; 5:97–98; 6:153; 7:8, 16**
 New Caledonian—**5:98**
 Cuckoo, Black-billed—**1:15; 4:54; 7:7, 15; 10:177**
 Yellow-billed—**1:15; 5:61–80; 7:7, 15**
cucullatus, Icterus cucullatus—**6:79**

- Curlew, Bristle-thighed—**9:75**
 Hudsonian—**4:50**
 Little—**6:143**
 Long-billed—**1:13; 4:84; 6:45–54; 7:5; 8:97**
- Cyanocitta cristata*—**1:17, 81–83; 7:8, 16; 8:109–112; 10:179**
 stelleri—**1:17, 81; 6:101–105; 7:8, 29**
- Cyclorhynchus psittacula*—**1:15; 6:14, 90, 130; 7:6, 133; 9:45–66; 10:189–200**
- Cygnus bewickii*—**10:172–173**
 bewickii × *columbianus*—**10:172**
 buccinator—**7:13**
 columbianus—**10:172–173**
 olor—**1:25; 7:19, 82**
- Cyananthus latirostris*—**1:16, 111–112; 8:158; 10:178**
- Cypseloides niger*—**1:16, 148; 6:110; 7:7**
 rutilus—**1:148**
- Cyrtonyx montezumae*—**4:59–60; 5:54**
- dactylatra*, *Sula dactylatra*—**9:175**
- daggetti*, *Sphyrapicus ruber*—**1:47–76**
- Dahlsten, Donald L.—**9:see** Copper, W. A.
- Dana, Gayle—**8:see** Winkler, D. W.
- Danforth, Douglas W., An Aztec Thrush in Arizona—**10:217–218**
- Daption capense*—**1:84; 7:121**
 capensis—**1:9, 23, 39–40, 84**
- Davis, Deborah, Morning and Evening Roosts of Turkey Vultures at Malheur Refuge, Oregon—**10:125–130**
- DeBenedictis, Paul, Wood Warblers and Vireos in California: The Nature of the Accidental—**2:111–128**
- DeHaven, Richard W.—**3:see** Crase, F. T.
- Delareuelle, Robert R., Clark's Nutcracker Caught on Cholla Cactus—**4:61**
- Dendragapus obscurus*—**1:12; 7:4; 9:121–126**
- Dendrocopos albolarvatus*—**1:16; 7:7**
 nuttallii—**1:16; 5:61–80**
 pubescens—**1:16; 5:61–80; 7:7**
 scalaris—**1:16**
 villosus—**1:16; 4:85; 6:101–105; 7:7**
 (sp.)—**6:72**
- Dendrocyna autumnalis*—**1:10; 6:137; 10:173**
 bicolor—**1:10; 7:4**
- Dendroica auduboni*—**1:7; 2:137**
 caerulescens—**1:20; 2:93; 3:44; 4:56, 106; 6:31, 141, 150, 160; 7:29, 88; 8:100, 109–112**
 castanea—**1:20; 4:56, 104; 5:57; 6:142, 150; 7:88, 91, 92; 10:182–183**
 cerulea—**1:20; 10:181**
 chrysoparia—**6:161**
 coronata—**1:7, 20; 4:50, 86; 5:81–90; 6:31, 70, 101–105; 7:9, 83, 101; 8:45–62, 100**
 discolor—**1:20; 4:104; 6:142; 7:83, 94; 10:62**

- dominica*—1:20; 3:17–18; 4:55, 104; 7:91, 94; 10:62, 181–182
fusca—1:20; 4:104; 6:138, 142, 150; 7:88, 91, 94, 96; 10:69
graciae—1:20, 77–78; 3:17; 5:50; 10:182
magnolia—1:20; 4:104; 6:141; 7:20
nigrescens—1:20; 4:87; 5:81–90; 7:9; 8:100; 10:46
occidentalis—1:20; 5:81–90; 6:80, 161; 7:9, 83, 85; 8:100; 10:62
palmarum—1:20; 3:44; 7:9, 17
pensylvanica—1:20; 3:44; 6:142; 7:9, 17, 29; 10:182
petechia—1:20; 4:86; 5:61–80; 6:69, 76, 150; 7:9, 101, 105; 8:100; 10:201–213
pinus—1:20; 6:142; 7:91, 94, 96; 10:62, 183, 186
striata—1:20, 95–104; 2:59; 3:44; 4:56; 6:69
tigrina—1:20; 4:104; 7:9, 17, 86, 88, 91, 92, 94; 10:62, 181
townsendi—1:20; 3:17; 4:87; 5:81–90; 6:80–81, 161; 7:9, 101, 105; 8:45–62, 65–66, 100
virens—1:20; 4:104; 6:81, 138, 142, 150, 161; 7:88; 10:181
(sp.)—6:84
- Devillers, Pierre, Identification and Distribution in California of the *Sphyrapicus varius* Group of Sapsuckers—1:47–76
- Devillers, Pierre, Chimney Swifts in Coastal Southern California—1:147–152
- Devillers, Pierre, The Alleged Occurrence of Nutting’s Flycatcher in Baja California—2:140
- Devillers, Pierre, The Juvenal Plumage of Kittlitz’s Murrelet—3:33–38
- Devillers, Pierre, McCaskie, Guy, and Jehl, Joseph R. Jr., The Distribution of Certain Large Gulls (*Larus*) in Southern California and Baja California—2:11–26
- Devillers, Pierre—1:see McCaskie, G.
- Dichromanassa rufescens*—1:10; 4:103; 8:96, 152
- Dickcissel—1:21; 4:105; 6:143; 10:69
- Dickerman, Robert W.—9:see Banks, R. C.
- Diomedea albatrus*—1:9, 113–114; 6:117–134; 7:3, 12, 115, 116; 8:95; 10:172
cauta—6:130; 7:3
chlororhynchos—8:27
exulans—1:9; 6:119; 10:171
immutabilis—1:9; 6:117–134; 7:3, 12, 33–68, 115; 8:27–28; 9:45–66
nigripes—1:9, 113–114; 4:45–52; 6:117–134; 7:3, 33–68, 114, 115; 8:95; 9:45–66
- Dipper—1:18; 3:65; 7:8; 9:174; 10:215–216
- Dipper, European—10:215
- Dixon, Keith L., Mountain Chickadee Survives for a Decade—6:162
- Dolichonyx oryzivorus*—1:21; 4:37, 87; 7:9
- dominica*, *Dendroica dominica*—3:17–18; 10:182
- Donaldson, Douglas D.—2:see Lockner, F. R.
- dorothea*, *Phaethon lepturus*—9:74, 77
- Dotterel—7:5; 10:92–94, 174
- Dove, Ground—1:15; 7:82; 8:87–88; 9:9–20
Inca—1:15; 7:83; 8:88
Mourning—1:15; 2:139; 4:50, 85; 5:61–80; 7:6, 101; 8:65–66, 98; 9:9–20
Ringed Turtle—1:15
Rock—1:15; 7:6; 8:98
Spotted—1:15

White-winged—**1:15; 7:6, 93; 8:65–66, 98; 9:9–20; 10:60**
 Dowitcher, Long-billed—**1:13; 4:84; 6:45–54, 81–82; 7:5; 8:26; 10:86, 91**
 Short-billed—**1:13; 6:45–54, 81–82, 147; 7:5, 87, 90, 93, 95; 10:60, 64**
 dowitchers (spp.)— **5:2**
 Driscoll, Alfred T.—**3:see Cardiff, E. A.**
Dryocopus pileatus—**1:16; 7:7, 82, 85**
 Duck, Black—**1:10; 7:19; 9:127; 10:186**
 Black-bellied Tree—**1:10; 6:137**
 Black-bellied Whistling- —**10:173**
 Fulvous Tree—**1:10; 7:4**
 Harlequin—**1:11; 7:4; 8:79; 9:45–66; 10:59, 64, 201–213**
 Masked—**10:185**
 Mexican—**10:58**
 Mottled—**10:58**
 Ring-necked—**1:11; 3:25–32; 7:4; 10:221**
 Ruddy—**1:11; 3:25–32; 7:4; 8:4–5**
 Spotbill—**9:127–128**
 Tufted—**1:11; 4:103; 7:4, 13; 10:173–174**
 Wood—**1:11; 5:61–80; 7:4; 10:221**
Dumetella carolinensis—**1:18; 3:65; 7:8; 8:109–112; 10:179**
 Dunlin—**1:13; 2:103; 4:50, 84; 5:1–12; 6:45–54; 7:5; 8:26**
Dunn, Jon, and Unitt, Philip, A Laysan Albatross in Interior Southern California—8:27–28
 Dunn, Jon—**10:see Luther, J. S.**

 Eagle, Bald—**1:12; 5:98; 7:4, 28; 8:96; 9:35–37; 10:201–213, 222**
 Golden—**1:12; 7:4, 137–152; 10:1–16, 201–213**
Ectopistes migratorius—**7:20**
 Egbert, John—**8:see Wauer, R. H.**
Egger, Mark, A Probable Nesting Record of the Northern Waterthrush in Oregon—9:83–84
 Egret, Cattle—**1:10; 7:3, 12, 86, 87; 8:77, 96, 151; 10:37–41, 59, 221**
 Common—**1:10**
 Great—**4:83; 5:61–80, 127–136; 7:3, 12; 8:4, 64; 9:106**
 Reddish—**1:10; 4:103; 8:96, 152**
 Snowy—**1:10; 3:19; 4:83; 7:19, 28; 8:3–4, 10, 96, 151; 9:33, 38; 10:38**
 Snowy × Little Blue Heron—**8:152**
Egretta caerulea—**8:151–154**
 caerulea × *E. thula*—**8:152**
 rufescens—**8:152**
 thula—**4:83; 7:19, 28; 8:3–4, 10, 96, 151; 9:33, 38; 10:38**
 thula × *E. caerulea*—**8:152**
 tricolor—**8:152**
 Eider, Common—**7:19; 9:55**
 King—**1:11; 7:4; 10:174**
 Spectacled—**1:24; 10:186**
Elanoides forficatus—**7:9**
Elanus leucurus—**1:11; 5:61–80; 8:5, 10; 9:131–133; 10:1–16, 165**
elegans, Buteo lineatus—**4:15–22**

Elepaio—**3:1–8**
elliotti, Amazilia verticalis—**9:91–92**
 Elliott, Bruce G., Blue-footed Booby in Northern California—**7:155–157**
 Elliott, Charles L., Easternmost Record of the Band-tailed Pigeon in Idaho—**8:107**
 Elliott, William P.—**5:see Hoffman, W.; 6:see Hoffman, W.**
 Ellis, David H., and Monson, Gale, White-tailed Kite Records for Arizona—**10:165**
Emberiza rustica—**1:25**
Empidonax alnorum—**1:7; 6:82; 10:69, 185**
 difficilis—**1:17; 3:9–12; 4:85; 5:61–80; 6:73, 101–105, 149, 153; 7:8; 8:99**
 griseus—**2:94**
 hammondii—**1:17; 6:26, 73; 7:7, 101, 105; 8:99**
 minimus—**1:17; 6:73, 141; 7:7, 16; 10:179, 185**
 oberholseri—**1:17; 4:85; 5:48; 6:26; 7:8; 8:55**
 traillii—**1:7, 17; 4:85; 5:61–80; 6:73; 7:7; 8:99**
 wrightii—**1:17; 2:94; 5:47–48; 6:25–27; 7:8, 16; 8:55**
 (sp.)—**6:76; 8:45–62, 65; 10:201–213**
Endomychura craveri—**1:15; 4:45–52; 6:109, 138; 7:26, 33–68, 134; 8:98; 9:93, 106; 10:25**
 hypoleuca—**1:15; 4:45–52; 6:109, 117–134; 7:6, 15, 33–68, 71, 133–134; 8:98; 10:25,**
 28, 81–82
Eremophila alpestris—**1:17; 7:8; 8:65–66, 99; 10:201–213**
eremophilus, Pipilo fuscus—**10:131–156**
Ereunetes mauri—**1:13**
 pusillus—**1:13**
 Erickson, A. W.—**8:see Knight, R. L.**
Erolia acuminata—**1:13, 153–154**
 alpina—**1:13**
 bairdii—**1:13**
 ferruginea—**1:13**
 fuscicollis—**1:13**
 melanotos—**1:13, 153**
 minutilla—**1:13**
 ptilocnemis—**1:13**
Eudocimus albus—**1:10; 7:82; 10:172**
Eudromias morinellus—**7:5; 10:92–94, 174**
Eugenus fulgens—**6:158; 7:89; 10:64, 185**
Euphagus carolinus—**1:21; 2:55–68; 4:104; 5:30; 6:142; 7:9, 17; 10:184, 201–213**
 cynocephalus—**1:21; 2:59–61; 4:50, 87; 5:61–80; 7:9; 8:9, 45–62, 156**
Eupoda montana—**1:13**
 Everett, Stephen W.—**9:see Marti, C. D.**
excisa, Sula nebouxii—**1:120**
 Faanes, Craig A., Hanson, Bruce A., and Kantrud, Harold A., Cassin's Sparrow – First Record
 for Wyoming and Recent Range Extensions—**10:163–164**
Falco columbarius—**1:12; 6:72; 7:4; 10:201–213**
 mexicanus—**1:12; 7:4; 9:9–20; 10:1–16**
 peregrinus—**1:12; 7:4; 8:96; 9:106; 10:1–16, 201–213, 222**
 rusticolus—**1:12; 7:4, 95**

sparverius—**1**:12; **4**:84; **5**:61–80; **7**:4; **8**:96; **9**:9–20; **10**:1–16
 Falcon, Peregrine—**1**:12; **7**:4; **8**:96; **9**:106; **10**:1–16, 201–213, 222
 Prairie—**1**:12; **7**:4; **9**:9–20; **10**:1–16
 Fearis, Barbara—**3**:*see* Page, G.
 Finch, Asiatic Rosy—**1**:8
 Black Rosy—**1**:8; **6**:139; **10**:184
 Brown-capped Rosy—**1**:8
 Cassin’s—**1**:21; **7**:10, 101; **8**:45–62; **9**:80
 Gray-crowned Rosy—**1**:8; **6**:139; **7**:10; **10**:201–213
 House—**1**:21, 79; **4**:87; **5**:61–80; **6**:33–44; **7**:10, 18, 101, 102–103; **8**:9, 101, 109; **9**:9–20; **10**:146
 Purple—**1**:21; **6**:78, 154; **7**:10, 92, 95, 96; **10**:63
 Rosy—**1**:8, 21
 Fisk, Lanny H.—**8**:*see* Spofford, S. H.
 Fitzner, Richard E.—**10**:*see* Conover, M. R.
 Flamingo, American—**1**:25
 Flicker, Common—**1**:7, 16, 81; **5**:61–80; **6**:101–105; **7**:7, 83, 101; **8**:45–62, 109–112; **10**:61, 224
 Common (“Red-shafted”)—**8**:99
 Gilded—**1**:7; **7**:84
 Red-shafted—**1**:7; **7**:83
 Yellow-shafted—**1**:7; **7**:83
 flicker (sp.)—**6**:70
Florida caerulea—**1**:10; **4**:103; **6**:137, 140; **7**:3, 12, 86, 90, 92; **8**:151–154; **9**:33–34; **10**:59, 64
 caerulea × *Egretta thula*—**8**:152
 Flycatcher, Alder—**6**:82; **10**:69, 185
 Ash-throated—**1**:17, 79–80; **2**:140; **4**:85; **5**:61–80; **6**:80; **7**:7; **8**:65–66, 99; **9**:9–20, 135
 Beardless—**7**:85
 Coues’—**1**:17; **6**:138; **8**:158; **10**:179
 Dusky—**1**:17; **4**:85; **5**:48; **6**:26; **7**:8; **8**:55
 Dusky-capped—**8**:158
 Gray—**1**:17; **2**:94; **5**:47–48; **6**:25–27; **7**:8, 16; **8**:55
 Great Crested—**1**:17, 80; **4**:106; **6**:73; **9**:135; **10**:178
 Hammond’s—**1**:17; **6**:26; **7**:7, 101, 105; **8**:99
 Kiskadee—**1**:25; **6**:108
 Least—**1**:17; **6**:73, 141; **7**:7, 16; **10**:179, 185
 Nutting’s—**1**:80; **2**:140; **6**:80, 82; **9**:135–136
 Olivaceous—**1**:17, 79–80; **8**:158; **9**:135; **10**:178
 Olive-sided—**1**:17; **4**:86; **7**:8; **8**:99
 Scissor-tailed—**1**:17; **4**:55, 103; **6**:149, 153; **10**:222
 Social—**6**:108
 Sulphur-bellied—**10**:178
 Traill’s—**1**:7
 Vermilion—**1**:17; **7**:88, 90; **10**:61, 69
 Western—**1**:17; **3**:9–12; **4**:85; **5**:61–80; **6**:101–105, 149, 153; **7**:8; **8**:99
 Wied’s Crested—**1**:17, 80; **8**:105; **9**:135

Willow—**1**:7, 17; **4**:85; **5**:61–80; **7**:7; **8**:99
 Yucatan—**9**:135–136
formicivorus, *Melanerpes formicivorus*—**8**:89
 Franzreb, Kathleen E., Avian Densities in a Mixed-Coniferous Forest, Thomas Creek, White Mountains, Arizona—**6**:101–105
 Franzreb, Kathleen E., Breeding Bird Densities, Species Composition, and Bird Species Diversity of the Algodones Dunes—**9**:9–20
Fratercula arctica—**6**:92
 corniculata—**1**:15; **6**:14, 87–94, 117–134, 141; **7**:6, 33–68, 132; **9**:45–66; **10**:177, 196
Fregata magnificens—**1**:10, 117–142; **4**:23–30, 103; **6**:137, 146; **7**:33–68, 124; **8**:27, 77; **9**:106, 129; **10**:172
 minor—**1**:128–129; **6**:146; **7**:124; **9**:75
 (sp.)—**6**:146; **9**:129
 Frigatebird, Great—**1**:128–129; **6**:146; **7**:124; **9**:75
 Magnificent—**1**:10, 117–142; **4**:23–30, 103; **6**:137, 146; **7**:33–68, 124; **8**:27, 77; **9**:106, 129; **10**:172
 frigatebird (sp.)—**6**:146; **9**:129
frontalis, *Carpodacus mexicanus*—**6**:33–44
Fulica americana—**1**:12; **3**:25–32, 72; **7**:5; **8**:6
 Fulmar—**1**:9
 Fulmar, Northern—**2**:97; **4**:45–52; **6**:117–134; **7**:3, 33–68, 111–112, 114, 116; **8**:95; **9**:45–66; **10**:49–56
Fulmarus glacialis—**1**:9; **2**:97; **4**:45–52; **6**:117–134; **7**:3, 33–68, 111–112, 114, 116; **8**:95; **9**:45–66; **10**:49–56
fulva, *Pluvialis dominica*—**9**:75, 77
fulvescens, *Cardinalis sinuatus*—**2**:99
fuscus, *Larus fuscus*—**9**:141–150, 172
 Gadwall—**1**:11; **7**:4; **8**:4–5; **10**:221
 Gaines, David, A New Look at the Nesting Riparian Avifauna of the Sacramento Valley, California—**5**:61–80
galbula, *Icterus galbula*—**1**:8; **6**:77, 154
Gallinago gallinago—**1**:84
Gallinula chloropus—**1**:12; **3**:72; **7**:28, 90; **10**:64
 Gallinule, Common—**1**:12; **3**:72; **7**:28, 90; **10**:64
 Purple—**1**:12; **7**:84
gambelli, *Zonotrichia leucophrys*—**3**:9–12
 Garganey—**10**:173
 Garrett, Kimball L.—**5**:see Johnson, N. K.
 Garrott, Robert A.—**6**:see Kuchel, C. R.
Garrulax canorus—**3**:1–8
Gavia adamsii—**1**:9; **4**:103; **5**:23, 111–126; **6**:7–20, 139–140; **7**:3, 12, 84; **8**:95; **10**:171, 185
 arctica—**1**:5; **3**:25–32; **5**:120; **6**:12; **7**:3, 86, 87, 90; **8**:73–75, 95; **10**:49–56, 59
 immer—**1**:9; **3**:25–32; **5**:111–126; **6**:7, 12; **7**:3, 84; **8**:95
 pacifica—**1**:5, 9
 stellata—**1**:9; **3**:25–32; **5**:120; **6**:12; **7**:3, 87, 89; **8**:75, 95; **10**:59
Gelochelidon nilotica—**1**:14, 33; **6**:148

Geococcyx californianus—1:15; 2:139; 9:9–20
Geothlypis trichas—1:20; 4:87; 5:61–80; 6:76; 7:9; 8:9, 10, 100
 Gibson, Daniel D., First North American Nest and Eggs of the Ruff—8:25–26
 Gill, Robert Jr., Breeding Avifauna of the South San Francisco Bay Estuary—8:1-12
Glaucidium gnoma—1:15; 7:7; 9:83
 Gnatcatcher, Black-capped—6:150
 Black-tailed—1:19; 9:9–20; 10:223
 Blue-gray—1:19; 5:61–80; 6:75; 7:20; 8:100; 10:43, 46, 77
 Godwit, Bar-tailed—1:14; 4:89–90, 102; 6:140; 7:6, 14; 10:176, 185
 Hudsonian—4:89–90; 6:140; 7:6, 14, 90, 92, 93; 10:60
 Marbled—1:13; 4:84, 89–90; 6:45–54; 7:6; 9:106
 Goldeneye, Barrow's—1:11; 6:147; 7:4; 8:77–79
 Common—1:11; 7:4; 8:79
 Golden Plover, American—6:147
 Goldfinch, American—1:21; 4:87; 5:61–80; 6:76, 78; 7:10, 101, 104; 8:109–112; 9:85
 European—1:25
 Lawrence's—1:22
 Lesser—1:22; 5:61–80; 7:10, 18; 8:109–112
 Goose, Barnacle—7:19; 10:58
 Blue—1:6; 7:83
 Canada—1:10; 7:3; 8:108; 10:159–162
 Emperor—1:10; 7:3
 Red-breasted—1:23
 Ross'—1:10; 4:84; 6:147; 7:3, 13, 86, 87; 10:59
 Snow—1:6, 10; 4:84; 7:3, 83; 10:221
 White-fronted—1:10; 4:84; 7:3
 Gordon, Malcolm S., Large-Scale Migrations of Land Birds at Sea off Southern California During September 1975—8:65–66
 Goshawk—1:11; 6:158; 7:4; 10:1–16, 222
 Goshawk, Northern—7:108–110; 8:29
 Gould, Gordon L. Jr., Distribution of the Spotted Owl in California—8:131–146
graciae, *Dendroica graciae*—1:77–78
 Grackle, Boat-tailed—1:8
 Common—7:9, 154; 8:156; 10:184, 186
 Great-tailed—1:8, 21; 7:30, 84, 89, 92; 8:156; 10:63
graellsii, *Larus fuscus*—9:141–150, 172
grammacus, *Chondestes grammacus*—6:78
 Grant, Gilbert S., and Hogg, Norman, Behavior of Late-Nesting Black Skimmers at Salton Sea, California—7:73–80
granti, *Sula dactylatra*—9:175
 Grebe, Eared—1:9, 84; 3:25–32; 4:50, 83; 6:12–13; 7:3; 8:75, 76, 95; 9:106
 Horned—1:9; 3:25–32; 4:83; 6:12–13, 153; 7:3; 8:75–76
 Least—1:9
 Pied-billed—1:9; 3:25–32; 4:83; 7:3
 Red-necked—1:9; 3:25–32; 7:3; 10:49–56
 Western—1:9; 3:25–32; 4:68, 83; 7:3; 8:76; 10:14, 49–56

Greenberg, Russell, Keeler-Wolf, Todd, and Keeler-Wolf, Virginia, Wood Warbler Populations in the Yolla Bolly Mountains of California—5:81–90

Gregg, Grace G., Robins Extending Breeding Range into Tucson—9:103–104

Grosbeak, Black-headed—1:21; 4:87; 5:61–80; 7:10, 101; 8:45–62, 100, 109–112

Black-headed × Rose-breasted Grosbeak—6:154

Blue—1:21; 5:61–80; 6:151; 7:20

Evening—1:21; 6:72, 78; 7:10, 101, 102; 8:45–62

Pine—1:21; 7:10

Rose-breasted—1:21; 4:105; 6:139, 142, 143, 154; 7:10, 17; 8:100, 109–112

Rose-breasted × Black-headed Grosbeak—6:154

Scarlet—1:102

Grouse, Blue—1:12; 7:4; 9:121–126

Ruffed—1:12; 5:138, 139; 7:4, 87, 93; 9:121–126; 10:58

Sage—1:12; 7:4

Sharp-tailed—1:12; 7:4; 9:123

Spruce—7:4, 82

Grus americana—7:87

canadensis—1:12; 4:84; 7:5; 8:159–160

Guillemot, Pigeon—1:15; 3:71; 4:65–70; 5:13–20; 6:117–134; 7:6, 61, 132; 8:98; 9:45–66; 10:193

Guiraca caerulea—1:21; 5:61–80; 6:151; 7:20

Gull, Black-headed—1:14; 6:138; 9:45–66, 148; 10:177

Black-tailed—1:24–25; 7:20; 9:55; 10:186

Bonaparte's—1:14; 4:85; 6:117–134; 7:6, 128; 8:85, 87, 97

California—1:14; 2:22; 3:25–32; 4:49, 68, 85; 6:117–134; 7:6, 19, 27; 8:83, 84, 97; 9:141–150, 171; 10:14, 31–36

Franklin's—4:85; 7:6, 29; 8:85, 97; 10:222

Glaucous—1:14; 2:11–26, 27–32; 4:77; 7:6; 9:171

Glaucous-winged—1:14; 2:11–26, 27–32, 129–133; 3:25–32; 4:80; 5:13–20; 6:117–134; 7:6, 111–112; 8:83–84, 97; 9:45–66, 141–150; 10:49–56, 193

Gray—7:76

Great Black-backed—9:145, 171

Heermann's—1:14; 2:22; 4:49, 54; 7:6, 25–26, 111–112; 8:85, 97; 9:93, 98–101

Herring—1:7, 14; 2:14–24, 27–32; 3:25–32; 4:80; 6:117–134, 147, 153; 7:6, 14, 74; 8:97; 9:55, 141–150, 171; 10:55

Iceland—7:19, 89; 10:58

Kelp—9:143, 145, 172

Laughing—1:14; 4:54; 6:148; 7:74, 75, 89, 90, 93, 95; 10:60, 64

Lesser Black-backed—9:141–150, 171–173; 10:58, 177

Little—1:14; 7:6, 14, 83, 95; 9:148; 10:60, 177

Mew—1:14; 2:11–26; 3:25–32; 4:80; 6:117–134; 7:6, 111–112; 9:55; 10:49–56, 201–213

Pacific—5:98

Ring-billed—1:14; 2:22; 3:25–32; 4:80, 85; 6:117–134; 7:6; 8:83, 84, 85, 97; 9:38, 106, 141–150, 171; 10:31–36

Sabine's—1:14; 4:45–52; 6:117–134; 7:6, 33–68, 128; 8:86–87, 97; 9:45–66

Slaty-backed—**9**:55, 143, 145, 171
 Thayer's—**1**:7, 14; **2**:11–26, 27–32; **4**:80; **6**:117–134; **7**:6, 14; **8**:84–85, 97; **9**:171;
 10:58, 60, 64, 145
 Western—**1**:14; **2**:11–26, 27–32, 129–133; **3**:25–32; **4**:49, 65–70; **5**:13–20; **6**:117–134;
 7:6, 61, 82; **8**:97; **9**:93, 97–98, 141–150, 171; **10**:49–56
Gymnogyps californianus—**1**:11; **7**:4; **10**:125–129
Gymnorhinus cyanocephala—**1**:17
 cyanocephalus—**7**:8, 16; **9**:80
Gypaetus barbatus—**5**:98
 Gyrfalcon—**1**:12; **7**:4, 95

Haematopus bachmani—**1**:13, 83; **4**:65–70; **7**:5; **8**:97; **10**:193, 201–213
 *palliatu*s—**1**:13; **8**:97; **10**:174
Haliaeetus leucocephalus—**1**:12; **5**:98; **7**:4, 28; **8**:96; **9**:35–37; **10**:201–213, 222
Halocyptena microsoma—**1**:9; **4**:45–52; **7**:26, 33–68, 123; **8**:76, 96
 Hansley, Paula L.—**6**:*see* Hubbard, J. D.; **9**:*see* Crockett, A. B.
 Hanson, Bruce A.—**10**:*see* Faanes, C. A.
harlani, *Buteo jamaicensis*—**6**:55–62
 Harrier [= Hawk], Marsh—**8**:5
 Harrington-Tweit, Bill, A Seabird Die-Off on the Washington Coast in Mid-Winter 1976—
 10:49–56
 Hasenyager, Robert N., Pederson, Jordan C., and Heggen, Albert W., Flammulated Owl Nesting
 in a Squirrel Box—**10**:224
 Hawk, Broad-winged—**1**:11; **4**:54, 106; **6**:137, 140; **10**:1–16, 64, 174
 Cooper's—**1**:11; **5**:61–80; **6**:157; **7**:4; **10**:1–16
 Ferruginous—**1**:12; **6**:57; **7**:4; **8**:155; **10**:1–16
 Gray—**7**:84
 Harlan's—**1**:6; **6**:55–62; **7**:83
 Harris'—**1**:12; **7**:82, 84; **8**:81, 155; **10**:186
 Hawaiian—**3**:1–8
 Marsh—**1**:12; **7**:4; **8**:96; **9**:9–20; **10**:1–16
 Red-shouldered—**1**:11; **4**:15–22; **5**:61–80; **7**:90, 95; **10**:1–16, 59, 64
 Red-tailed—**1**:6, 11; **5**:61–80; **6**:55–62; **7**:4, 83; **8**:45–62, 96, 155; **9**:9–20, 82; **10**:1–16
 Rough-legged—**1**:12; **6**:56, 57; **7**:4, 28; **8**:64; **10**:1–16, 201–213
 Sharp-shinned—**1**:11; **6**:157–158; **7**:4; **10**:1–16
 Swainson's—**1**:12; **4**:84; **6**:153; **7**:4; **8**:81; **9**:82; **10**:1–16
 White-tailed—**10**:58
 Zone-tailed—**1**:12; **4**:103; **8**:81; **10**:174, 185
 Hawthorne, Vernon M., Painted Bunting Record for Northeastern California—**3**:91–92
 Hawthorne, Vernon M., Use of Nest Boxes by Dippers on Sagehen Creek, California—**10**:215–
 216
 Heggen, Albert W.—**10**:*see* Hasenyager, R. N.
Heliomaster constantii—**6**:151
Helmitheros vermivorus—**1**:19; **4**:55; **7**:88; **10**:62, 181
Hemignathus lucidus—**3**:1–8
 obscurus—**9**:72
 procerus—**3**:1–8

- wilsoni*—3:1–8
- Henny, Charles J., and Annear, John T., A White-tailed Kite Breeding Record for Oregon—9:131–133
- Herlugson, Christopher J., Comments on the Status and Distribution of Western and Mountain Bluebirds in Washington—9:21–32
- Heron, Black-crowned Night—1:10; 4:83; 5:61–80; 7:3, 28; 8:3, 10; 9:38, 75; 10:38
 Great Blue—1:10; 4:50; 5:61–80, 127–136; 7:3; 8:3, 65–66, 96, 151; 9:106; 10:221
 Green—1:10; 5:61–80; 6:73; 7:3, 28; 8:96; 10:59
 Little Blue—1:10; 4:103; 6:137, 140; 7:3, 12, 86, 90, 92; 8:151–154; 9:33–34; 10:59, 64
 Little Blue × Snowy Egret—8:152
 Louisiana—1:10; 3:19–21; 7:86, 92; 10:59
 Yellow-crowned Night—1:10; 6:146; 9:177–178
- Hesperiphona vespertina*—1:21; 6:72, 78; 7:10, 101, 102; 8:45–62
- hesperis*, *Corvus brachyrhynchos*—7:16
- Heteroscelus incanum*—1:13; 3:13–15
incanus—1:84; 7:5; 8:97; 9:75–76, 106
 (sp.)—9:45–66
- heuglini*, *Larus argentatus*—9:145, 146
- hiemalis*, *Troglodytes troglodytes*—6:159
- Higgs, Raymond, An Inland Record of the Black Oystercatcher—1:83
- Hill, Herbert O.—10:see Castetter, R. C.
- Himantopus himantopus*—1:6, 14
mexicanus—4:84; 6:45–54; 7:6; 8:7, 10
- Himatione sanguinea*—3:1–8; 8:113–116; 9:76, 77
- Hirai, Lawrence T., The Nesting Biology of the House Finch in Honolulu, Hawaii—6:33–44
- Hirai, Lawrence T., Native Birds of Lanai, Hawaii—9:71–77
- Hirundo rustica*—1:17; 3:65, 66; 4:50, 86; 6:110; 7:8; 8:8, 99
- Histrionicus histrionicus*—1:11; 7:4; 8:79; 9:45–66; 10:59, 64, 201–213
- Hoechlin, Don R., Development of Golden Eaglets in Southern California—7:137–152
- Hoechlin, Don [R.], Yellow-crowned Night Heron in California—9:177–178
- Hoffman, Richard W., and Braun, Clait E., Characteristics and Status of Ruffed Grouse and Blue Grouse in Colorado—9:121–126
- Hoffman, Wayne, and Elliott, William P., Occurrence of Intergrade Brant in Oregon—5:91–93
- Hoffman, Wayne, Elliott, William P., and Scott, J. Michael, The Occurrence and Status of the Horned Puffin in the Western United States—6:87–94
- Hoffman, Wayne—5:see Scott, J. M.
- Hogg, Norman—7:see Grant, G. S.
- Honeycreeper, Crested—8:113–116
- hrota*, *Branta bernicla*—1:5; 5:91–93; 7:13; 10:173
- Hubbard, Joel D., Crockett, Allen B., and Hansey, Paul L., Second Record for the Phainopepla in Colorado—6:28
- Hubbard, John P., The Status of the Northern Shrike in New Mexico—9:159–168
- Hudson, George E.—7:see Johnson, R. E.
- Hummingbird, Allen's—1:16; 2:41–54; 6:81, 84; 7:7, 84; 8:99; 10:83–85
 Anna's—1:16; 2:41–54; 5:61–80; 6:82, 158; 7:7, 15, 83, 90, 92; 8:99
 Anna's × Blue-throated Hummingbird—6:153

Black-chinned—**1:16; 2:41–54; 5:61–80; 6:73; 7:7; 8:99**
 Blue-throated—**6:153, 159; 7:83, 87–88, 95; 10:61, 177**
 Blue-throated × Anna’s Hummingbird—**6:153**
 Broad-billed—**1:16, 111–112; 8:158; 10:178**
 Broad-tailed—**1:16; 2:41–54; 5:46–47; 6:73, 101–105; 7:20**
 Buff-bellied—**7:84**
 Calliope—**1:16; 2:41–54; 7:7; 8:45–62; 10:43–44, 69**
 Costa’s—**1:16; 2:41–54; 6:82; 8:99; 9:9–20; 10:143**
 Lucifer—**3:16; 4:54; 6:148, 151**
 Rivoli’s—**6:158; 7:89; 10:64, 185**
 Ruby-throated—**6:73; 7:84; 8:105; 10:58**
 Rufous—**1:16; 2:41–54; 4:85; 7:7; 8:45–62, 105; 10:83**
 Violet-crowned—**9:91–92; 10:177**
 White-eared—**6:149; 7:84; 10:43, 185**
 Hunn, Eugene, First Record for the Swamp Sparrow in Washington State—**4:31–32**
 Hunn, Eugene S., Black-throated Sparrow Vagrants in the Pacific Northwest—**9:85–89**
 Hunn, Eugene S.—**7:see** Mattocks, P. W. Jr.; **9:see** Weber, W. C.
 Hwa-Mei—**3:1–8**
Hydranassa tricolor—**1:10; 3:19–21; 7:86, 92; 8:152; 10:59**
Hydroprogne caspia—**1:14, 33; 7:6, 83, 84, 93**
Hylocharis leucotis—**6:149; 7:84; 10:43, 185**
Hylocichla fuscescens—**1:25**
 guttata—**1:18; 2:134, 139; 3:9–12**
 mustelina—**1:18; 2:134; 4:55; 7:86**
 ustulata—**1:19; 3:9–12**
Hylophylax naevioides—**3:1–8**
hyperboreus, Larus hyperboreus—**2:15**
hypoleuca, Endomychura hypoleuca—**10:81–82**
 Ibis, White—**1:10; 7:82; 10:172**
 White-faced—**1:10; 4:83; 7:3**
 Wood—**1:5**
Icteria virens—**1:20; 4:87; 5:61–80; 6:77; 7:9**
Icterus bullockii—**1:8**
 cucullatus—**1:21; 6:77, 79; 7:83, 85; 8:100, 109**
 galbula—**1:8, 21; 2:93; 4:87; 5:61–80; 6:70, 77, 80, 154; 7:9; 8:100, 105, 109; 10:69**
 graduacauda—**6:154**
 parisorum—**1:21; 6:77; 7:83, 85, 95, 96; 8:109, 157–158; 10:63**
 pustulatus—**1:21; 6:80; 10:184**
 spurius—**1:21; 2:139; 4:104, 106; 6:77, 139, 142, 143, 151; 7:20**
 wagleri—**6:154**
Ictinia mississippiensis—**1:11; 4:106; 6:81, 140; 10:1–16, 174**
 Iiwi—**3:1–8; 8:113–116; 9:72**
inornata, Uria aalge—**1:107–110; 3:25–32; 7:62**
inquietus, Myiarchus nuttingi—**2:140**
invictus, Lanius excubitor—**9:159–168**
Iridoprocne bicolor—**1:17; 3:65–66, 67, 69–70; 4:86; 5:61–80; 6:149–150; 7:8; 8:99**

Ixobrychus exilis—1:10; 7:28, 87
Ixoreus naevius—1:18; 2:139; 4:55, 86; 6:150; 7:8, 29, 86, 101, 104; 10:61, 201–213
 Jacksnipe, European—1:13; 6:48
 Jaeger, Long-tailed—1:14; 4:45–52, 103; 6:117–134, 138; 7:6, 14, 126; 8:83; 9:45–66
 Parasitic—1:14; 6:117–134, 151; 7:6, 87, 93, 95, 126; 8:83, 97; 9:45–66; 10:60
 Pomarine—1:14; 4:45–52; 6:117–134; 7:6, 87, 93, 126–128; 8:97; 9:45–66
 jaeger (sp.)—6:151; 10:60
 James, Anthony H., Sandhill Cranes Breeding in Sierra Valley, California—8:159–160
 Jay, Blue—1:17, 81–83; 7:8, 16; 8:109–112; 10:179
 Gray—1:17; 7:8
 Magpie—8:109–112
 Mexican—8:109–112; 10:43
 Piñon—1:17; 7:8, 16; 9:80
 Scrub—1:17, 81; 3:93–95; 5:61–80; 7:8; 9:42; 10:46
 Steller's—1:17, 81; 6:101–105; 7:8, 29
 Jehl, J. R. Jr., Review: *Check-list of the Birds of New Mexico*—1:155
 Jehl, Joseph R. Jr., A Hybrid Glaucous × Herring Gull from San Diego—2:27–32
 Jehl, Joseph R. Jr., Late Autumn Observations of Pelagic Birds off Southern California—4:45–52
 Jehl, Joseph R. Jr., A Craveri's Murrelet from Oregon—6:109
 Jehl, Joseph R. Jr., The Northernmost Colony of Heermann's Gull—7:25–26
 Jehl, Joseph R. Jr., An Annotated List of Birds of Islas Los Coronados, Baja California, and Adjacent Waters—8:91–101
 Jehl, Joseph R. Jr., Pine Cones as Granaries for Acorn Woodpeckers—10:219–220
 Jehl, Joseph R. Jr.—2:see Devillers, P.; 10:see Cord, B.
 Johnson, Eric V.—5:see Johnston, D. S.
 Johnson, Jerome A., and Ziegler, Fred R., A Violet-crowned Hummingbird in California—9:91–92
 Johnson, Ned K., Breeding Distribution and Habitat Preference of the Gray Vireo in Nevada—3:73–78
 Johnson, Ned K., and Garrett, Kimball L., Interior Bird Species Expand Breeding Ranges into Southern California—5:45–56
 Johnson, Richard E., and Hudson, George E., Bird Mortality at a Glassed-In Walkway in Washington State—7:99–107
 Johnston, David S., and Johnson, Eric V., Albino Rock Wren—5:21
 Jones, Lee, The Whip-poor-will in California—2:33–36
 Jones, H. Lee, Olivaceous Cormorant Record for California—2:134
 Junco, Dark-eyed—1:8, 22; 5:86; 6:67; 7:10, 83, 101; 8:45–62
 Dark-eyed (Oregon)—8:101
 Gray-headed—1:8; 6:101–105; 7:20
 Oregon—1:8; 4:71; 7:83
 Slate-colored—1:8; 7:83
 White-winged—7:83
 junco (sp.)—6:70
Junco caniceps—6:101–105; 7:20
 hyemalis—1:8, 22; 5:86; 6:67; 7:10, 83, 101; 8:45–62, 101

- oreganus*—4:71
(sp.)—6:70
- Jurek, Ronald M.—3:see Page, G.
- Kantrud, Harold A.—10:see Faanes, C. A.
- Kautesk, Brian—6:see Weber, W. C.
- Keeler-Wolf, Todd—5:see Greenberg, R.
- Keeler-Wolf, Virginia—5:see Greenberg, R.
- kelsalli*, *Oceanodroma tethys*—7:121–122
- Kennedy, Joseph L.—9:see Tait, I. C.
- kernensis*, *Pipilo fuscus*—10:131
- Kertell, Kenneth, The Spotted Owl at Zion National Park, Utah—8:147–150
- Kestrel, American—1:12; 4:84; 5:61–80; 7:4; 8:96; 9:9–20; 10:1–16
- Kiff, Lloyd F., Probable Black Rail Nesting Record for Alameda County, California—9:169–170
- Killdeer—1:13; 4:84; 5:22, 61–80; 6:4, 45–54; 7:5; 8:6; 10:86, 91, 92
- Kingbird, Cassin’s—1:17; 8:99
- Eastern—1:16; 4:33–44, 55, 85; 6:108, 149; 7:7
- Thick-billed—1:16; 6:149; 10:178
- Tropical—1:16; 5:30; 6:82; 7:7
- Western—1:16; 4:33–40, 85; 5:61–80; 7:7; 8:65–66, 99
- Kingfisher, Belted—1:16; 5:61–80; 7:7, 101; 8:99; 10:201–213
- Green—6:154
- Kinglet, Golden-crowned—1:19; 6:67, 72, 76, 79, 84, 101–105; 7:9, 101; 8:19; 10:201–213
- Ruby-crowned—1:19, 111; 3:9–12; 4:86; 6:76, 101–105, 161; 7:9, 101; 8:45–62, 109–112; 10:201–213
- Kite, Mississippi—1:11; 4:106; 6:81, 140; 10:1–16, 174
- Swallow-tailed—7:92
- White-tailed—1:11; 5:61–80; 8:5, 10; 9:131–133; 10:1–16, 165
- Kittiwake, Black-legged—1:14; 6:90, 117–134, 148; 7:6, 33–68, 90, 93, 111–112, 114, 128; 8:85–86, 97; 9:45–66; 10:49–56, 60, 201–213
- Red-legged—6:92–93, 130; 7:20; 9:45–66
- Knight, R. L., and Erickson, A. W., Objects Incorporated Within Clutches of the Canada Goose—8:108
- Knopf, F. L., Ancient Murrelet in Utah—7:27
- Knopf, Fritz L.—9:see Tait, I. C.
- Knot—1:13
- Knot, Red—6:45–54, 147; 7:5, 86, 87
- Kuchel, Craig R., and Garrott, Robert A., Boreal Owl Sighting in Yellowstone National Park—6:21–23
- Lagopus leucurus*—7:4
- Lammergeier—5:98
- Lampornis clemenciae*—6:153, 159; 7:83, 87–88, 95; 10:61, 177
- clemenciae* × *Calypte anna*—6:153
- Lampronetta fischeri*—1:24; 10:186
- lanaiensis*, *Hemignathus obscurus*—9:72

Phaeornis obscurus—9:72
Lanius excubitor—1:19; 3:43; 7:9; 9:159–168
 ludovicianus—1:19; 7:9; 8:9, 100; 9:9–20, 163
lapponica, *Limosa lapponica*—4:90
 Lark, Horned—1:17; 7:8; 8:65–66, 99; 10:201–213
Larus argentatus—1:7, 14; 2:14–24, 27–32; 3:25–32; 4:80; 6:117–134, 147, 153; 7:6, 14, 74;
 8:97; 9:55, 141–150, 171, 172; 10:55
 atricilla—1:14; 4:54; 6:148; 7:74, 75, 89, 90, 93, 95; 10:60, 64
 cachinnans—9:145
 californicus—1:14; 2:22; 3:25–32; 4:49, 68, 85; 6:117–134; 7:6, 19, 27; 8:83, 84, 97;
 9:141–150, 171; 10:14, 31–36
 canus—1:14; 2:11–26; 3:25–32; 4:80; 6:117–134; 7:6, 111–112; 9:55; 10:49–56, 201–
 213
 crassirostris—1:24–25; 9:55; 10:186
 delawarensis—1:14; 2:22; 3:25–32; 4:80, 85; 6:117–134; 7:6; 8:83, 84, 85, 97; 9:38,
 106, 141–150, 171; 10:31–36
 dominicanus—9:143, 145, 172
 fuscus—9:141–150, 171–173; 10:58, 177
 glaucescens—1:14; 2:11–26, 27–32, 129–133; 3:25–32; 4:80; 5:13–20; 6:117–134; 7:6,
 111–112; 8:83–84, 97; 9:45–66, 141–150; 10:49–56, 193
 glaucoides—7:19, 89; 10:58
 heermanni—1:14; 2:22; 4:49, 54; 7:6, 25–26, 111–112; 8:85, 97; 9:93, 98–101
 hyperboreus—1:14; 2:11–26, 27–32; 4:77; 7:6; 9:171
 marinus—9:145, 171
 minutus—1:14; 7:6, 14, 83, 95; 9:148; 10:60, 177
 modestus—7:76
 occidentalis—1:14; 2:11–26, 27–32, 129–133; 3:25–32; 4:49, 65–70; 5:13–20; 6:117–
 134; 7:6, 61, 82; 8:97; 9:93, 97–98, 141–150, 171; 10:49–56
 pacificus—5:98
 philadelphia—1:14; 4:85; 6:117–134; 7:6, 128; 8:85, 87, 97
 pipixcan—1:14; 4:85; 7:6, 29; 8:85, 97; 10:222
 ridibundus—1:14; 6:138; 7:20; 9:45–66, 148; 10:177
 schistisagus—9:55, 143, 145, 171
 thayeri—1:7, 14; 2:11–26, 27–32; 4:80; 6:117–134; 7:6, 14; 8:84–85, 97; 9:171; 10:58,
 60, 64, 145
Laterallus jamaicensis—1:12; 7:82; 8:6; 9:151–158, 169–170; 10:58
 Lavers, Norman, The Status of the Gray Flycatcher in Washington State—6:25–27
 Lavers, Norman, Status of the Harlan’s Hawk in Washington, and Notes on Its Identification in
 the Field—6:55–62
 Lawson, C. S., Notes on Pelecaniformes in Nevada—4:23–30
 Lawson, C. S., Charadriiformes New to Nevada—4:77–82
 Lawson, C. S., Fish Catching by a Black Phoebe—6:107–109
 Lawson, C. S., Nonpasserine Species New or Unusual to Nevada—8:73–90
 Lawson, C. S., Nevada Records of Roseate Spoonbill—10:166
 Laymon, Stephen, Review:Montana Bird Distribution:Preliminary Mapping by Latilong—7:72
 Laymon, Stephen, Review:Birdwatcher’s Guide to Wildlife Sanctuaries—8:118

Lederer, Roger J., Mazen, Walter S., and Metropulos, Peter J., Population Fluctuation in a Yellow-headed Blackbird Marsh—6:1–6

Leiothrix, Red-billed—3:1–8; 8:113–116

Leiothrix lutea—3:1–8; 8:113–116

Lepthien, Larry W.—6:see Bock, C. E.

leucogaster, *Sula leucogaster*—1:123–124

Leucophoyx thula—1:10; 3:19

leucorhoa, *Oceanodroma leucorhoa*—6:125

Leucosticte arctoa—1:8, 21

atrata—1:8; 6:139; 10:184

australis—1:8

tephrocotis—1:8; 6:139; 7:10; 10:201–213

levipes, *Rallus longirostris*—8:67–70

Lewis, David B., and Tyler, W. Breck, First Record of the Blue-footed Booby from the Pacific Coast of the United States—9:175–176

Lidicker, W. Z. Jr., and McCollum, F. C., Canada Goose Established as a Breeding Species in San Francisco Bay—10:159–162

limnaeus, *Seiurus noveboracensis*—9:83

Limnodromus griseus—1:13; 6:81–82, 147; 7:5, 87, 90, 93, 95; 10:60, 64

scolopaceus—1:13; 4:84; 6:81–82; 7:5; 8:26; 10:86, 91

Limnithlypis swainsonii—7:94; 10:186

Limosa fedoa—1:13; 4:84, 89–90; 6:45–54; 7:6; 9:106

haemastica—4:89–90; 6:140; 7:6, 14, 90, 92, 93; 10:60

lapponica—1:14; 4:89–90, 102; 6:140; 7:6, 14; 10:176, 185

Littlefield, Carroll D., and Anderson, Walter L., Tennessee Warbler Observations in Oregon—2:137–138

Littlefield, Carroll D., and McLaury, Eldon L., Black-throated Blue Warler Records for Southeasten Oregon—2:93

Littlefield, Carroll D., and McLaury, Eldon L., Bird Arrival Dates on Malheur National Wildlife Refuge, Oregon—4:83–88

Littlefield, Carroll D., and McLaury, Eldon L., Ovenbird Records for Oregon—6:114

livens, *Larus occidentalis*—2:11–26; 9:93, 97–98, 171

Lobipes lobatus—1:14; 4:77, 85; 6:45–54, 117–134; 7:6, 126

Lockner, F. Russell, Donaldson, Douglas D., and Tartaglia, Judith L., Mallards Resting in Trees—2:102

Long, Stephen M.—3:see Stewart, R. M.

Longspur, Chestnut-collared—1:22; 4:106; 6:29, 139, 143; 7:10, 18

 Lapland—1:22; 6:72; 7:10; 8:26; 10:201–213

 McCown's—1:22; 4:106; 10:163

 Smith's—7:84, 85, 96

Loomelania melania—1:9

Loon, Arctic—1:5; 3:25–32; 5:120; 6:12; 7:3, 86, 87, 90; 8:73–75, 95; 10:49–56, 59

 Common—1:9; 3:25–32; 5:111–126; 6:7, 12; 7:3, 84; 8:95

 Pacific—1:5, 9

 Red-throated—1:9; 3:25–32; 5:120; 6:12; 7:3, 87, 89; 8:75, 95; 10:59

 Yellow-billed—1:9; 4:103; 5:23, 111–126; 6:7–20, 139–140; 7:3, 12, 84; 8:95; 10:171,

- Lophodytes cucullatus*—1:11; 7:4
Lophortyx californicus—1:12; 5:61–80; 7:5, 82; 8:96
 douglasii—9:134
 gambelii—1:12; 9:9–20
Loxia curvirostra—1:22; 6:72, 78, 79, 84; 7:10, 101, 102, 104; 8:45–62; 9:79, 80; 10:223
 leucoptera—7:10, 101, 105, 106; 9:79–81; 10:201–213
Loxops coccinea—3:1–8; 8:113–116; 10:72
 maculata—3:1–8; 8:113–116; 9:72; 10:71–80
 parva—3:1–8
 virens—3:1–8; 8:113–116; 9:76, 77; 10:71–80
loyei, *Molothrus aeneus*—6:70
Lunda cirrhata—1:15; 4:65–70; 5:13–20; 6:90, 117–134; 7:6, 61, 133; 9:45–66; 10:49–56, 196
lutescens, *Vermivora celata*—5:81–90
Luther, John S., McCaskie, Guy, and Dunn, Jon, Third Report of the California Bird Records Committee—10:169–187
Lymnocyptes minimus—1:13; 6:48
Lyons, Clifford R.—1:see McCaskie, G.
MacIntosh, Richard A.—9:see Trapp, J. L.
macropterus, *Spinus pinus*—6:78
maculata, *Loxops maculata*—8:113–116
Magpie, Black-billed—1:17; 7:8, 29
 Yellow-billed—1:17; 5:61–80
Mallard—1:10; 2:102; 4:112; 7:4; 8:4–5
mana, *Loxops maculata*—8:113–116; 10:71–80
Manolis, Bill—10:see Ainley, D. G.
Manolis, Tim, A Louisiana Heron in Northeastern California—3:19–21
Manolis, Tim, The Eastern Kingbird in California—4:33–44
Manolis, Tim, Foraging Relationships of Mountain Chickadees and Pygmy Nuthatches—8:13–20
Manolis, Tim, Status of the Black Rail in Central California—9:151–158
Manolis, Tim, and Tangren, Gerald V., Shorebirds of the Sacramento Valley, California—6:45–54
Manolis, Tim, Binford, Laurence C., McCaskie, Guy, Stallcup, Richard, and Webb, Bruce, Identification Notes—10:95–96
Manuwal, David A., and Manuwal, Naomi J., Habitat Specific Behavior of the Parakeet Auklet in the Barren Islands, Alaska—10:189–200
Manuwal, David A., and Manuwal, Naomi J., Habitat Utilization and Migration of Land Birds on the Barren Islands, Alaska—10:201–213
Manuwal, Naomi J.—10:see Manuwal, D. A.
Maple, Terry, Do Crows Use Automobiles as Nutcrackers—5:97–98
Mareca americana—1:11
 penelope—1:11
Marti, Carl D., and Everett, Stephen W., Polygyny in Utah Dippers—9:174
Martin, Purple—1:17; 5:61–80; 7:8; 10:61
Massey, Barbara W., Occurrence and Nesting of the Least Tern and Other Endangered Species

- in Baja California, Mexico—**8**:67–70
- Mattocks, Philip W. Jr., Hunn, Eugene S., and Wahl, Terence R., A Checklist of the Birds of Washington State, with Recent Changes Annotated—**7**:1–24
- Mazen, Walter S.—**6**:*see* Lederer, R. J.
- McCaskie, Guy, The Functioning of the Rare Bird Committee—**1**:2–3
- McCaskie, Guy, A Cape Petrel off Monterey, California—**1**:39–40
- McCaskie, Guy, The American Redstart in California—**1**:41–46
- McCaskie, Guy, Blue Jay in California—**1**:81–83
- McCaskie, Guy, The Blackpoll Warbler in California—**1**:95–104
- McCaskie, Guy, The Broad-billed Hummingbird in California—**1**:111–112
- McCaskie, Guy, The Occurrences of Four Species of Pelecaniformes in the Southwestern United States—**1**:117–142
- McCaskie, Guy, A Red-faced Warbler Reaches California—**1**:145–146
- McCaskie, Guy, Rusty Blackbirds in California and Western North America—**2**:55–68
- McCaskie, Guy, A Pyrrhuloxia Wanders West to California—**2**:99–100
- McCaskie, Guy, The Wood Thrush in California—**2**:135
- McCaskie, Guy, A Look at the Tree Sparrow in California—**4**:71–76
- McCaskie, Guy, The Sprague's Pipit Reaches California—**6**:29–30
- McCaskie, Guy, LeConte's Sparrow in California and the Western United States—**6**:65–66
- McCaskie, Guy, A Rufous-necked Sandpiper in Southern California—**6**:111–113
- McCaskie, Guy, and Suffel, Shumway, Black Skimmers at the Salton Sea, California—**2**:69–71
- McCaskie, Guy, Devillers, Pierre, Craig, Alan M., Lyons, Clifford R., Coughran, Virginia P., and Craig, Jean T., A Checklist of the Birds of California—**1**:4–28
- McCaskie, Guy, Devillers, Pierre, Craig, Alan M., Lyons, Clifford R., Coughran, Virginia P., and Craig, Jean T., Corrigendum:California Checklist Nomenclature Changes—**1**:84
- McCaskie, Guy—**2**:*see* Devillers, P. and *see* Wilbur, S. R.; **6**:*see* Winter, J.; **10**:*see* Luther, J. S. and *see* Manolis, T.
- McClelland, B. Riley, Effectiveness of Brown Creeper's Concealment Behavior—**6**:24
- McCollum, F. C.—**10**:*see* Lidicker, W. Z. Jr.
- McLaury, Eldon L.—**2**:*see* Littlefield, C. D.; **4**:*see* Littlefield, C. D.; **6**:*see* Littlefield, C. D.
- McNicholl, Martin K., Sight Record of White-throated Swift on Vancouver Island—**6**:110
- Meadowlark, Eastern—**6**:72; **7**:92, 95; **10**:62
 Western—**1**:21; **4**:50, 87; **5**:61–80; **7**:9; **8**:9, 64, 100
- Megaceryle alcyon*—**1**:16; **5**:61–80; **7**:7, 101; **8**:99; **10**:201–213
- Melanerpes erythrocephalus*—**1**:25; **3**:23–24; **10**:61
formicivorus—**1**:16; **5**:61–80; **8**:21–24, 89, 109–112; **10**:219–220
uropygialis—**8**:109–112
- Melanitta deglandi*—**1**:6; **3**:25–32, 43; **10**:49–56, 59
fusca—**1**:6, 11; **3**:25–32; **7**:4
nigra—**7**:4, 93; **8**:80; **10**:59
perspicillata—**1**:11; **6**:147; **7**:4; **8**:79–80, 96; **10**:49–56, 59
- melanops*, *Sula dactylatra*—**9**:175
- Melanotis caerulescens*—**6**:154
- Meleagris gallopavo*—**1**:12; **7**:5, 13
- Melospiza georgiana*—**1**:22; **4**:31–32; **6**:65, 151; **7**:10, 18
lincolnii—**1**:22; **2**:139; **4**:88; **6**:65; **7**:10, 101, 105; **8**:65–66, 101; **10**:201–213

melodia—1:22; 4:31; 5:61–80; 6:78; 7:10; 8:9–10, 101; 10:163, 201–213
menzbieri, *Limosa lapponica*—4:90
 Merganser, Common—1:11; 5:61–80; 7:4; 10:221
 Hooded—1:11; 7:4
 Red-breasted—1:11; 3:25–32; 7:4; 8:96
Mergus merganser—1:11; 5:61–80; 7:4; 10:221
 serrator—1:11; 3:25–32; 7:4; 8:96
 Merlin—1:12; 6:72; 7:4; 10:201–213
merriami, *Meleagris gallopavo*—7:13
mesoleucus, *Pipilo fuscus*—10:147
 Metropulos, Peter J.—6:see Lederer, R. J.
Mewaldt, L. Richard, Prothonotary Warbler in Oregon—8:63-64
mexicanus, *Himantopus himantopus*—1:6
michahellis, *Larus argentatus*—9:146
Micrathene whitneyi—1:15; 8:88–89
Micropalama himantopus—1:13; 6:45–54; 7:5
 Miller, Don E.—10:see Conover, M. R.
Miller, Gary C., and Ryder, Ronald A., Cattle Egret in Colorado—10:37–41
milleri, *Tangavius aeneus*—6:70
Mills, G. Scott, New Locations for the Five-striped Sparrow in the United States—8:121–130
Mimus polyglottos—1:18; 5:61–80; 7:8, 16; 8:100
minor/sitkensis, *Loxia curvirostra*—6:78
Mniotilta varia—1:19; 2:93; 3:43; 4:50; 7:9, 29, 101, 105
 Mockingbird—1:18; 5:61–80; 7:8, 16; 8:100
 Mockingbird, Blue—6:154
moffitti, *Branta canadensis*—8:108; 10:159–162
Molothrus aeneus—6:70
 ater—1:21; 3:89; 4:87; 5:61–80; 7:9; 8:45–62, 65–66, 100
mongolicus, *Larus argentatus*—9:146
 Monson, Gale—10:see Ellis, D. H.
montana, *Certhia familiaris*—6:79
 Loxops maculata—9:72
Moore, Narca A., Book Review: *The Complete Outfitting & Source Book for Birdwatching*—10:47
 Morejohn, G. Victor—7:see Baltz, D. M.; 10:see Baltz, D. M.
Morris, James R. Jr., Breeding Record for the Semipalmated Plover at Ocean Shores, Washington—5:22
 Morton, Galen A.—4:see Morton, M. L.
 Morton, Martin L., and Morton, Galen A., New Altitude Record for Mallard Nesting in California—4:112
Motacilla alba—4:104; 10:186
 Murray, Kelvin G.—10:see Winnett, K. A.
 Murre, Common—1:15, 107–110; 3:25–32, 60; 4:65–70; 5:13–20, 137; 6:13, 117–134; 7:6, 61, 131; 8:98; 9:45–66; 10:25, 28, 49–56, 196
 Thick-billed—1:15, 107–110; 4:103; 5:137; 6:13, 14, 92–93, 130, 138; 7:6, 14, 33–68, 131; 9:45–66; 10:177

Murrelet, Ancient—**1:15; 6:90, 117–134; 7:6, 27, 33–68, 134; 8:87; 9:45–66; 10:25–30**
 Craveri's—**1:15; 4:45–52; 6:109, 138; 7:26, 33–68, 134; 8:98; 9:93, 106; 10:25**
 Kittlitz's—**3:33–38; 7:6, 15, 59; 9:55; 10:186**
 Marbled—**1:15; 3:33; 6:130; 7:6, 33–68, 133; 9:55**
 Xantus'—**1:15; 4:45–52; 6:109, 117–134; 7:6, 15, 33–68, 71, 133–134; 8:98; 10:25, 28, 81–82**
Muscivora forficata—**1:17; 4:55, 103; 6:149, 153; 10:222**
Myadestes townsendi—**1:19; 6:28, 104; 7:9, 101**
Mycteria americana—**1:5, 10; 4:53; 6:146–147**
Myerfeld, Alan B., A Record of the Lucifer Hummingbird in Arizona—3:16
Myiarchus cinerascens—**1:17, 79–80; 2:140; 4:85; 5:61–80; 6:80; 7:7; 8:65–66, 99; 9:9–20, 135**
 crinitus—**1:17, 80; 4:106; 6:73; 9:135; 10:178**
 nuttingi—**1:80; 2:140; 6:80, 82; 9:135–136**
 tuberculifer—**1:17, 79–80; 8:158; 9:135; 10:178**
 tyrannulus—**1:17, 80; 8:105; 9:135**
 yucatanensis—**1:80; 9:135–136**
Myioborus pictus—**5:94–96; 7:92, 96; 8:109–112, 158; 10:183–184**
Myiodynastes luteiventris—**10:178**
Myiozetetes similis—**6:108**
 Myna, Crested—**1:25; 7:20**

 Nehls, Harry B.—**5:see Scott, J. M.**
nelsoni, Icterus cucullatus—**6:79**
 Nighthawk, Common—**1:16; 4:85; 6:72; 7:7, 29**
 Lesser—**1:16; 5:31, 61–80; 8:98; 9:9–20**
 Night Heron, Black-crowned—**1:10; 4:83; 5:61–80; 7:3, 28; 8:3, 10; 9:38, 75; 10:38**
 Yellow-crowned—**1:10; 6:146; 9:177–178**
nigricans, Branta bernicla—**1:5; 5:91–93; 7:13; 8:96; 10:173**
 Noddy, Common—**9:75**
 White-capped—**9:74, 77**
notabilis, Seiurus noveboracensis—**9:83**
noveboracensis, Seiurus noveboracensis—**9:83**
 Vireo griseus—**2:94**
Nucifraga columbiana—**1:17; 4:61; 6:101–105; 7:8; 8:45–62**
 Nukupuu—**3:1–8**
Numenius americanus—**1:13; 4:84; 6:45–54; 7:5; 8:97**
 minutus—**6:143**
 phaeopus—**1:13; 4:50; 6:45–54, 147; 7:5; 8:81–82, 97; 9:106**
 tahitiensis—**9:75**
 Nutcracker, Clark's—**1:17; 4:61; 6:101–105; 7:8; 8:45–62**
 Nuthatch, Brown-headed—**1:7**
 Pine—**1:7, 18**
 Pygmy—**1:7; 7:8; 8:13–20; 10:61, 77**
 Red-breasted—**1:18; 4:86; 6:101–105, 161; 7:8, 101; 8:17, 45–62; 10:223**
 White-breasted—**1:18; 5:61–80; 6:72, 101–105; 7:8; 8:17, 19, 45–62**
Nuttallornis borealis—**1:17; 4:86; 7:8; 8:99**
Nyctanassa violacea—**1:10; 6:146; 9:177–178**

Nyctea scandiaca—1:15; 6:154; 7:7; 8:88; 10:177, 185
Nycticorax nycticorax—1:10; 4:83; 5:61–80; 7:3, 28; 8:3, 10; 9:38, 75; 10:38
obscura, *Aimophila ruficeps*—10:45
obscurus, *Dendragapus obscurus*—9:121–126
obsoletus, *Rallus longirostris*—8:5, 10
occidentalis, *Larus occidentalis*—2:11–26; 9:141–150, 171
 Strix occidentalis—8:131–146
Oceanites oceanicus—1:9; 6:136; 7:33–68, 123; 10:172
Oceanodroma castro—6:143; 9:45–66
 furcata—1:9; 3:71; 4:65–70; 6:117–134; 7:3, 12, 33–68, 114, 121; 9:45–66; 10:49–56
 homochroa—1:9; 3:71; 4:45–52, 65–70; 7:33–68, 71, 123; 8:95
 leucorhoa—1:9; 3:71; 4:65–70; 4:45–52; 6:117–134; 7:3, 33–68, 121; 8:76, 95; 9:45–66; 10:49–56
 melania—7:33–68, 71, 123; 8:76, 96
 monorhis—9:45–66
 tethys—1:9; 7:121–122
 tristrami—9:45–66
Oenanthe oenanthe—7:82; 10:186, 201–213
 Ohmart, Clifford P.—9:see Copper, W. A.
Oidemia nigra—1:11; 3:25–32
 Oldsquaw—1:11; 7:4; 8:79
olivaceus, *Regulus satrapa*—6:79
olivascens, *Myiarchus tuberculifer*—1:80
Olor buccinator—1:10; 4:107–108, 111; 7:3, 89, 93; 9:90; 10:64
 columbianus—1:10; 4:107, 111; 7:3; 9:90; 10:221
 Omao—3:1–8
omissus, *Larus argentatus*—9:145
opisthomelas, *Puffinus puffinus*—8:95
Oporornis agilis—1:20; 7:89; 10:183, 186
 formosus—1:20, 37–38; 7:83, 88, 89, 91, 94, 96; 10:183
 philadelphia—1:20; 6:76–77; 7:29; 10:183, 186
 tolmiei—1:20; 4:87; 5:81–90; 6:76–77; 7:9, 101, 105; 8:65–66, 100
oreganus, *Junco hyemalis*—5:86
oregonus, *Pipilo erythrophthalmus*—6:78
Oreortyx pictus—1:12; 7:5
Oreoscoptes montanus—1:18; 4:86; 6:159–160; 7:8
orestera, *Vermivora celata*—5:85
oriantha, *Zonotrichia leucophrys*—6:78–79
orientalis, *Branta bernicla*—5:91
 Oriole, Baltimore—1:8; 2:93; 6:77; 7:83
 Black-headed—6:154
 Black-vented—6:154
 Bullock’s—1:8; 6:77, 80; 7:83; 8:100
 Hooded—1:21; 6:77, 79; 7:83, 85; 8:100, 109
 Northern—1:8, 21; 4:87; 5:61–80; 6:70; 7:9, 83; 8:100, 109; 10:69
 Northern (Baltimore)—6:154; 8:105

Northern (Bullock's)— 4:87; 8:105
 Orchard—1:21; 2:139; 4:104, 106; 6:77, 139, 142, 143, 151; 7:20
 Scarlet-headed—1:21; 6:80
 Scott's—1:21; 6:77; 7:83, 85, 95, 96; 8:109, 157–158; 10:63
 Streak-backed—10:184
 Osborne, Timothy—3:see Ainley, D. G.
 Osprey—4:84; 7:4; 8:65–66, 96; 10:1–16, 64, 157–158
Otus asio—1:15; 5:28, 31, 61–80; 7:7
 flammeolus—1:15; 5:25–44; 6:158; 7:7; 10:224
 trichopsis—1:25
 Ou—9:72
 Ovenbird—1:20; 2:93; 3:44; 4:56, 104; 6:114, 139, 150; 7:9, 17
 Owl, Barn—1:15; 7:7; 8:8, 98; 9:82
 Barred—5:138–140; 7:7, 15
 Boreal—6:21–23; 7:7, 15, 90, 93; 8:117; 10:64
 Burrowing—1:15; 4:85; 7:7; 8:8, 98
 Elf—1:15; 8:88–89
 Flammulated—1:15; 5:25–44; 6:158; 7:7; 10:224
 Great Gray—1:15; 7:7
 Great Horned—1:15; 5:61–80; 6:101–105; 7:7; 8:29, 148; 9:82
 Hawk—7:7
 Long-eared—1:15; 5:61–80; 6:158; 7:7; 8:98; 9:9–20
 Pygmy—1:15; 7:7; 9:83
 Saw-whet—1:15; 7:7; 10:69
 Screech—1:15; 5:28, 31, 61–80; 7:7
 Short-eared—1:15; 3:1–8; 7:7; 8:8, 98; 9:76, 77; 10:201–213
 Snowy—1:15; 6:154; 7:7; 8:88; 10:177, 185
 Spotted—1:15; 7:7, 93, 95; 8:131–146, 147–150; 9:1–8; 10:61
 Whiskered—1:25
Oxyura dominica—10:185
 jamaicensis—1:11; 3:25–32; 7:4; 8:4–5
 Oystercatcher, American—1:13; 8:97; 10:174
 Black—1:13, 83; 4:65–70; 7:5; 8:97; 10:193, 201–213

pacifica, Calidris alpina—5:1–12
 Gavia arctica—1:5
pacificus, Troglodytes troglodytes—6:159
 Page, Gary, Age, Sex, Molt and Migration of Dunlins at Bolinas Lagoon—5:1–12
 Page, Gary, Fearis, Barbara, and Jurek, Ronald M., Age and Sex Composition of Western Sandpipers on Bolinas Lagoon—3:79–86
 Palila—3:1–8
Palmeria dolei—8:113–116
Pandion haliaetus—4:84; 7:4; 8:65–66, 96; 10:1–16, 64, 157–158
Parabuteo unicinctus—1:12; 7:82, 84; 8:81, 155; 10:186
 Parakeet, Carolina—7:82
 Parker, Theodore A. III—4:see Speich, S.
 Parrot, White-fronted—8:109–112

Parrotbill, Maui—**8**:113–116
 Partridge, Chukar—**1**:6
 Gray—**1**:12; **7**:5, 82
 Przewalski's Rock—**1**:6
 Red-legged—**7**:82
 Rock—**1**:6
 Parula, Northern—**6**:141; **7**:29; **10**:69, 181
Parula americana—**1**:20; **3**:43–44; **4**:104; **6**:141; **7**:29; **10**:69, 181
Parus atricapillus—**1**:18; **6**:67, 162; **7**:8, 29; **8**:19
 carolinensis—**6**:162
 gambeli—**1**:18; **3**:91; **5**:86; **6**:83, 101–105, 154, 162; **7**:8; **8**:13–20, 45–62; **9**:41
 hudsonicus—**7**:8
 inornatus—**1**:18; **3**:1; **5**:61–80; **10**:46
 major—**6**:39
 rufescens—**1**:18; **6**:67; **7**:8; **8**:19, 109–112; **9**:41–42
 wollweberi—**8**:109–112
Passer domesticus—**1**:20; **3**:65, 66–67; **6**:41–43; **7**:9, 101
 montanus—**3**:65
Passerculus sandwichensis—**1**:22; **2**:139; **4**:87; **6**:29, 65, 78; **7**:10; **8**:9, 26, 65–66, 67–70; **9**:85;
 10:201–213
Passerella iliaca—**1**:22; **2**:139; **4**:88; **6**:72, 78, 81, 84; **7**:10, 101; **10**:201–213
Passerina amoena—**1**:21; **4**:87; **5**:61–80; **7**:10, 101, 102–103; **8**:45–62, 101, 109–112
 ciris—**1**:21; **3**:91–92; **4**:56–57, 106; **6**:139; **7**:86, 89, 92; **10**:184, 186
 cyanea—**1**:21; **4**:105; **6**:143, 151, 153, 154; **7**:10, 18; **10**:186
 versicolor—**1**:21; **10**:184
 (sp.)— **6**:80
 Pederson, Jordan C.—**10**:*see* Hasenyager, R. N.
Pedioecetes phasianellus—**1**:12; **7**:4; **9**:123
Pelecanus erythrorhynchos—**1**:9, 119, 120; **4**:23, 83; **7**:3, 28; **9**:38–40
 occidentalis—**1**:9, 117–142; **3**:59–64; **4**:23–30, 93–100; **7**:3, 61; **8**:27, 76, 96; **9**:5–6, 106
 Pelican, Brown—**1**:9, 117–142; **3**:59–64; **4**:23–30, 93–100; **7**:3, 61; **8**:27, 76, 96; **9**:5–6, 106
 White—**1**:9, 119, 120; **4**:23, 83; **7**:3, 28; **9**:38–40
peninsulae, *Carduelis sinuatus*—**2**:99
Perdix perdix—**1**:12; **7**:5, 82
Perisoreus canadensis—**1**:17; **7**:8
 Perrone, Michael Jr.—**2**:*see* Binford, L. C.
 Perry, Michael L.—**5**:*see* Behle, W. H.
personata, *Sula dactylatra*—**9**:175–176
 Petrel, Ashy—**1**:9; **3**:71; **4**:45–52
 Ashy Storm- —**4**:65–70; **7**:33–68, 71, 123; **8**:95
 Black—**1**:9
 Black Storm- —**7**:33–68, 71, 123; **8**:76, 96
 Bulwer's—**9**:74
 Cape—**1**:9, 23, 39–40, 84; **7**:121
 Cook's—**4**:102; **9**:45–66
 Dark-rumped—**9**:74

Fork-tailed—**1:9; 3:71**
 Fork-tailed Storm- —**4:65–70; 6:117–134; 7:3, 12, 33–68, 114, 121; 9:45–66; 10:49–56**
 Galapagos—**1:9**
 Galapagos Storm- —**7:121–122**
 Harcourt’s Storm- —**6:143; 9:45–66**
 Kermadec—**9:45–66**
 Leach’s—**1:9; 3:71; 4:45–52**
 Leach’s Storm- —**4:65–70; 6:117–134; 7:3, 33–68, 121; 8:76, 95; 9:45–66; 10:49–56**
 Least—**1:9; 4:45–52**
 Least Storm- —**7:26, 33–68, 123; 8:76, 96**
 Mottled—**6:130; 9:45–66; 10:49–56, 113–123**
 Scaled—**10:185**
 Solander’s—**9:45–66**
 Swinhoe’s Storm- —**9:45–66**
 Tristram’s Storm- —**9:45–66**
 Wilson’s—**1:9**
 Wilson’s Storm- —**6:136; 7:33–68, 123; 10:172**
Petrochelidon pyrrhonota—**1:17, 147, 149; 3:65, 66, 67, 69–70; 4:86; 7:8; 8:8, 10, 65–66; 9:9–20**
petulans, Pipilo fuscus—**10:143, 146**
Peucedramus taeniatus—**6:160; 7:85; 8:106**
 Pewee, Eastern Wood—**6:73, 108; 7:88, 94, 95; 10:179, 186**
 Western Wood—**1:17; 4:85; 5:61–80; 6:153; 7:8; 8:45–62, 99; 10:201–213**
Phaeornis obscurus—**3:1–8; 9:72**
Phaethon aethereus—**1:9; 6:130, 143; 7:3, 33–68, 123; 10:185**
 lepturus—**1:9; 9:74, 77**
 rubricauda—**9:74, 77**
 Phainopepla—**1:19; 6:28; 7:29, 91, 95**
Phainopepla nitens—**1:19; 6:28; 7:29, 91, 95**
Phalacrocorax auritus—**1:10; 2:134; 3:25–32; 4:23, 65–70, 83; 5:61–80; 6:140; 7:3, 61, 124; 8:96; 9:5–6, 38; 10:221**
 capillatus—**9:55**
 olivaceus—**2:134; 4:102, 103; 6:140, 151**
 pelagicus—**1:10; 3:25–32, 60; 4:65–70; 7:3, 61, 124; 8:96; 9:55**
 penicillatus—**1:10; 3:25–32; 4:65–70; 5:13–20; 7:3, 61, 124; 8:96; 9:106**
 urile—**9:45–66**
Phalaenoptilus nuttallii—**1:16; 4:85; 5:31; 6:63; 7:7; 8:98**
 Phalarope, Northern—**1:14; 4:77, 85; 6:45–54, 117–134; 7:6, 126; 8:97**
 Red—**1:14; 2:97; 3:43; 4:45–52, 77; 6:45–54, 117–134; 7:6, 86, 89, 93, 95, 111, 124–126; 8:97; 10:60, 64**
 Wilson’s—**1:14; 4:77, 85; 6:45–54; 6:4; 7:6**
Phalaropus fulicarius—**1:14; 2:97; 3:43; 4:45–52, 77; 6:45–54, 117–134; 7:6, 86, 89, 93, 95, 111, 124–126; 8:97; 10:60, 64**
 lobatus—**8:97**
Phasianus colchicus—**1:12; 5:61–80; 7:5; 8:5**
 Pheasant, Ring-necked—**1:12; 5:61–80; 7:5; 8:5**

Pheucticus ludovicianus—1:21; 4:105; 6:139, 142, 143, 154; 7:10, 17; 8:100, 109–112
ludovicianus × *P. melanocephalus*—6:154
melanocephalus—1:21; 4:87; 5:61–80; 7:10, 101; 8:45–62, 100, 109–112
Philacte canagica—1:10; 7:3
Phillips, Allan R., Why Neglect the Difficult?—6:69–86
Philohela minor—7:90
Philomachus pugnax—1:14; 2:103; 7:6, 14, 84; 8:25–26; 10:58, 176
Phoebe, Black—1:17; 3:66; 5:61–80; 6:107–109; 7:20, 83, 88, 90, 94; 8:99; 9:9–20
Eastern—1:17; 4:106; 6:108, 138; 7:31; 10:61, 179
Say’s—1:17; 4:85; 7:7; 8:99; 9:9–20; 10:201–213
Phoenicopterus ruber—1:25
Phylloscopus borealis—1:102
inornatus—1:102
proregulus—1:102
trochiloides—1:102
trochilus—3:65
Pica nuttalli—1:17; 5:61–80
pica—1:17; 7:8, 29
Picoides albolarvatus—8:17
arcticus—1:16; 7:7; 8:45–62
pubescens—8:45–62, 109–112; 9:67–70
scalaris—9:9–20; 10:61
tridactylus—7:7; 9:67–70
villosus—8:45–62, 109–112; 9:67–70
Pigeon, Band-tailed—1:15; 7:6; 8:107
Passenger—7:20
Pinicola enucleator—1:21; 7:10
Pintail—1:11; 3:25–32; 7:4; 8:4–5, 96
Pipilo aberti—1:22; 2:99
chlorurus—8:45–62, 101; 10:133
erythrophthalmus—1:22; 4:87; 5:61–80; 6:78; 7:10; 8:101; 10:156
fuscus—1:22; 5:61–80; 10:131–156
Pipit, Red-throated—1:19; 6:29–30
Sprague’s—1:25; 6:29–30; 7:95; 10:62, 64, 180
Water—1:19; 4:86; 6:29, 72, 76, 80; 7:9; 8:100; 10:201–213
Piranga flava—1:21; 4:105; 5:51–53; 6:77; 7:89
ludoviciana—1:21; 4:87; 6:77, 78, 101–105; 7:9, 101; 8:45–62, 100, 109–112
olivacea—1:21; 4:56, 104; 6:77–78; 10:63, 184
rubra—1:21; 6:70, 77, 78, 79, 80; 8:109–112; 10:63, 69
Pitangus sulphuratus—1:25; 6:80, 108
Pitman, R. L., and Speich, Steven M., Black Storm-Petrel Breeds in the United States—7:71
Platypsaris aglaiae—7:85
Plectrophenax nivalis—1:22; 7:10, 86, 92; 10:185
Plegadis chihi—1:10; 4:83; 7:3
Plover, American Golden—1:13; 6:45–54, 147; 7:5; 8:81; 9:75, 77
Black-bellied—1:13; 6:45–54; 7:5; 8:97; 10:92

Golden—6:34; 10:92
 Mountain—1:13; 6:45–54; 7:5, 14
 Piping—7:69–70, 87, 89, 90, 93; 10:60, 174
 Semipalmated—1:13; 5:22; 6:45–54; 7:5, 13, 29; 10:201–213
 Snowy—1:13; 4:84; 5:22; 6:45–54; 7:5, 13; 8:6, 10; 10:69
 Upland—1:6
 Wilson's—1:13
plumbeus, *Vireo solitarius*—3:75–76; 5:48–49; 6:76
Pluvialis dominica—1:13; 6:34, 45–54, 147; 7:5; 8:81; 9:75, 77; 10:92
 squatarola—6:45–54; 7:5; 8:97; 10:92
Podiceps auritus—1:9; 3:25–32; 4:83; 6:12–13, 153; 7:3; 8:75–76
 caspicus—1:9
 dominicus—1:9
 grisegena—1:9; 3:25–32; 7:3; 10:49–56
 nigricollis—1:84; 3:25–32; 4:50, 83; 6:12–13; 7:3; 8:75, 76, 95; 9:106
Podilymbus podiceps—1:9; 3:25–32; 4:83; 7:3
Polioptila caerulea—1:19; 5:61–80; 6:75; 7:20; 8:100; 10:43, 46, 77
 melanura—1:19; 9:9–20; 10:223
 nigriceps—6:150
ponticus, *Larus argentatus*—9:146
Pooecetes gramineus—1:22; 4:87; 6:29; 7:10; 8:65–66, 101; 10:64
 Poor-will—1:16; 4:85; 5:31; 6:63; 7:7; 8:98
Porphyryla martinica—1:12; 7:84
 Porter, Richard D., and Pritchett, Larry C., Black-throated Blue Warbler in Utah—6:31
Porzana carolina—1:12; 4:84; 7:5; 8:6, 10
 Pratt, H. Douglas—10:see Scott, J. M.
 Pratt, Helen M., Breeding of Great Blue Herons and Great Egrets at Audubon Canyon Ranch, California, 1972–1973—5:127–136
 Pritchett, Larry C.—6:see Porter, R. D.
Progne cryptoleuca—6:81
 dominicensis—6:81
 subis—1:17; 5:61–80; 7:8; 10:61
propinquus, *Turdus migratorius*—3:22
Protonotaria citrea—1:19; 2:95–96; 3:43; 6:160; 7:9, 17, 88, 91, 94; 8:63–64, 100; 10:62, 180–181
Psaltiriparus melanotis—7:85
 minimus—1:18; 3:1; 5:61–80; 7:8; 8:19; 10:46
Pseudonestor xanthophrys—8:113–116
Psittirostra bailleui—3:1–8
 psittacea—9:72
 Ptarmigan, White-tailed—7:4
Pterodroma cookii—4:102; 9:45–66
 inexpectata—6:130; 9:45–66; 10:49–56, 113–123, 185
 neglecta—9:45–66
 phaeopygia—9:74
 solandri—9:45–66

Ptychoramphus aleuticus—1:15; 4:45–52, 65–70; 5:17; 6:117–134; 7:6, 61, 133; 8:98; 9:45–66; 10:49–56, 193

Puffin, Common—6:92

 Horned—1:15; 6:14, 87–94, 117–134, 141; 7:6, 33–68, 132; 9:45–66; 10:177, 196

 Tufted—1:15; 4:65–70; 5:13–20; 6:90, 117–134; 7:6, 61, 133; 9:45–66; 10:49–56, 196

Puffinus bulleri—1:9, 39; 4:45–52; 6:117–134; 7:3, 12, 33–68, 119; 8:27

carneipes—1:9; 4:45–52; 6:117–134; 7:3, 12, 33–68, 120; 9:55

creatopus—1:9; 4:45–52; 6:117–134; 7:3, 33–68, 111–112, 119; 8:95

griseus—1:9, 39–40; 2:97; 4:45–52; 6:117–134; 7:3, 33–68, 111–112, 119; 8:27, 95; 9:45–66; 10:55

pacificus—8:95; 9:74, 77

puffinus—1:9; 4:45–52; 6:130; 7:19, 33–68, 119; 8:95

tenuirostris—1:9; 6:117–134; 7:3, 33–68, 111–112, 114, 120; 8:95; 9:45–66; 10:55, 172

pugetensis, *Zonotrichia leucophrys*—3:9–12

purpureus, *Carpodacus purpureus*—6:78

pusillula, *Melospiza melodia*—8:9–10

Pyrocephalus rubinus—1:17; 7:88, 90; 10:61, 69

Pyrrhuloxia—1:25; 2:99–100; 4:102, 105; 10:184

Pyrrhuloxia sinuata—1:25; 2:99–100; 4:102, 105; 10:184

Quail, California—1:12; 5:61–80; 7:5, 82; 8:96

 Elegant—9:134

 Gambel’s—1:12; 9:9–20

 Montezuma—4:59–60; 5:54

 Mountain—1:12; 7:5

 Scaled—4:59–60; 5:54; 7:5; 9:134

Quiscalus mexicanus—8:156; 10:63

quiscula—7:9, 154; 8:156; 10:184, 186

Rail, Black—1:12; 7:82; 8:6; 9:151–158, 169–170; 10:58

 Clapper—1:12; 8:5, 10, 67–70

 King—10:58

 Virginia—1:12; 4:84; 7:5, 28; 8:6, 10, 64

 Yellow—1:12; 7:5; 9:169, 170

Rallus elegans—10:58

limicola—1:12; 4:84; 7:5, 28; 8:6, 10, 64

longirostris—1:12; 8:5, 10, 67–70

rarus, *Otus flammeolus*—5:34

Raven, Common—1:17; 2:98; 5:98; 7:8; 8:99; 9:106; 10:201–213

 White-necked—2:98

Recurvirostra americana—1:14; 4:84; 6:4, 45–54; 7:6; 8:6–7, 10, 82

Reddall, Jack, Colorado Field Ornithologists Official Records Committee Report 1972 Through 1975—7:81–97

Redhead—1:11; 7:4

Redpoll, Common—1:21; 7:10; 9:61; 10:201–213

 Hoary—7:20, 85

Redstart, American—1:20, 41–46; 2:139; 3:87–90; 4:87; 6:69; 7:9, 30; 8:65–66; 10:223

Painted—**1:20; 5:50–51, 94–96; 6:67, 142; 7:92, 96; 8:109–112, 158; 10:183–184**
Regulus calendula—**1:19, 111; 3:9–12; 4:86; 6:76, 101–105, 161; 7:9, 101; 8:45–62, 109–112; 10:201–213**
satrapa—**1:19; 6:67, 72, 76, 79, 84, 101–105; 7:9, 101; 8:19; 10:201–213**
Reichard, Timothy A., Barred Owl Sightings in Washington—**5:138–140**
Remsen, J. V. Jr., and Binford, Laurence C., Status of the Yellow-billed Loon (*Gavia adamsii*) in the Western United States and Mexico—**6:7–20**
Remsen, J. V. Jr., and Cardiff, Steven, First Records of the Race *scottii* of the Rufous-crowned Sparrow in California—**10:45–46**
Remsen, J. V. Jr., and Cooper, John R., First Record of Scott's Oriole from Colorado—**8:157–158**
Remsen, J. V. Jr.—**5:see** Binford, L. C.
Rhynchophanes mccownii—**1:22**
Richmondia cardinalis—**1:21, 84; 3:1–8**
richmondi, *Chaetura vauxi*—**1:149**
Ridgwayia pinicola—**10:217–218**
Riparia riparia—**1:17; 3:65; 4:86; 5:61–80; 7:8; 10:201–213**
Rissa brevirostris—**6:92–93, 130; 7:20; 9:45–66**
tridactyla—**1:14; 6:90, 117–134, 148; 7:6, 33–68, 90, 93, 111–112, 114, 128; 8:85–86, 97; 9:45–66; 10:49–56, 60, 201–213**
Roadrunner—**1:15; 2:139; 9:9–20**
Robert, Henry, First Record of Field Sparrow in California—**2:72**
Robert, Henry, First Record of White-eyed Vireo in California—**2:94**
Robin—**1:18; 2:134; 3:22, 65**
Robin, American—**5:61–80; 6:72, 153; 7:8, 101; 8:45–62, 100, 103–104**
Clay-colored—**8:109–112**
Rufous-backed—**6:150, 151; 10:180**
Rook—**10:43**
Rosy Finch, Asiatic—**1:8**
Black—**1:8; 6:139; 10:184**
Brown-capped—**1:8**
Gray-crowned—**1:8; 6:139; 7:10; 10:201–213**
rothschildi, *Phaethon rubricauda*—**9:74, 77**
ruber, *Sphyrapicus ruber*—**1:47–76**
rubra, *Piranga rubra*—**6:70, 78, 80**
Ruff—**1:14; 2:103; 7:6, 14, 84; 8:25–26; 10:58, 176**
ruficeps, *Aimophila ruficeps*—**10:45**
rupicola, *Aimophila ruficeps*—**10:45**
Ryder, Ronald A.—**10:see** Miller, G. C.
Rynchops flavirostris—**7:75**
niger—**6:141; 7:73–80**
nigra—**1:15; 2:69–71; 4:103**
Salpinctes obsoletus—**1:18; 5:21; 7:8; 8:45–62, 100**
Sanderling—**1:14; 3:25–32; 6:45–54; 7:5; 8:97; 9:76, 106**
Sandpiper, Baird's—**1:13; 6:45–54; 7:5**
Buff-breasted—**1:13; 7:5, 86, 87, 90; 10:60, 64, 176**

Curlew—**1:13; 6:137; 7:5, 14; 10:175**
 Least—**1:13; 4:84; 6:45–54, 111; 7:5; 8:97; 10:201–213**
 Pectoral—**1:13, 153; 6:45–54; 7:5; 8:26; 10:86**
 Rock—**1:13; 7:5**
 Rufous-necked—**4:106; 6:111–113, 136**
 Semipalmated—**1:13; 6:83, 111; 7:5; 8:26; 10:175–176, 185**
 Sharp-tailed—**1:13, 153–154; 6:45–54, 140; 7:5; 10:58, 86–91, 175, 185**
 Solitary—**1:13; 6:45–54, 73; 7:5**
 Spotted—**1:13, 106; 3:13; 4:84; 5:61–80; 6:45–54; 6:4; 7:5; 8:97; 10:201–213**
 Stilt—**1:13; 6:45–54; 7:5**
 Terek—**7:19**
 Upland—**1:6, 13; 7:5; 8:82; 10:175**
 Western—**1:13; 3:79–86; 4:84; 6:13, 45–54, 111–112; 7:5; 8:26, 97**
 White-rumped—**1:13; 7:5, 14; 10:175**
sandwichensis, Asio flammeus—**9:76, 77**
Pterodroma phaeopygia—**9:74**
San Miguel, Mike, A Prothonotary Warbler in Inyo County, California—2:95–96
 Sapsucker, Red-breasted—**1:7, 16, 47–76; 4:107–108; 7:7, 15**
 Red-naped—**1:7, 16, 47–76; 4:107–108; 7:7, 15**
 Williamson’s—**1:16; 6:101–105, 158; 7:7; 8:45–62**
 Yellow-bellied—**1:7, 25, 47–76; 4:85, 107; 6:72, 101–105; 7:15; 8:109–112**
sasin, Selasphorus sasin—**2:41–54; 6:81; 10:83**
satrapa, Regulus satrapa—**6:79–80**
Sayornis nigricans—**1:17; 3:66; 5:61–80; 6:107–109; 7:20, 83, 88, 90, 94; 8:99; 9:9–20**
 phoebe—**1:17; 4:106; 6:108, 138; 7:31; 10:61, 179**
 saya—**1:17; 4:85; 7:7; 8:99; 9:9–20; 10:201–213**
Scardafella inca—**1:15; 7:83; 8:88**
 Scaup, Greater—**1:11; 6:153; 7:4**
 Lesser—**1:11; 7:4, 13**
Schram, Brad, A Trumpeter Swan in Southern California—4:111
Schulenberg, Tom, and Summers, Steve, A Blue-winged × Golden-winged Warbler in California—5:58
 Scoter, Black—**7:4, 93; 8:80; 10:59**
 Common—**1:11; 3:25–32**
 Surf—**1:11; 3:25–32; 6:147; 7:4; 8:79–80, 96; 10:49–56, 59**
 Velvet—**1:6**
 White-winged—**1:6, 11; 3:25–32, 43; 7:4; 10:49–56, 59**
Scott, J. Michael, Interbreeding of the Glaucous-winged Gull and Western Gull in the Pacific Northwest—2:129–133
Scott, J. Michael, and Nehls, Harry B., First Oregon Records for Thick-billed Murre—5:137
Scott, J. Michael, and Sincock, John L., Recent Observations on the Birds of the Koolau Forest Reserve, Maui—8:113–116
Scott, J. Michael, Hoffman, Wayne, Ainley, David, and Zeillemaker, C. Fred, Range Expansion and Activity Patterns in Rhinoceros Auklets—5:13–20
Scott, J. Michael, Conant, Sheila, and Pratt, H. Douglas, Field Identification of the Hawaiian Creeper on the Island of Hawaii—10:71–80

Scott, J. Michael—**6**:*see* Hoffman, W.
 Scott, Virgil E.—**10**:*see* Adams, J. K.
scottii, *Aimophila ruficeps*—**10**:45–46
scrippsi, *Endomychura hypoleuca*—**7**:133–134; **10**:81–82
 Sealy, Spencer G., and Campbell, R. Wayne, Post-Hatching Movements of Young Ancient Murrelets—**10**:25–30
sedentarius, *Selasphorus sasin*—**2**:41–54; **10**:83–85
 Segerstrom, Tom, A September Record of the Boreal Owl in Montana—**8**:117
Seiurus aurocapillus—**1**:20; **2**:93; **3**:44; **4**:56, 104; **6**:114, 139, 150; **7**:9, 17
 motacilla—**1**:20; **2**:1–10, 77–92; **4**:56; **7**:83, 85; **10**:62
 noveboracensis—**1**:20; **2**:1–10, 77–92; **3**:44; **4**:38; **6**:150; **7**:9, 17, 29; **9**:83–84
Selasphorus platycercus—**1**:16; **2**:41–54; **5**:46–47; **6**:73, 101–105; **7**:20
 rufus—**1**:16; **2**:41–54; **4**:85; **7**:7; **8**:45–62, 105; **10**:83
 sasin—**1**:16; **2**:41–54; **6**:81, 84; **7**:7, 84; **8**:99; **10**:83–85
 (sp.)—**8**:99, 105
senicula, *Pipilo fuscus*—**10**:143
septentrionalium, *Anas cyanoptera*—**6**:71
Setophaga picta—**1**:20; **5**:50–51, 94–96; **6**:67, 142
 ruticilla—**1**:20, 41–46; **2**:139; **3**:87–90; **4**:87; **6**:69; **7**:9, 30; **8**:65–66; **10**:223
 Shea, David S., Bald Eagle Concentrations in Glacier National Park—**9**:35–37
 Shearwater, Black-tailed—**1**:23
 Buller's—**6**:117–134; **7**:3, 12, 33–68, 119
 Flesh-footed—**4**:45–52; **6**:117–134; **7**:3, 12, 33–68, 120; **9**:55
 Manx—**1**:9; **4**:45–52; **6**:130; **7**:19, 33–68, 119; **8**:95
 New Zealand—**1**:9, 39; **4**:45–52; **8**:27
 Pale-footed—**1**:9
 Pink-footed—**1**:9; **4**:45–52; **6**:117–134; **7**:3, 33–68, 111–112, 119; **8**:95
 Short-tailed—**6**:117–134; **7**:3, 33–68, 111–112, 114, 120; **8**:95; **9**:45–66; **10**:55, 172
 Slender-billed—**1**:9
 Sooty—**1**:9, 39–40; **2**:97; **4**:45–52; **6**:117–134; **7**:3, 33–68, 111–112, 119; **8**:27, 95; **9**:45–66; **10**:55
 Streaked—**7**:121; **9**:55; **10**:172
 Wedge-tailed—**8**:95; **9**:74, 77
 Sheld-duck, Ruddy—**1**:25
 Sheppard, Jay M., A Study of the Le Conte's Thrasher—**1**:85–94
 Short, Lester L. Jr., Bird Listing and the Field Observer—**1**:143–145
 Shoveler—**1**:11
 Shoveler, Northern—**7**:4; **8**:4–5
 Shrike, Loggerhead—**1**:19; **7**:9; **8**:9, 100; **9**:9–20, 163
 Northern—**1**:19; **3**:43; **7**:9; **9**:159–168
 Shuster, William C., Northern Goshawk Nesting Densities in Montane Colorado—**7**:108–110
 Shuster, William C., Northern Goshawk Nesting in Southern New Mexico—**8**:29
Sialia currucoides—**1**:19; **7**:9; **8**:45–62; **9**:21–32
 mexicana—**1**:19; **4**:86; **7**:9; **9**:21–32
 sialis—**1**:25; **6**:79
sialis, *Sialia sialis*—**6**:79

Simon, David, and Simon, Winifred F., A Yellow-billed Loon in Baja California, Mexico—5:23
 Simon, Winifred F.—5:see Simon, D.
 Sincok, John L.—8:see Scott, J. M.
sinuosa, *Geothlypis trichas*—8:9, 10
 Siskin, Pine—1:21; 4:87; 6:78, 101–105; 7:10, 101, 104; 8:45–62; 10:201–213
Sitta canadensis—1:18; 4:86; 6:101–105, 161; 7:8, 101; 8:17, 45–62; 10:223
 carolinensis—1:18; 5:61–80; 6:72, 101–105; 7:8; 8:17, 19, 45–62
 pusilla—1:7, 18
 pygmaea—1:7; 7:8; 8:13–20; 10:61, 77
 Skaar, P. D., First Least Tern in Montana—5:59
 Skaar, P. D., Eastern Phoebe in Montana—7:31
 Skaar, P. D.—7:see Carlson, C. M.
 Skimmer, African—7:74
 Black—1:15; 2:69–71; 4:103; 6:141; 7:73–80
 Skua—1:14; 4:45–52; 7:6, 128
 Skua, Chilean—4:49; 7:33–68
 South Polar—4:45–52; 6:117–134; 7:33–68, 128; 9:45–66
 Skylark—3:1–8; 7:8, 16
 Smail, John, Ainley, David G., and Strong, Helen, Notes on Birds Killed in the 1971 San Francisco Oil Spill—3:25–32
 Small, Arnold, Western Bird Photographers—5:101–110
 Small, Arnold, Western Bird Photographers—8:33
 Small, Arnold, Western Bird Photographers—9:109–120
 Smith, E. Linwood—3:see Austin, G. T.
 Smith, Kimberly G., White-winged Crossbills Breed in Northern Utah—9:79–81
smithsonianus, *Larus argentatus*—9:141–150
 Snipe, Common—1:13, 84; 6:45–54; 7:5; 10:201–213
 Wilson's—6:82
 Solitaire, Townsend's—1:19; 6:28, 104; 7:9, 101
solitaria, *Tringa solitaria*—6:73
Somateria mollissima—7:19; 9:55
 spectabilis—1:11; 7:4; 10:174
 Sora—1:12; 4:84; 7:5; 8:6, 10
sordida, *Vermivora celata*—5:87; 10:83
 Sparrow, Baird's—1:22; 7:20; 10:63
 Black-chinned—1:22; 7:85; 8:56
 Black-throated—1:22; 3:1; 7:20; 9:85–89
 Botteri's—6:81
 Brewer's—1:22; 4:88; 6:80, 160; 7:10; 8:45–62, 101; 10:163, 164
 Cassin's—1:22; 10:163–164, 185
 Chipping—1:22; 4:88; 5:86; 6:65, 104; 7:10, 101, 102–103; 8:45–62, 101
 Clay-colored—1:22; 4:102, 106; 6:65, 139, 143; 7:10, 18
 European Tree—3:65
 Field—1:22; 2:70; 4:102
 Five-striped—8:121–130
 Fox—1:22; 2:139; 4:88; 6:72, 78, 81, 84; 7:10, 101; 10:201–213

Golden-crowned—**1:22; 3:9–12; 4:88; 6:151; 7:10, 18, 92, 95; 8:101; 10:201–213**
 Grasshopper—**1:22; 6:65, 66; 7:10; 8:101; 10:69, 164**
 Harris’—**1:22; 6:151; 7:10, 30**
 House—**1:20; 3:65, 66–67; 6:41–43; 7:9, 101**
 Lark—**1:22; 4:87; 5:61–80; 6:78; 7:10; 8:101**
 Le Conte’s—**7:10, 18, 89; 10:63, 69, 184**
 LeConte’s—**6:65–66**
 Lincoln’s—**1:22; 2:139; 4:88; 6:65; 7:10, 101, 105; 8:65–66, 101; 10:201–213**
 Rufous-crowned—**1:22; 10:45–46**
 Sage—**1:22; 4:87; 7:10**
 Savannah—**1:22; 2:139; 4:87; 6:29, 65, 78; 7:10; 8:9, 26, 65–66, 67–70, 101; 9:85; 10:201–213**
 Sharp-tailed—**1:22; 6:139; 7:92; 10:69, 185**
 Song—**1:22; 4:31; 5:61–80; 6:78; 7:10; 8:9–10, 101; 10:163, 201–213**
 Swamp—**1:22; 4:31–32; 6:65, 151; 7:10, 18**
 Tree—**1:22; 4:71–76; 7:10**
 Vesper—**1:22; 4:87; 6:29; 7:10; 8:65–66, 101; 10:64**
 White-crowned—**1:22; 2:99; 3:9–12; 4:88; 6:78; 7:10, 101, 102; 8:45–62, 101; 9:85; 10:201–213**
 White-throated—**1:22; 7:10, 30**
Spatula clypeata—**1:11**
 Speich, Steven [M.], and Parker, Theodore A. III, Arizona Bird Records, 1972—**4:53–57**
 Speich, Steven [M.], and Speich, M. Allen, Floating and Swimming in Passerines—**3:65–68**
 Speich, Steven M., and Witzeman, Janet L., Arizona Bird Records, 1973, with Additional Notes—**6:145–155**
 Speich, M. Allen—**3:see** Speich, S. M.
 Speich, Steven M.—**3:see** Austin, G. T.; **7:see** Pitman, R. L.
Speotyto cunicularia—**1:15; 4:85; 7:7**
Sphyrapicus nuchalis—**1:7, 16; 4:107–108; 7:7, 15**
 ruber—**1:7, 16, 47–76; 4:107–108; 7:7, 15**
 thyroideus—**1:16; 6:101–105, 158; 7:7; 8:45–62**
 varius—**1:7, 25, 47–76; 4:85, 107; 6:72, 101–105; 7:15; 8:109–112**
Spinus lawrencei—**1:22**
 pinus—**1:21; 4:87; 6:78, 101–105; 7:10, 101, 104**
 psaltria—**1:22; 5:61–80; 7:10, 18**
 tristis—**1:21; 4:87; 5:61–80; 6:76, 78; 7:10, 101, 104**
Spiza americana—**1:21; 4:105; 6:143; 10:69**
Spizella arborea—**1:22; 4:71–76; 7:10**
 atrogularis—**1:22; 7:85; 8:56**
 breweri—**1:22; 4:88; 6:80, 160; 7:10; 8:45–62, 101; 10:163, 164**
 pallida—**1:22; 4:102, 106; 6:65, 139, 143; 7:10, 18**
 passerina—**1:22; 4:88; 5:86; 6:65, 104; 7:10, 101, 102–103; 8:45–62, 101**
 pusilla—**1:22; 2:70; 4:102**
 (sp.)—**8:65–66**
 Spofford, Sally Hoyt, and Fisk, Lanny H., Additions to the List of Nectar Feeding Birds—**8:109–112**

Spoonbill, Roseate—**1:10; 4:103; 6:137, 140, 147; 10:166, 221**
Squatarola squatarola—**1:13**
Stallcup, Richard W., Pelagic Birds of Monterey Bay, California—7:113–136
 Stallcup, Richard W.—**3:see** Binford, L. C.; **10:see** Manolis, T.
 Starling—**1:19; 2:139; 4:50; 5:61–80; 7:9, 16; 8:100; 9:9–20, 28–29**
 Starthroat, Plain-capped—**6:151**
Steganopus tricolor—**1:14; 4:77, 85; 6:4, 45–54; 7:6**
Stelgidopteryx ruficollis—**1:17; 3:45; 4:86; 5:59, 61–80; 7:8**
Stellula calliope—**1:16; 2:41–54; 7:7; 8:45–62; 10:43–44, 69**
stephensi, *Passerella iliaca*—**6:72, 84**
Stercorarius longicaudus—**1:14; 4:45–52, 103; 6:117–134, 138; 7:6, 14, 126; 8:83; 9:45–66**
 parasiticus—**1:14; 6:117–134, 151; 7:6, 87, 93, 95, 126; 8:83, 97; 9:45–66; 10:60**
 pomarinus—**1:14; 4:45–52; 6:117–134; 7:6, 87, 93, 126–128; 8:97; 9:45–66**
 (sp.)—**6:151; 10:60**
Sterna albifrons—**1:14, 33; 3:49–58; 5:59; 6:148; 7:87, 90; 8:7, 10, 67–70, 76**
 aleutica—**9:55**
 caspia—**4:85; 8:7–8, 10, 98; 9:38; 10:17–24, 222**
 elegans—**2:70; 8:98; 9:93, 98–101**
 forsteri—**1:14, 33; 4:80, 85; 7:6, 128–129; 8:7, 10, 98; 10:17–24, 222**
 fuscata—**9:75**
 hirundo—**1:14, 33–36; 3:43; 4:80; 6:117–134; 7:6, 128; 8:87, 98**
 maxima—**8:98; 9:93, 98–101**
 paradisaea—**1:14, 33–36; 4:45–52; 6:117–134; 7:6, 82, 128; 8:98; 9:45–66**
 Stewart, Meryl—**3:see** Stewart, R. M.
Stewart, Robert M., Fall Migration of Common Passerines at Bolinas, California—3:9–12
Stewart, Robert M., Nestling Mortality in Swallows Due to Inclement Weather—3:69–70
Stewart, Robert M., Long, Stephen M., and Stewart, Meryl, Observations on the Nest Behavior of the California Scrub Jay—3:93–95
Stiles, F. Gary, On the Field Identification of California Hummingbirds—2:41–54
 Stilt, Black-necked—**1:6, 14; 4:84; 6:45–54; 7:6; 8:7, 10**
 Black-winged—**1:6**
 Stint, Little—**6:112**
stoddardi, *Dendroica dominica*—**3:17–18; 10:182**
 Stork, Wood—**1:5, 10; 4:53; 6:146–147**
 Storm-Petrel, Ashy—**4:65–70; 7:33–68, 71, 123; 8:95**
 Black—**7:33–68, 71, 123; 8:76, 96**
 Fork-tailed—**4:65–70; 6:117–134; 7:3, 12, 33–68, 114, 121; 9:45–66; 10:49–56**
 Galapagos—**7:121–122**
 Harcourt's—**6:143; 9:45–66**
 Leach's—**4:65–70; 6:117–134; 7:3, 33–68, 121; 8:76, 95; 9:45–66; 10:49–56**
 Least—**7:26, 33–68, 123; 8:76, 96**
 Swinhoe's—**9:45–66**
 Tristram's—**9:45–66**
 Wilson's—**6:136; 7:33–68, 123; 10:172**
Streptopelia chinensis—**1:15**
 risoria—**1:15**

Strix nebulosa—1:15; 7:7
occidentalis—1:15; 7:7, 93, 95; 8:131–146, 147–150; 9:1–8; 10:61
varia—5:138–140; 7:7, 15
 Strong, Helen—3:see Smail, J.
Sturnella magna—6:72; 7:92, 95; 10:62
neglecta—1:21; 4:50, 87; 5:61–80; 7:9; 8:9, 64, 100
Sturnus vulgaris—1:19; 2:139; 4:50; 5:61–80; 7:9, 16; 8:100; 9:9–20, 28–29
 Suffel, G. Shumway, An Olivaceous Flycatcher in California—1:79–80
Sula dactylatra—9:5–6, 175–176; 10:172
leucogaster—1:10, 117–142; 3:63; 4:23–30; 6:137, 143; 7:33–68; 8:27, 96; 9:75, 106; 10:185
nebouxii—1:10, 117–142; 3:63; 4:23–30, 106; 6:136; 7:3, 33–68, 124, 155–157; 8:27, 96; 9:106, 175
sula—9:175; 10:172
 Sullivan, Kelly—8:see Vander Wall, S. B.
 Summers, Steve—5:see Schulenberg, T.
 Summers, Steven D., A Common Grackle Record for Oregon—8:156
 Surfbird—1:13; 7:5; 8:97
Surnia ulula—7:7
swainsoni, *Catharus ustulatus*—6:75
 Swallow, Bank—1:17; 3:65; 4:86; 5:61–80; 7:8; 10:201–213
 Barn—1:17; 3:65, 66; 4:50, 86; 6:110; 7:8; 8:8, 99
 Cliff—1:17, 147, 149; 3:65, 66, 67, 69–70; 4:86; 7:8; 8:8, 10, 65–66; 9:9–20
 Rough-winged—1:17; 3:45; 4:86; 5:59, 61–80; 7:8
 Tree—1:17; 3:65–66, 67, 69–70; 4:86; 5:61–80; 6:149–150; 7:8; 8:45–62, 99; 10:201–213
 Violet-green—1:17; 4:86; 6:110; 7:8; 10:201–213
 Swan, Bewick's—10:172–173
 Bewick's × Whistling—10:172–173
 Mute—1:25; 7:19, 82
 Trumpeter—1:10; 4:109–110, 111; 7:3, 13, 89, 93; 9:90; 10:64
 Tundra—10:173
 Whistling—1:10; 4:107, 111; 7:3; 9:90; 10:172–173, 221
 Whistling × Bewick's—10:172–173
 Swearingen, Elizabeth M., Group Size, Sex Ratio, Reproductive Success and Territory Size in Acorn Woodpeckers—8:21–24
 Swickard, Deane K., Status of the Least Tern at Camp Pendleton, California—3:49–58
 Swift, Black—1:16, 148; 6:110; 7:7
 Chestnut-collared—1:148
 Chimney—1:16, 147–152; 4:103, 106
 Vaux's—1:16, 148–151; 2:101; 6:110; 7:7, 84; 8:98
 White-throated—1:16; 2:101; 6:110; 7:7; 8:98
Sylvia nisoria—1:102
Synthliboramphus antiquus—1:15; 6:90, 117–134; 7:6, 27, 33–68, 134; 8:87; 9:45–66; 10:25–30
tabida, *Grus canadensis*—8:159–160

Tachycineta bicolor—8:45–62; 10:201–213
 thalassina—1:17; 4:86; 6:110; 7:8; 10:201–213
taimyrensis, *Larus fuscus*—9:145, 146
 Tait, Ian C., Knopf, Fritz L., and Kennedy, Joseph L., White Pelicans Nesting at Honey Lake, California—9:38–40
tamaulipensis, *Chaetura vauxi*—1:148–149
 Tanager, Hepatic—1:21; 4:105; 5:51–53; 6:77; 7:89
 Scarlet—1:21; 4:56, 104; 6:77–78; 10:63, 184
 Summer—1:21; 6:70, 77, 78, 79, 80; 8:109–112; 10:63, 69
 Western—1:21; 4:87; 6:77, 78, 101–105; 7:9, 101; 8:45–62, 100, 109–112
Tangavius aeneus—1:21; 6:70
 Tangren, Gerald V., Records of Common Gallinules at Honey Lake, California—3:72
 Tangren, Gerald V.—6:see Manolis, T.
 Tartaglia, Judith L.—2:see Lockner, F. R.
 Tattler, Wandering—1:13, 84; 3:13–15; 7:5; 8:97; 9:75–76, 106
 tattler (sp.)—9:45–66
 Teal, Baikal—1:24
 Blue-winged—1:11; 4:84; 6:4, 70–71; 7:4
 Cinnamon—1:11; 4:84; 6:70–71, 84; 7:4; 8:4–5
 Common—1:6
 Falcated—1:24
 Green-winged—1:6, 11; 6:140; 7:4
Telmatodytes palustris—1:18; 3:65; 7:8
 Tern, Aleutian—9:55
 Arctic—1:14, 33–36; 4:45–52; 6:117–134; 7:6, 82, 128; 8:98; 9:45–66
 Black—1:14, 33; 4:85; 5:59; 6:4; 7:6; 10:222
 Caspian—1:14, 33; 4:85; 7:6, 83, 84, 93; 8:7–8, 10, 98; 9:38; 10:17–24, 222
 Common—1:14, 33–36; 3:43; 4:80; 6:117–134; 7:6, 128; 8:87, 98
 Elegant—1:14, 33; 2:70; 8:98; 9:93, 101–106
 Forster's—1:14, 33; 4:80, 85; 7:6, 128–129; 8:7, 10, 98; 10:17–24, 222
 Gull-billed—1:14, 33; 6:148
 Least—1:14, 33; 3:49–58; 5:59; 6:147; 7:87, 90; 8:7, 10, 67–70, 76
 Royal—1:14, 33; 8:98; 9:93, 103–106
 Sooty—9:75
Thalasseus elegans—1:14, 33
 maximus—1:14, 33
thayeri, *Larus argentatus*—9:145
 Thompson, Bruce C.—10:see Conover M. R.
 Thrasher, Bendire's—1:18; 6:160; 7:94; 8:158
 Brown—1:18; 2:93; 4:104; 7:20, 29; 10:223
 California—1:18, 85
 Crissal—1:18, 85; 7:29; 9:9–20
 Curve-billed—1:18; 6:141; 10:61, 179
 Le Conte's—1:18, 85–94
 LeConte's—9:9–20
 Sage—1:18; 4:86; 6:159–160; 7:8

Thrush, Aztec—**10**:217–218
 Gray-cheeked—**6**:75, 138, 153; **7**:88, 89, 94; **10**:61–62, 201–213
 Hermit—**1**:18; **2**:134, 139; **3**:9–12; **4**:86; **6**:69, 75, 101–105; **7**:8, 101; **8**:45–62, 100;
 10:201–213
 Lanai—**9**:72
 Swainson’s—**1**:19; **3**:9–12; **4**:86; **5**:61–80; **6**:69, 75, 80, 84; **7**:8, 29, 101; **8**:100
 Varied—**1**:18; **2**:139; **4**:55, 86; **6**:150; **7**:8, 29, 86, 101, 104; **10**:61, 201–213
 Wood—**1**:18; **2**:134; **4**:55; **7**:86
Thryomanes bewickii—**1**:18; **4**:31; **5**:61–80; **7**:8; **8**:99, 109–112; **10**:45–46
 Tit, Great—**6**:39
 Titmouse, Bridled—**8**:109–112
 Plain—**1**:18; **3**:1; **5**:61–80; **10**:46
Totanus flavipes—**1**:13
 melanoleucus—**1**:13
 Towhee, Abert’s—**1**:22; **2**:99
 Brown—**1**:22; **5**:61–80; **10**:131–156
 Green-tailed—**1**:22; **4**:87; **6**:104; **7**:10; **8**:45–62, 101; **10**:133
 Rufous-sided—**1**:22; **4**:87; **5**:61–80; **6**:78; **7**:10; **8**:101; **10**:150
Toxostoma bendirei—**1**:18; **6**:160; **7**:94; **8**:158
 crissale—**1**:85
 curvirostre—**1**:18; **6**:141; **10**:61, 179
 dorsale—**1**:18; **7**:29; **9**:9–20
 lecontei—**1**:18, 85–94; **9**:9–20
 redivivum—**1**:18, 85
 rufum—**1**:18; **2**:93; **4**:104; **7**:20, 29; **10**:223
 Trapp, John L., and MacIntosh, Richard A., First North American Specimen of the Spotbill
 Duck—**9**:127–128
 Tree Duck, Black-bellied—**1**:10; **6**:137
 Fulvous—**1**:10; **7**:4
tresmariae, *Myiarchus tuberculifer*—**1**:80
Tringa flavipes—**6**:45–54; **7**:5; **8**:97
 melanoleuca—**4**:84; **6**:45–54; **7**:5; **8**:82, 97
 solitaria—**1**:13; **6**:45–54, 73; **7**:5
tristis, *Spinus tristis*—**6**:78
Troglodytes aedon—**1**:18; **5**:61–80; **6**:75, 83, 101–105; **7**:8, 101; **8**:45–62, 65–66, 99; **10**:61
 troglodytes—**1**:18; **6**:72, 150, 159; **7**:8; **10**:201–213
 Trogon, Coppery-tailed—**4**:59–60; **5**:54
Trogon elegans—**4**:59–60; **5**:54
 Tropicbird, Red-billed—**1**:9; **6**:130, 143; **7**:3, 33–68, 123; **10**:185
 Red-tailed—**9**:74, 77
 White-tailed—**1**:9; **9**:74, 77
Tryngites subruficollis—**1**:13; **7**:5, 86, 87, 90; **10**:60, 64, 176
Turdus grayi—**8**:109–112
 migratorius—**1**:18; **2**:134; **3**:22, 65; **5**:61–80; **6**:72, 153; **7**:8, 101; **8**:45–62, 100, 103–
 104
 *rufopalliatu*s—**6**:150, 151; **10**:180

Turkey—**1:12; 7:5, 13**

Turnstone, Black—**1:13; 7:5; 8:97; 10:201–213**
 Ruddy—**1:13; 6:45–54, 147; 7:5; 8:97; 9:75, 77**

Turtle Dove, Ringed—**1:15**

Tyler, Jack D., Elegant Quail in Barranca Del Cobre, Chihuahua—**9:134**

Tyler, W. Breck—**9:see** Lewis, D. B.

Tyrannus crassirostris—**1:16; 6:149; 10:178**
melancholicus—**1:16; 5:30; 6:82; 7:7**
tyrannus—**1:16; 4:33–44, 55, 85; 6:108, 149; 7:7**
verticalis—**1:16; 4:33–40, 85; 5:61–80; 7:7; 8:65–66, 99**
vociferans—**1:17; 8:99**

Tyto alba—**1:15; 7:7; 8:8, 98; 9:82**

Unitt, Philip, Painted Redstarts Attempt to Breed in California—**5:94–96**

Unitt, Philip, The Little Blue Heron in California—**8:151–154**

Unitt, Philip—**8:see** Dunn, J.

Uria aalge—**1:15, 107–110; 3:25–32, 60; 4:65–70; 5:13–20, 137; 6:13, 117–134; 7:6, 61, 131; 8:98; 9:45–66; 10:25, 28, 49–56, 196**
lomvia—**1:15, 107–110; 4:103; 5:137; 6:13, 14, 92–93, 130, 138; 7:6, 14, 33–68, 131; 9:45–66; 10:177**

ustulatus, *Catharus ustulatus*—**6:75**

Vander Wall, Stephen B., and Sullivan, Kelly, Olive Warblers in the San Francisco Mountains, Arizona—**8:106**

Vande Weghe, Jean-Pierre, Identification of the Common Tern and the Arctic Tern—**1:33–36**

Van Wormer, R. L. “Rex,” Trumpeter Swans Wintering in Southwestern Washington—**4:109–110**

vauxi, *Chaetura vauxi*—**1:148–149**

Veery—**1:25; 6:75, 83, 143; 7:8; 10:180, 186**

vegae, *Larus argentatus*—**9:145, 146**

Verdin—**1:18; 8:109–112; 9:9–20**

Vermivora celata—**1:20; 2:137; 4:86; 5:81–90; 6:76, 101–105; 7:9, 101; 8:45–62, 65–66, 100, 109–112; 10:83, 201–213**
chrysoptera—**1:19; 3:43; 4:55, 104; 6:150; 7:86, 88, 91, 94; 10:62, 69, 181**
chrysoptera × *V. pinus*—**5:58; 6:141**
crissalis—**6:81**
lawrencei—**7:85**
luciae—**1:20; 7:89; 8:158**
peregrina—**1:20; 2:93, 137–138; 6:153, 160; 7:9, 17**
pinus—**1:19; 7:83, 85, 91, 94; 10:62**
pinus × *V. chrysoptera*—**5:58; 6:141**
ruficapilla—**1:20; 4:50, 86; 5:81–90; 6:69, 76, 80; 7:9, 101, 105; 8:100, 109–112**
virginiae—**1:20; 5:49–50**

Vestiaria coccinea—**3:1–8; 8:113–116; 9:72**

Violetear, Green—**10:43**

violiceps, *Amazilia verticalis*—**9:91**

virens, *Loxops virens*—**10:71–80**

Vireo, Bell's—**1:19; 5:61–80; 6:69**
 Dwarf—**6:81**
 Gray—**1:19; 3:73–78; 10:46**
 Hutton's—**1:19; 3:1; 5:61–80; 7:9**
 Philadelphia—**1:19; 7:86, 89, 91, 94, 95; 10:62, 180, 186**
 Red-eyed—**1:19; 3:77; 6:76, 138, 141, 153; 7:9; 10:180, 186**
 Solitary—**1:19; 3:75–76; 4:86; 5:48–49; 6:69, 76; 7:9; 8:45–62**
 Warbling—**1:19, 105–106; 2:137; 3:9–12; 4:86; 5:61–80; 6:69, 76, 101–105; 7:9, 101; 8:45–62, 100**
 White-eyed—**1:19; 2:94; 3:77; 7:83, 85, 91, 94; 10:62**
 Yellow-green—**1:19; 4:106; 10:180**
 Yellow-throated—**1:19; 3:77; 7:86, 88; 10:62, 180**
Vireo bellii—**1:19; 5:61–80; 6:69**
 flavifrons—**1:19; 3:77; 7:86, 88; 10:62, 180**
 flavoviridis—**1:19; 4:106; 10:180**
 gilvus—**1:19, 105–106; 2:137; 3:9–12; 4:86; 5:61–80; 6:69, 76, 101–105; 7:9, 101; 8:45–62, 100**
 griseus—**1:19; 2:94; 3:77; 7:83, 85, 91, 94; 10:62**
 huttoni—**1:19; 3:1; 5:61–80; 7:9**
 nelsoni—**6:81**
 olivaceus—**1:19; 3:77; 6:76, 138, 141, 153; 7:9; 10:180, 186**
 philadelphicus—**1:19; 7:86, 89, 91, 94, 95; 10:62, 180, 186**
 solitarius—**1:19; 3:75–76; 4:86; 5:48–49; 6:69, 76; 7:9; 8:45–62**
 vicinior—**1:19; 3:73–78; 10:46**
virescens, *Butorides virescens*—**6:73**
viridifrons, *Amazilia verticalis*—**9:91**
viridigularis, *Gavia arctica*—**1:5**
vociferus, *Caprimulgus vociferus*—**2:33–36, 37–40; 6:63–64**
Vultur gryphus—**10:125–129**
 Vulture, Black—**1:25; 7:82, 84; 10:186**
 Turkey—**1:11; 4:84; 7:4; 8:81; 9:9–20; 10:1–16, 125–130**

 Wagtail, White—**4:104; 10:186**
 Wahl, Terence R., A Short-tailed Albatross Record for Washington State—**1:113–114**
 Wahl, Terence R., A Bar-tailed Godwit Record for Washington—**4:89–90**
 Wahl, Terence R., Seabirds in Washington's Offshore Zone—**6:117–134**
 Wahl, Terence R., Seabirds in the Northwestern Pacific Ocean and South Central Bering Sea in June 1975—**9:45–66**
 Wahl, Terence R.—**7:see** Mattocks, P. W. Jr.
 Walton, Brian James, Nesting of Swainson's Hawk in San Luis Obispo County, California in 1977—**9:82**
 Warbler, Audubon's—**1:7; 2:137; 7:83**
 Barred—**1:102**
 Bay-breasted—**1:20; 4:56, 104; 5:57; 6:142, 150; 7:88, 91, 92; 10:182–183**
 Black-and-white—**1:19; 2:93; 3:43; 4:50; 7:9, 29, 101, 105**
 Blackburnian—**1:20; 4:104; 6:138, 142, 150; 7:88, 91, 94, 96; 10:69**
 Blackpoll—**1:20, 95–104; 2:59; 3:44; 4:56; 6:69**

Black-throated Blue—**1:20; 2:93; 3:44; 4:56, 106; 6:31, 141, 150, 160; 7:29, 88; 8:100, 109–112**
 Black-throated Gray—**1:20; 4:87; 5:81–90; 7:9; 8:100; 10:46**
 Black-throated Green—**1:20; 4:104; 6:81, 138, 142, 150, 161; 7:88; 10:181**
 Blue-winged—**1:19; 7:83, 85, 91, 94; 10:62**
 Blue-winged × Golden-winged Warbler—**5:58; 6:141**
 Canada—**1:20; 4:104; 7:30, 89, 91, 94; 10:62, 183**
 Cape May—**1:20; 4:104; 7:9, 17, 86, 88, 91, 92, 94; 10:62, 181**
 Cerulean—**1:20; 10:181**
 Chestnut-sided—**1:20; 3:44; 6:142; 7:9, 17, 29; 10:182**
 Colima—**6:81**
 Connecticut—**1:20; 7:89; 10:183, 186**
 Golden-cheeked—**6:161**
 Golden-winged—**1:19; 3:43; 4:55, 104; 6:150; 7:86, 88, 91, 94; 10:62, 69, 181**
 Golden-winged × Blue-winged Warbler—**5:58; 6:141**
 Grace's—**1:20, 77–78; 3:17; 5:50; 10:182**
 Hermit—**1:20; 5:81–90; 6:80; 7:9, 83, 85, 161; 8:100; 10:62**
 Hooded—**1:20; 2:88; 4:104; 6:142, 150, 154, 161; 7:89, 91; 10:183**
 Kentucky—**1:20, 37–38; 7:83, 88, 89, 91, 94, 96; 10:183**
 Lawrence's—**7:85**
 Lucy's—**1:20; 7:89; 8:158**
 MacGillivray's—**1:20; 4:87; 5:81–90; 6:76–77; 7:9, 101, 105; 8:65–66, 100**
 Magnolia—**1:20; 4:104; 6:141; 7:20**
 Mourning—**1:20; 6:76–77; 7:29; 10:183, 186**
 Myrtle—**1:7; 7:83**
 Nashville—**1:20; 4:50, 86; 5:81–90; 6:69, 76, 80; 7:9, 101, 105; 8:100, 109–112**
 Olive—**6:160; 7:85; 8:106**
 Orange-crowned—**1:20; 2:137; 4:86; 5:81–90; 6:76, 101–105; 7:9, 101; 8:45–62, 65–66, 100, 109–112; 10:83, 201–213**
 Palm—**1:20; 3:44; 7:9, 17**
 Parula—**1:20; 3:43–44; 4:104**
 Pine—**1:20; 6:142; 7:91, 94, 96; 10:62, 183, 186**
 Prairie—**1:20; 4:104; 6:142; 7:83, 94; 10:62**
 Prothonotary—**1:19; 2:95–96; 3:43; 6:160; 7:9, 17, 88, 91, 94; 8:63–64, 100; 10:62, 180–181**
 Red-faced—**1:145–146; 6:101–105; 10:183, 186**
 Swainson's—**7:94; 10:186**
 Tennessee—**1:20; 2:93, 137–138; 6:153, 160; 7:9, 17**
 Townsend's—**1:20; 3:17; 4:87; 5:81–90; 6:80–81, 161; 7:9, 101, 105; 8:45–62, 65–66, 100**
 Virginia's—**1:20; 5:49–50**
 Willow—**3:65**
 Wilson's—**1:20; 2:137; 4:87; 5:81–90; 6:69; 7:9, 101, 105; 8:65–66, 100; 10:64, 201–213**
 Worm-eating—**1:19; 4:55; 7:88; 10:62, 181**
 Yellow—**1:20; 4:86; 5:61–80; 6:69, 76, 150; 7:9, 101, 105; 8:100; 10:201–213**

Yellow-rumped—**1**:7, 20; **5**:81–90; **6**:70, 101–105; **7**:9, 83, 101; **8**:45–62
 Yellow-rumped (Audubon's)— **4**:50, 86; **5**:81–90; **6**:31; **8**:100
 Yellow-rumped (Myrtle)— **4**:86; **5**:81–90
 Yellow-throated—**1**:20; **3**:17–18; **4**:56, 104; **7**:91, 94; **10**:62, 181–182
 Waterthrush, Louisiana—**1**:20; **2**:1–10, 77–92; **4**:56; **7**:83, 85; **10**:62
 Northern—**1**:20; **2**:1–10, 77–92; **3**:44; **4**:38; **6**:150; **7**:9, 17, 29; **9**:83–84
 Wauer, Roland H., and Egbert, John, Interactions Between a Harris' Hawk and a Badger—**8**:155
 Waxwing, Bohemian—**1**:19, 84; **7**:9, 101, 102
 Cedar—**1**:19; **4**:86; **7**:9, 101
 Webb, Bruce, Review:*Utah Birds: Check-list, Seasonal and Ecological Occurrence Charts and Guides to Bird Finding*—**7**:32
 Webb, Bruce E., A Groove-billed Ani in Northeastern Colorado—**7**:153–154
 Webb, Bruce E., and Conry, Jeanne A., First Record of a Lesser Black-backed Gull in Colorado—**9**:171–173
 Webb, Bruce E., and Conry, Jeanne A., A Sharp-tailed Sandpiper in Colorado, with Notes on Plumage and Behavior—**10**:86–91
 Webb, Bruce [E.]—**10**:*see* Manolis, T.
 Weber, Wayne C., and Hunn, Eugene S., First Record of the Little Blue Heron for British Columbia and Washington—**9**:33–34
 Weber, Wayne C., and Kautesk, Brian, A Sight Record of the Painted Redstart near Vancouver, British Columbia—**6**:67
 Webster, Richard, A Warbling Vireo Wintering in California—**1**:105–106
 Weisser, Wardene, A Mixed Pair of Sapsuckers in the Sierra Nevada—**4**:107–108
 Wells, Shirley, and Baptista, Luis F., Breeding of Allen's Hummingbird (*Selasphorus sasin sedentarius*) on the Southern California Mainland—**10**:83–85
 Wheatear—**7**:82; **10**:186, 201–213
 Whimbrel—**1**:13; **6**:45–54, 147; **7**:5; **8**:81–82, 97; **9**:106
 Whip-poor-will—**1**:16; **2**:33–36, 37–40; **4**:103; **5**:46; **6**:63–64
 Whistling-Duck, Black-bellied—**10**:173
 White-eye—**3**:1–8
 White-eye, Japanese—**8**:113–116; **10**:71–80
 Whitt, Michael C.—**4**:*see* Ainley, D. G.
 Widgeon, American—**1**:11
 European—**1**:11
 Wigeon, American—**7**:4
 European—**7**:4, 87; **10**:59
 Wilbur, Sanford R., The Red-shouldered Hawk in the Western United States—**4**:15–22
 Wilbur, Sanford R., Carrier, W. Dean, and McCaskie, Guy, The Lark Bunting in California—**2**:73–76
 Willet—**1**:13; **3**:25–32; **4**:84; **6**:45–54; **7**:5; **9**:106; **10**:222
 Willis, Edwin O., Do Birds Flock in Hawaii, a Land Without Predators?—**3**:1–8
wilsoni, *Loxops virens*—**9**:76, 77
Wilsonia canadensis—**1**:20; **4**:104; **7**:30, 89, 91, 94; **10**:62, 183
 citrina—**1**:20; **2**:88; **4**:104; **6**:142, 150, 154, 161; **7**:89, 91; **10**:183
 pusilla—**1**:20; **2**:137; **4**:87; **5**:81–90; **6**:69; **7**:9, 101, 105; **8**:65–66, 100; **10**:64, 201–213
 Wilt, Richard A., Unusual Birds in the Vicinity of Pipe Spring, Arizona—**7**:28–30

Wingfield, John C.—**10**:*see* Winnett, K. A.

Winkler, David W., and Dana, Gayle, Summer Birds of a Lodgepole-Aspen Forest in the Southern Warner Mountains, California—**8**:45–62

Winnett, Kathy A., Murray, Kelvin G., and Wingfield, John C., Southern Race of Xantus' Murrelet Breeding on Santa Barbara Island, California—**10**:81–82

Winter, Jon, The California Rarities Committee—**2**:109–110

Winter, Jon, The California Field Ornithologists Records Committee Report 1970-1972—**4**:101–106

Winter, Jon, The Distribution of the Flammulated Owl in California—**5**:25–44

Winter, Jon, and McCaskie, Guy, 1973 Report of the California Field Ornithologists Record Committee—**6**:135–144

Witzeman, Janet L.—**6**:*see* Speich, S. M.

Witzeman, Robert A., An Extended Sojourn and a State Record of a Wandering Tattler in Arizona—**3**:13-15

Wolf, Gregory A.—**8**:*see* Campbell, E. G.

Woodcock, American—**7**:90

Woodpecker, Acorn—**1**:16; **5**:61–80; **8**:21–24, 89, 109–112; **10**:219–220

 Black-backed Three-toed—**1**:16; **7**:7; **8**:45–62

 Downy—**1**:16; **5**:61–80; **7**:7; **8**:45–62, 109–112; **9**:67–70

 Gila—**1**:16; **8**:109–112

 Hairy—**1**:16; **4**:85; **6**:101–105; **7**:7; **8**:45–62, 109–112; **9**:67–70

 Ladder-backed—**1**:16; **9**:9–20; **10**:61

 Lewis'—**1**:16; **4**:85; **7**:7

 Northern Three-toed—**7**:7; **9**:67–70

 Nuttall's—**1**:16; **5**:61–80

 Pileated—**1**:16; **7**:7, 82, 85

 Red-headed—**1**:25; **3**:23–24; **10**:61

 White-headed—**1**:16; **7**:7; **8**:17

Wood Pewee, Eastern—**6**:73, 108; **7**:88, 94, 95; **10**:179, 186

 Western—**1**:17; **4**:85; **5**:61–80; **6**:153; **7**:8; **8**:45–62, 99; **10**:201–213

Wren, Bewick's—**1**:18; **4**:31; **5**:61–80; **7**:8; **8**:99, 109–112; **10**:45–46

 Cactus—**1**:18; **3**:1; **7**:85; **8**:99, 109–112; **9**:9–20

 Cañon—**1**:18; **7**:8; **8**:99

 Canyon—**10**:61, 223

 House—**1**:18; **5**:61–80; **6**:75, 83, 101–105; **7**:8, 101; **8**:45–62, 65–66, 99; **10**:61

 Long-billed Marsh—**1**:18; **3**:65; **6**:75; **7**:8; **8**:8, 10, 99

 Rock—**1**:18; **5**:21; **7**:8; **8**:45–62, 100

 Rufous-naped—**8**:109–112

 Short-billed Marsh—**6**:75; **7**:89, 91, 94, 95; **10**:61

 Winter—**1**:18; **6**:72, 150, 158; **7**:8; **10**:201–213

Wrentit—**1**:18; **5**:61–80; **7**:85; **8**:109–112

wymani, *Larus occidentalis*—**2**:11–26; **9**:141–150, 171

Xanthocephalus xanthocephalus—**1**:21; **3**:39–42; **4**:87; **6**:1–6; **7**:9; **8**:65–66, 100

Xema sabini—**1**:14; **4**:45–52; **6**:117–134; **7**:6, 33–68, 128; **8**:86–87, 97; **9**:45–66

Xenus cinereus—**7**:19

Yadon, Vernal L., Four Thick-billed Murre Records for Monterey Bay—**1:107–110**
Yellowlegs, Greater—**1:13; 4:84; 6:45–54; 7:5; 8:82, 97**
 Lesser—**1:13; 6:45–54; 7:5; 8:97**
Yellowthroat—**1:20; 8:9, 10**
Yellowthroat, Common—**4:87; 5:61–80; 6:76; 7:9; 8:100**

Zeillemaker, C. Fred—**5:see** Scott, J. M.
Zenaida asiatica—**1:15; 7:6, 93; 8:65–66, 98; 9:9–20; 10:60**
 macroura—**4:50, 85; 5:61–80; 7:6, 101; 8:65–66, 98; 9:9–20**
Zenaidura macroura—**1:15; 2:139**
Ziegler, Fred R.—**9:see** Johnson, J. A.
Zimmerman, Dale A., A Definite Record of the Trumpeter Swan from New Mexico—**9:90**
Zimmerman, Dale A., A Probable Nutting's Flycatcher in Southwestern New Mexico—**9:135–136**
Zimmerman, Dale A., and Zimmerman, Marian A., Bird Records of Interest from Southwestern New Mexico—**6:157–161**
Zimmerman, Marian A.—**6:see** Zimmerman, D. A.
zonorhyncha, *Anas poecilorhyncha*—**9:127–128**
Zonotrichia albicollis—**1:22; 7:10, 30**
 atricapilla—**1:22; 3:9–12; 4:88; 6:151; 7:10, 18, 92, 95; 8:101; 10:201–213**
 leucophrys—**1:22; 2:99; 3:9–12; 4:88; 6:78; 7:10, 101, 102; 8:45–62, 101; 9:85; 10:201–213**
 querula—**1:22; 6:151; 7:10, 30**
Zosterops japonicus—**8:113–116; 10:71–80**
 palpebrosus—**3:1–8**