

WESTERN BIRDS, INDEX, 1980–1989

Volumes **11** (1980), **12** (1981), **13** (1982), **14** (1983), **15** (1984),
16 (1985), **17** (1986), **18** (1987), **19** (1988), and **20** (1989)

Compiled by Daniel D. Gibson

- Accipiter cooperii*—**11**:1–24, 25, 113–128; **12**:61, 76, 79, 82, 84, 148, 157–172; **15**:17, 41, 118, 175–183; **16**:123–130; **17**:5, 115–131, 171–187; **18**:10–18, 89–96, 195; **19**:1–23
gentilis—**11**:1–24, 79–87; **12**:61, 125–135, 148; **15**:187–188; **17**:5, 171–187
striatus—**11**:1–24, 25–34, 113–128; **12**:61, 125–135, 148; **15**:17, 81, 118, 175–183;
16:1–23, 126; **17**:5, 115–131, 171–187; **18**:195; **19**:1–23
- Acridotheres tristis*—**12**:114; **15**:104
- Actitis macularia*—**11**:1–24; **12**:62, 150, 173–180; **13**:29–33; **15**:18, 119; **16**:63–70; **17**:6, 115–131, 171–187; **18**:89–96, 187, 197; **19**:71; **20**:63, 64–66, 67, 202–203, 233, 236
- acuflavida*, *Sterna sandvicensis*—**12**:182
- adastus*, *Empidonax traillii*—**18**:27–36, 140, 143, 152
- Aechmophorus clarkii*—**12**:41–46; **17**:2, 3, 171–187; **18**:89–96, 98, 192; **20**:142, 152, 233, 241
occidentalis—**11**:1–24; **12**:41–46, 59, 147; **15**:10, 16, 116; **17**:3, 171–187; **18**:89–96, 98, 109–116, 192; **20**:152, 154, 233, 241
- Aegolius acadicus*—**11**:113–128; **12**:64, 125–135, 151; **15**:19; **16**:1–23, 25–28; **17**:8, 171–187
funereus—**11**:57; **12**:151; **17**:2; **18**:105; **19**:158
- Aeronautes saxatilis*—**11**:113–128; **12**:64, 76, 78, 79, 152; **13**:25–28; **15**:121; **17**:9, 115–131, 171–187; **18**:89–96, 201
- Aethia cristatella*—**11**:103–110; **12**:57, 64; **14**:1, 7, 47–48; **16**:32; **17**:8; **19**:131; **20**:39, 258
pusilla—**14**:131; **15**:43; **16**:29, 32; **17**:2, 8; **19**:131; **20**:38–40
pygmaea—**11**:135–140
- affinis*, *Hemignathus lucidus*—**15**:105, 106, 109
- Agamia agami*—**11**:171; **17**:15
- Agelaius phoeniceus*—**11**:1–24, 113–128; **12**:69, 155; **15**:126; **16**:63–70; **17**:14, 115–131, 171–187; **18**:89–96, 207; **19**:1–23
tricolor—**11**:1–24, 113–128; **12**:69, 155; **17**:14; **18**:207
- aikeni*, *Junco hyemalis*—**11**:205
- Aimophila botterii*—**18**:89–96
carpalis—**18**:89–96
cassinii—**11**:103–110; **12**:69; **14**:12, 134; **16**:32, 41, 51; **17**:13, 70, 171–187; **18**:89–96; **19**:131, 154
ruficeps—**11**:1–24, 113–128; **12**:69, 77, 82, 83; **13**:29–33; **17**:13, 171–187; **18**:89–96, 206; **19**:1–23
- Airola, Daniel A., Recent Colonization of Lassen Peak, California, by the Gray-crowned Rosy Finch—**12**:117–124
- Aix sponsa*—**12**:60, 148; **17**:4, 171–187; **20**:171, 236
- Ajaia ajaja*—**12**:60; **17**:4; **18**:97–98; **19**:130
- Akepa*—**15**:105, 106, 109
- alai*, *Fulica americana*—**16**:175–181
- Alauda arvensis*—**11**:103–110, 168; **12**:58, 66; **14**:113–126; **15**:104, 108; **16**:31, 32, 37; **17**:10; **19**:131, 149–150
gulgula—**14**:114

Albatross, Black-browed—**14**:135; **16**:107; **17**:15
 Black-footed—**11**:1–24, 47; **12**:59, 147; **15**:131; **16**:82, 83; **17**:3; **19**:159; **20**:258
 Laysan—**12**:59, 147; **16**:31, 33, 42, 81–83, 90, 107; **17**:3; **19**:134, 159; **20**:89, 134–135, 258
 Short-tailed—**11**:1–24, 47–48, 162; **12**:59, 147; **16**:31, 82; **17**:3, 54, 71; **20**:258
 Wandering—**11**:48, 103–110; **12**:59; **16**:31; **17**:3
albicincta, *Streptoprocne zonaris*—**20**:29
albilora, *Dendroica dominica*—**14**:10; **17**:66–67; **19**:152
Alectoris chukar—**11**:1–24; **12**:61, 149; **15**:103, 107, 108, 118; **16**:63–70, 121; **17**:5, 171–187
altissima, *Streptoprocne zonaris*—**20**:29
 Amakihi, Common—**14**:74, 77, 82; **15**:105, 107
Amazilia violiceps—**11**:103–110; **12**:57, 65; **16**:32; **17**:9; **18**:89–96; **19**:131; **20**:53
Ammodramus bairdii—**11**:103–110; **12**:69; **16**:32, 41; **17**:13, 70, 171–187; **19**:131
 caudacutus—**12**:69; **15**:186; **16**:32, 42, 117–118; **17**:13; **18**:97–98; **19**:130, 154
 henslowii—**18**:97–98, 104
 leconteii—**12**:58, 69; **14**:134; **15**:185–186; **16**:32, 42; **17**:13, 71; **18**:97–98; **19**:131, 154
 sandwichensis [sic = *Passerculus sandwichensis*]—**12**:69
 savannarum—**11**:1–24, 113–128; **12**:69, 155; **15**:186; **17**:13, 171–187; **18**:89–96, 206; **19**:1–23
Ammospiza caudacuta—**11**:171; **14**:12, 15
 leconteii—**11**:103–110, 171
Amphispiza belli—**11**:1–24, 113–128; **12**:69, 155; **15**:22, 126, 127; **16**:1–23; **17**:13, 171–187; **19**:1–23
 bilineata—**11**:1–24; **12**:69, 77, 80, 155, 157–172; **15**:126; **16**:51, 63–70; **17**:13, 171–187; **18**:89–96; **19**:1–23
 quingestriata—**18**:89–96
Anas acuta—**11**:1–24, 113–128; **12**:60, 148; **15**:10, 16, 117, 171; **17**:4, 115–131, 171–187; **18**:89–96, 109–116, 194; **20**:172, 236, 240
 americana—**11**:1–24; **12**:54, 60, 148; **15**:17, 117; **16**:63–70; **17**:5, 171–187; **18**:109–116, 186, 194; **20**:178, 239, 240
 clypeata—**11**:1–24; **12**:60, 148; **15**:16, 117, 171; **17**:4, 171–187; **18**:194; **20**:176, 236, 239, 241
 crecca—**11**:1–24; **12**:60, 148; **15**:16, 117, 171; **17**:4, 115–131, 171–187; **18**:109–116, 194; **20**:171
 cyanoptera—**11**:1–24, 113–128; **12**:60, 148; **15**:16, 117; **16**:63–70; **17**:4, 115–131, 171–187; **18**:89–96, 194; **20**:140, 175–176, 236, 237, 238, 239
 discors—**11**:1–24; **12**:60, 148; **15**:117; **16**:180; **17**:4, 171–187; **18**:89–96, 183, 194; **20**:172–175, 176, 236
 formosa—**11**:103–110; **12**:57, 60, 148; **16**:31, 109; **19**:131
 penelope—**12**:60, 148; **17**:4, 171–187; **18**:194; **20**:176–178
 platyrhynchos—**11**:1–24, 113–128; **12**:60, 148; **15**:6, 117, 171; **16**:63–70; **17**:4, 115–131, 171–187; **18**:89–96, 109–116, 186, 194; **20**:19–24, 171–172, 236, 237, 239
 platyrhynchos × *A. rubripes*—**19**:138
 querquedula—**11**:103–110; **12**:57, 60; **14**:4; **16**:31; **17**:4, 58; **19**:131, 139
 rubripes—**12**:58, 71, 148; **16**:31; **17**:2, 4; **19**:130, 131, 138

rubripes × *A. platyrhynchos*—**19**:138
strepera—**11**:1–24; **12**:60, 148; **15**:16; **16**:63–70; **17**:4, 171–187; **18**:89–96, 109–116, 186, 194; **20**:176, 236, 239, 241
wywilliana—**16**:175
Anderson, Bertin W.—**18**:*see* Hunter, W. C.
Anhinga—**12**:70–71; **14**:143; **16**:31, 45; **17**:2, 4, 57, 72; **18**:97–98
Anhinga anhinga—**12**:70–71; **14**:143; **16**:31, 45; **17**:2, 4, 57, 72; **18**:97–98
Ani, Groove-billed—**11**:103–110; **12**:57, 64; **14**:7; **16**:32; **17**:8, 171–187; **18**:97–98, 104; **19**:131
Anser albifrons—**11**:1–24; **12**:60, 148; **15**:16; **17**:4, 171–187; **18**:193; **20**:166–167
fabalis—**18**:193
anthracinus, *Buteogallus anthracinus*—**20**:14
Anthus cervinus—**11**:103–110, 167; **12**:67; **14**:9, 13, 133; **16**:32, 38, 114; **17**:11, 66; **19**:131, 150
spinoletta—**11**:1–24, 33, 113–128; **12**:67, 154; **13**:29–33, 39–40; **14**:114; **15**:21, 123; **17**:11, 115–131, 171–187; **18**:163–168, 204; **19**:1–23
spragueii—**11**:103–110; **12**:58, 67; **14**:9, 133; **16**:32, 38–39, 44; **17**:11, 66, 171–187; **19**:131, 150–151
Apapane—**14**:82; **15**:105, 107
Aphelocoma coerulescens—**11**:1–24, 113–128; **12**:66, 76, 79, 81, 134, 153; **13**:29–33; **14**:147–158; **15**:32, 85, 86; **17**:10, 171–187; **18**:203; **19**:1–23
Aphriza virgata—**11**:1–24; **12**:62, 150; **17**:7; **18**:197; **20**:206
Apus affinis—**13**:26
Aquila chrysaetos—**11**:1–24, 25–34, 113–128; **12**:61, 76, 79, 149; **15**:37–38, 118, 175–183; **16**:63–70, 123–130; **17**:5, 87–89, 115–131, 134, 171–187; **18**:89–96, 164, 195
Ara militaris—**15**:134
Archilochus anna [sic = *Calypte anna*]—**12**:134
alexandri—**11**:1–24, 113–128; **12**:65, 152; **14**:24–26, 28; **16**:63–70; **17**:9, 115–131, 171–187; **18**:89–96, 201; **20**:41
colubris—**17**:2, 9, 41–42, 62, 74; **19**:131; **20**:41
Ardea herodias—**11**:1–24, 113–128, 202; **12**:60, 147; **14**:169–184, 207; **15**:5–6, 8, 12, 16, 117; **17**:4, 115–131, 136, 171–187; **18**:89–96, 109–116, 183, 192; **19**:37–40; **20**:161, 163, 190, 236, 239
Arenaria interpres—**11**:1–24; **12**:62, 150, 173–180; **15**:11, 119; **16**:71; **17**:7, 171–187; **18**:197; **19**:71; **20**:204
melanocephala—**11**:1–24; **12**:62, 150; **15**:119, 171; **17**:7; **18**:197; **19**:76; **20**:206, 239
arizonae, *Vireo bellii*—**15**:96; **16**:190; **18**:10–18; **19**:117–120
Arnold, John R., Distribution of the Mockingbird in California—11:97–102
artemisiae, *Molothrus ater*—**18**:63
arvensis, *Alauda arvensis*—**11**:166
Asio flammeus—**11**:1–24, 32–33, 202; **12**:64, 151; **15**:19, 104, 108, 121, 171; **16**:126; **17**:8, 171–187; **18**:201
otus—**11**:57–59, 113–128; **12**:64, 76, 82, 84, 151; **15**:121; **16**:25–28; **17**:8, 171–187; **18**:89–96, 201; **19**:1–23; **20**:1–10
Athene cunicularia—**11**:1–24, 32; **12**:64, 151; **15**:121; **16**:123–130; **17**:8, 22, 171–187; **18**:89–96, 200; **20**:1–10, 89

atrata, *Leucosticte arctoa*—**16:42; 18:163–168**

atriceps, *Sporophila torqueola*—**16:45**

Atwood, Jonathan L., The United States Distribution of the California Black-tailed Gnatcatcher—**11:65–78**

Atwood, Jonathan L., A High Elevation Occurrence of Scrub Jays in the San Bernardino Mountains—**15:32**

Atwood, Jonathan L., and Minsky, Dennis E., Least Tern Foraging Ecology at Three Major California Breeding Colonies—**14:57–72**

auduboni, *Dendroica coronata*—**11:157–158; 13:29–33; 19:1–23**

Auklet, Cassin's—**11:1–24; 12:64, 151; 14:47; 15:121; 17:8; 19:91; 20:264**

 Crested—**11:103–110; 12:57, 64; 14:1, 7, 47–48; 16:32; 17:8; 19:131; 20:39, 258**

 Least—**14:131; 15:43; 16:29, 32; 17:2, 8; 19:131; 20:38–40**

 Parakeet—**12:64, 151; 15:165, 170, 173; 16:32; 17:8, 62; 19:131, 147; 20:258**

 Rhinoceros—**11:22, 154; 12:64, 151; 14:47; 15:11, 12, 121, 146, 154, 170, 172; 17:8; 20:264–265**

 Whiskered—**11:135–140**

Auriparus flaviceps—**12:66, 157–172; 13:29–33; 17:10; 18:89–96, 203**

Avocet, American—**11:1–24; 12:23, 62, 103, 149, 173–180; 15:18, 119; 17:6, 171–187; 18:89–96, 197; 19:71; 20:199–200, 236, 237, 239, 240, 241**

Aythya affinis—**11:1–24; 12:61, 148; 15:17, 117; 17:5, 171–187; 18:109–116, 194; 20:142, 181–183**

affinis × *A. collaris*—**19:157**

americana—**11:1–24; 12:60, 148; 15:17, 117; 17:5, 171–187; 18:89–96, 194; 20:140, 179**

collaris—**11:1–24; 12:61, 148; 15:17, 117; 17:5, 171–187; 18:194; 20:140, 181**

collaris × *A. affinis*—**19:157**

fuligula—**11:103–110, 164; 12:61, 148; 14:4; 16:31, 34, 109; 17:5, 58; 19:131, 139, 157; 20:181**

fuligula × *A. marila*—**18:194; 19:157**

marila—**11:1–24; 12:61, 148; 17:5; 18:109–116, 194; 20:142, 181–183**

valisineria—**11:1–24; 12:60, 148; 15:17; 17:5, 171–187; 18:187, 194; 20:178, 244**

Bailey, Edgar P., and Faust, Nina H., Distribution and Abundance of Marine Birds Breeding between Amber and Kamishak Bays, Alaska, with Notes on Interactions with Bears—**15:161–174**

Bailey, Stephen F., Least Auklet in California—**20:38–40**

Bailey, Stephen F., First Record of Chuck-will's-widow in California—**20:93–95**

bairdi, *Sialia mexicana*—**16:146**

Baker, William S.—**18:see Hayes, F. E.**

Baldrige, Frank A., Kiff, Lloyd F., Baldrige, Susan K., and Hansen, Robert B., Hybridization of a Blue-throated Hummingbird in California—**14:17–30**

Baldrige, Susan K.—**14:see Baldrige, F. A.**

Balearica regulorum—**18:131**

Baltosser, William H., Seasonal Analysis of a Southwestern New Mexico Riparian Bird Community—**17:115–131**

Baltosser, William H., Costa's Hummingbird: Its Distribution and Status—**20:41–62**

bancrofti, *Nycticorax violaceus*—**19:137**

bangsi, *Buteogallus subtilis*—**20:15**
 Banks, Richard C., Summer Record of the Tree Sparrow in California—**11:56**
 Banks, Richard C., Supposed Northern Records of the Southern Fulmar—**19:121–124**
 Barn-Owl, Common—**12:64; 15:103, 108, 121, 127; 16:25–28, 126; 17:8, 171–187; 18:89–96, 200; 20:1–10**
 Barrows, Cameron W., Habitat Relationships of Winter Wrens in Northern California—**17:17–20**
 Barrows, Cameron W., Diets of Five Species of Desert Owls—**20:1–10**
Bartramia longicauda—**12:62, 150; 14:4, 130; 16:32; 17:6; 19:131, 142, 157**
baueri, *Limosa lapponica*—**20:203–204**
 Baumgartel, Mona—**18:see King, D. B. Jr.**
 Bayer, Range D., Notes on the Feeding Behavior of Gulls and Crows on Clams and Crabs at the Yaquina Estuary, Oregon—**15:35–36**
 Bayer, Range D., Nearshore Flights of Seabirds Past Yaquina Estuary, Oregon, During the 1982 and 1983 Summers—**16:169–173**
 Beardless-Tyrannulet, Northern—**15:95; 18:10–18, 89–96**
 Becard, Rose-throated—**18:10–18, 89–96**
 Beezley, John A., and Rieger, John P., Least Bell's Vireo Management by Cowbird Trapping—**18:55–61**
 Behrstock, Robert A., Prey-Induced Mortality of a Pied-billed Grebe—**12:183–184**
beldingi, *Passerculus sandwichensis*—**11:21; 18:187, 188, 189, 206**
belli, *Amphispiza belli* × *A. b. canescens*—**16:1–23**
bellii, *Vireo bellii*—**16:190; 18:50**
bessophilus, *Lampornis clemenciae*—**14:17–30**
bewickii, *Cygnus columbianus*—**20:166**
 Bidstrup, Frances C.—**17:see Page, G. W.**
bifasciata, *Loxia leucoptera*—**20:84**
 Binford, Laurence C., Sixth Report of the California Bird Records Committee—**14:127–145**
 Binford, Laurence C., Seventh Report of the California Bird Records Committee—**16:29–48**
 Binford, Laurence C., President's Message: Deduct WFO—**16:55–56**
 Binford, Laurence C., Checklist of California Birds – 1986—**17:1–16**
 Binford, Laurence C.—**11:see Manolis, T.; 14:see Howell, J.**
 Bittern, American—**11:1–24; 12:60, 147; 15:16; 17:4, 171–187; 18:89–96, 192; 20:161, 236**
 Least—**11:1–24; 12:60, 147; 17:4; 18:89–96, 186, 187, 189, 192; 20:259**
 Blackbird, Brewer's—**11:1–24, 33, 113–128; 12:70, 155; 14:201, 205; 15:127; 16:63–70, 183; 17:14, 115–131, 171–187; 18:207; 19:1–23, 158–159**
 Brewer's × Great-tailed Grackle—**19:158–159**
 Red-winged—**11:1–24, 113–128; 12:69, 155; 15:126; 16:63–70; 17:14, 115–131, 171–187; 18:89–96, 207; 19:1–23**
 Rusty—**12:70, 155; 15:127; 17:14, 171–187**
 Tricolored—**11:1–24, 113–128; 12:69, 155; 17:14; 18:207**
 Yellow-headed—**11:1–24; 12:69, 155; 14:201; 15:33, 126; 16:63–70; 17:14, 171–187; 18:89–96, 207; 19:1–23**
 Black-Hawk, Common—**17:2, 5, 59, 115–131; 18:10–18, 89–96, 97–98, 100; 19:131; 20:11–18**
 Great—**20:12–16**
 Mangrove—**20:14–16**

- Block, William M., and Brennan, Leonard A., Characteristics of Lewis' Woodpecker Habitat on the Modoc Plateau, California—**18:209–212**
- Bloom, Peter H., Notes on the Distribution and Biology of the Flammulated Owl in California—**14:49–52**
- Bluebird, Eastern—**15:40; 16:146, 162, 163, 166, 167**
 Mountain—**11:155–156; 12:67, 78, 125–135, 153; 13:35; 15:39–40, 123; 16:63–70, 146, 161–168; 17:11, 171–187; 18:164**
 Western—**11:113–128; 12:67, 83–84, 134, 153; 13:29–33; 15:20, 123; 16:146; 17:11, 115–131, 171–187; 18:204; 19:1–23**
- Blus, Lawrence J., and Henny, Charles J., Canada Geese Incubate Eggs Laid in Previous Years—**11:112**
- Boarman, William I., The Breeding Birds of Alcatraz Island:Life on The Rock—**20:19–24**
- Boarman, William I.—**14:see** Howell, J.
- Bobolink—**11:1–24; 12:70, 155; 15:126; 17:14, 171–187; 18:207**
- Bobwhite—**12:149**
- Bobwhite, Northern—**18:89–96**
- Bombycilla cedrorum*—**11:1–24, 113–128; 12:67, 154; 13:29–33; 15:124; 17:11, 171–187; 18:204; 19:1–23**
garrulus—**11:1–24; 12:67, 154; 17:11, 171–187**
- Bonasa umbellus*—**12:61, 149; 17:6**
- Booby, Blue-footed—**11:1–24; 12:59; 17:3; 19:130, 136, 173**
 Brown—**11:103–110; 12:59; 14:3; 16:31, 33, 108; 17:3, 56; 19:136, 173**
 Masked—**11:103–110; 12:57, 59; 16:31, 85, 90; 17:3; 19:173–174**
 Red-footed—**11:103–110, 199–200; 12:57, 59; 14:136; 16:31; 17:3; 19:173; 20:259**
- Botaurus lentiginosus*—**11:1–24; 12:60, 147; 15:16; 17:4, 171–187; 18:89–96, 192; 20:161, 236**
- Bowers, Richard K. Jr., and Dunning, John B. Jr., Predator Avoidance Through Burrow Use by Cassin's and Black-throated Sparrows—**16:51**
- Boyce, Walter, and Elliot, Lee, First Record of a Snow Bunting in Arizona—**14:54**
- Brachyramphus brevirostris*—**12:71; 15:165, 170, 171; 16:29, 31, 32, 36–37; 17:2, 8; 19:131**
marmoratus—**12:64, 151; 15:8–9, 12, 43–44, 165, 170, 171; 16:36; 17:8; 18:97–98, 104; 20:33–37, 264**
- brachyrhynchus*, *Larus canus*—**16:147–150**
- Bradley, Richard A., Avifauna of the Palos Verdes Peninsula, California—**11:1–24**
- Brambling—**12:155; 17:2, 14, 71; 18:97–98, 104; 19:131**
- Brant—**11:1–24; 12:60, 148; 15:117; 17:4; 18:97–98, 193; 20:168–169, 237**
- Branta bernicla*—**11:1–24; 12:60, 148; 15:117; 17:4; 18:97–98, 193; 20:168–169, 237**
canadensis—**11:1–24, 112, 113–128; 12:60, 148; 15:6; 17:4, 171–187; 18:193; 20:169–171, 236**
leucopsis—**17:2**
- Brennan, Leonard A.—**18:see** Block, W. M.
- brewsteri*, *Empidonax traillii*—**18:27–36, 140, 143, 156, 157; 19:29**
Sula leucogaster—**17:56**
- Brotogeris versicolurus*—**11:1–24**
- Brown, Bryan T., Breeding Ecology of a Willow Flycatcher Population in Grand Canyon, Arizona—**18:25–33**
- Brown, Patti Powers, and Harris, Stanley W., Foods Found in 103 Red-necked Phalaropes—

19:79–80

browni, *Sterna antillarum*—**14:57–72**; **18:187**, 188, 189

Bryant, Laurie J., and Courtright, L. D. Jr., Unusual Behavior of a Red-throated Loon—**15:29–31**

Bubo virginianus—**11:1–24**, 84, 113–128, 202; **12:64**, 76, 79, 151; **14:155**; **15:175–183**; **16:25–28**, 63–70, 126; **17:8**, 107–114, 115–131, 134, 171–187; **18:89–96**, 125, 200; **20:1–10**

Bubulcus ibis—**11:1–24**, 103–110, 181; **12:60**, 147; **15:117**, 128; **16:87**; **17:4**, 171–187; **18:193**; **20:144**, 164, 235–236, 241

Bucephala albeola—**11:1–24**; **12:61**, 148; **15:10**, 17; **17:5**, 171–187; **18:109–116**, 195; **20:187–189**, 239, 241

clangula—**11:1–24**; **12:61**, 148; **15:10**, 17; **17:5**, 171–187; **18:109–116**, 195; **20:187**

islandica—**12:61**, 148; **17:5**; **18:104**; **20:187**

Buchanan, Joseph B., The Abundance and Migration of Shorebirds at Two Puget Sound Estuaries—**19:69–78**

Bufflehead—**11:1–24**; **12:61**, 148; **15:10**, 17; **17:5**, 171–187; **18:109–116**, 195; **20:187–189**, 239, 241

Bullfinch, Eurasian—**14:209**

bullockii, *Icterus galbula*—**15:33–34**; **19:1–23**

Bulweria fallax—**19:67**

Bunting, Indigo—**11:1–24**; **12:69**, 155; **15:125**; **16:29**; **17:13**, 171–187; **18:89–96**

Lark—**11:1–24**; **12:69**, 155; **15:126**; **17:13**, 171–187

Lazuli—**11:1–24**, 113–128; **12:69**, 155; **15:21**, 125; **16:63–70**; **17:13**, 115–131, 171–187; **18:89–96**, 206; **19:1–23**

McKay's—**12:156**

Painted—**12:69**, 155; **14:134**; **16:32**, 41, 117; **17:13**, 70, 75, 171–187; **18:89–96**; **19:131**, 154

Rustic—**17:2**, 14, 71; **19:131**

Snow—**11:103–110**, 171; **12:69**, 156; **14:12**, 54, 134; **15:171**; **16:32**; **17:14**, 71; **19:131**, 155

Varied—**12:69**; **16:32**; **17:13**; **18:89–96**; **19:131**

Burr, Timothy A.—**16:see** Paton, P. W. C.

Burton, Kenneth—**17:see** Tyler, W. B.

Bushtit—**11:1–24**, 113–128; **12:66**, 76, 78, 79, 81, 134, 153; **15:83**, 85, 86; **16:50**, 63–70; **17:115–131**, 171–187; **18:203**; **19:1–23**

Buteo albicaudatus—**15:134**; **16:118**; **17:15**

albonotatus—**11:1–24**, 164; **12:61**; **14:13**, 129, 137; **16:31**, 34, 110; **17:5**, 59–60; **18:10–18**, 89–96; **19:131**, 140; **20:14–15**

jamaicensis—**11:1–24**, 25–34, 113–128, 181; **12:61**, 76, 79, 81, 134, 148; **15:17**, 118, 175–183; **16:57**, 63–70, 118, 123–130; **17:5**, 107–114, 115–131, 171–187; **18:89–96**, 164, 195; **20:11**

lagopus—**11:1–24**, 25–34; **12:61**, 149; **15:17**, 171, 175–183; **16:123–130**; **17:5**, 107–114, 171–187; **18:133**, 195

lineatus—**11:1–24**, 25–34, 113–128, 181–182; **12:61**, 149; **16:123–130**; **17:5**; **18:79**, 186, 195

nitidus—**17:15**, 72; **18:10–18**, 89–96; **20:16**

platypterus—**11:1–24**, 103–110; **12:61**; **17:5**; **18:77–83**, 105; **20:16**

regalis—**11**:1–24, 25–34; **12**:61, 149; **15**:175–183; **16**:123–130; **17**:5, 171–187; **18**:89–96, 195; **19**:170–171
swainsoni—**11**:31–32; **12**:61, 149; **15**:17; **16**:126; **17**:5, 171–187; **18**:89–96
Buteogallus anthracinus—**17**:2, 5, 59, 115–131; **18**:10–18, 89–96, 97–98, 100; **19**:131; **20**:11–18
subtilis—**20**:14–16
urubitinga—**20**:12–16
Butler, John—**14**:*see* Pitman, R.
Butorides striatus—**11**:1–24, 113–128; **12**:60, 147; **15**:117; **17**:4, 171–187; **18**:89–96, 193; **20**:165, 236
Byrd, G. Vernon, and Gibson, Daniel D., Distribution and Population Status of Whiskered Auklet in the Aleutian Islands, Alaska—**11**:135–140
Byrd, G. Vernon, and Zeillemaker, C. Fred, Ecology of Nesting Hawaiian Common Gallinules at Hanalei, Hawaii—**12**:105–116

cafer, *Colaptes auratus*—**11**:16
Calamospiza melanocorys—**11**:1–24; **12**:69, 155; **15**:126; **17**:13, 171–187
Calandrella rufescens—**14**:114
Calcarius lapponicus—**12**:69, 156; **14**:114; **17**:14, 171–187
mccownii—**11**:103–110; **12**:69, 156; **17**:14, 171–187
ornatus—**12**:69, 156; **14**:114; **15**:126; **17**:14, 171–187; **18**:99
pictus—**14**:114; **17**:171–187; **18**:99
Calidris acuminata—**11**:165, 171; **12**:63, 150; **14**:5, 14, 130–131; **16**:35; **17**:7; **18**:97–98; **19**:76, 155; **20**:261–262
alba—**11**:1–24; **12**:62, 150, 173–180; **15**:119; **17**:7, 171–187; **18**:197; **19**:76, 77; **20**:64; **20**:206–207, 238, 244
alpina—**11**:1–24; **12**:63, 150, 173–180; **15**:18, 119; **17**:7, 171–187; **18**:109–116, 198; **19**:74–75, 76–77; **20**:142, 211–213, 238, 240, 241
bairdii—**11**:1–24; **12**:63, 150, 173–180; **15**:18, 119; **17**:7, 171–187; **18**:198; **19**:76; **20**:209–211
canutus—**11**:1–24; **12**:62, 150, 173–180; **17**:7, 33, 171–187; **18**:197; **19**:76; **20**:206
ferruginea—**11**:103–110; **12**:63, 150, 173–180; **14**:131; **16**:32, 35–36; **17**:7; **18**:198; **19**:131, 144; **20**:213
fuscicollis—**11**:103–110, 171; **12**:62; **14**:6; **16**:32, 35; **17**:7; **19**:131, 143–144; **20**:261
himantopus—**12**:63; **17**:7, 171–187; **18**:198; **20**:214
mauri—**11**:1–24; **12**:62, 150, 173–180; **15**:11, 18, 119; **16**:35; **17**:7, 171–187; **18**:126; **19**:71–74, 76; **20**:142, 209, 213, 237, 238, 239
melanotos—**11**:1–24; **12**:63, 150, 173–180; **15**:18, 119; **17**:7, 171–187; **18**:126–128, 198; **19**:76; **20**:21
minuta—**17**:2, 7, 61; **19**:131, 143, 165–169; **20**:209, 261
minutilla—**11**:1–24; **12**:62, 150, 173–180; **15**:18, 119, 170; **17**:7, 115–131, 171–187; **18**:126–128, 198; **19**:74, 80; **20**:142, 209, 213, 238, 240
ptilocnemis—**12**:63, 150; **15**:171; **17**:7; **20**:262
pusilla—**11**:103–110, 165, 171; **12**:62, 150, 173–180; **14**:6, 14, 130, 137–138; **16**:35, 118–119; **17**:7, 171–187; **18**:198; **19**:76; **20**:207–209
ruficollis—**11**:103–110; **12**:57, 62, 150; **14**:138–139; **16**:32, 35, 110; **17**:7, 61, 73; **19**:165–169

subminuta—**12**:150; **18**:126–128; **20**:270
temminckii—**17**:15, 73
californica, *Aphelocoma coerulescens*—**14**:148–156
Pinicola enucleator—**20**:84
Polioptila melanura—**11**:65–78; **18**:187, 188
Callipepla californica—**12**:62; **13**:29–33; **15**:118; **16**:63–70; **17**:6, 171–187; **18**:187, 196; **19**:1–23
gambelii—**12**:61, 76, 82, 84, 157–172; **13**:29–33; **15**:118; **17**:6, 115–131; **18**:89–96
squamata—**17**:171–187; **18**:89–96
Calonectris leucomelas—**11**:103–110; **12**:57, 60; **16**:31, 108; **17**:3, 46; **19**:155–156
Calothorax lucifer—**18**:89–96
Calypte anna—**11**:1–24, 113–128; **12**:65, 77, 79, 152; **14**:24, 28; **15**:23–27, 121, 127; **17**:9; **18**:89–96, 97–98, 104, 187, 201; **19**:1–23; **20**:22–23, 41, 53, 54, 89
costae—**11**:1–24; **12**:65, 76, 80, 84, 152, 157–172; **14**:24, 28; **15**:121; **17**:9; **18**:89–96, 201; **20**:41–62
costae × *Lampornis clemenciae*—**14**:24
Campbell, Erick G.—**15**:see Parker, R. E.
campestris, *Empidonax traillii*—**18**:140
Camptostoma imberbe—**18**:10–18, 89–96
Campylorhynchus brunneicapillus—**11**:1–24; **12**:66, 157–172; **15**:123; **17**:11; **18**:89–96, 187, 203, 219
Canachites canadensis—**12**:149
canadensis, *Grus canadensis*—**16**:151
canescens, *Amphispiza belli* × *A. b. belli*—**16**:1–23
caniceps, *Junco hyemalis*—**11**:122; **15**:82, 126
Cannings, Richard J.—**12**:see Weber, W. C.
canus, *Larus canus*—**16**:148, 188
Canvasback—**11**:1–24; **12**:60, 148; **15**:17; **17**:5, 171–187; **18**:187, 194; **20**:178, 244
Capella gallinago—**11**:1–24, 113–128; **12**:150, 173–180
Caprimulgus carolinensis—**20**:93–95, 270
indicus—**20**:93
ridgwayi—**18**:89–96
rufus—**20**:93
vociferus—**11**:103–110; **12**:64; **17**:9, 171–187; **18**:97–98
Caracara, Crested—**18**:89–96
Cardellina rubrifrons—**11**:103–110; **12**:58; **14**:11, 31–38, 134; **16**:32, 116; **17**:13, 70, 171–187; **19**:131
Cardiff, Steven W., and Remsen, J. V. Jr., Breeding Avifaunas of the New York Mountains and Kingston Range:Islands of Conifers in the Mojave Desert of California—**12**:73–86
Cardinal—**11**:103–110
Cardinal, Northern—**12**:69; **14**:201; **15**:104, 108; **16**:32, 117, 121; **17**:13, 115–131; **18**:10–18, 89–96, 105; **19**:130
Cardinalis cardinalis—**11**:103–110; **12**:69; **14**:201; **15**:104, 108; **16**:32, 117, 121; **17**:13, 115–131; **18**:10–18, 89–96, 105; **19**:130
sinuatus—**11**:103–110; **12**:58, 69; **16**:32; **17**:13; **18**:89–96; **19**:131, 154
Carduelis flammea—**12**:70, 155; **16**:32; **17**:14, 71; **19**:131

lawrencei—**11**:1–24, 113–128; **12**:70, 135; **13**:29–33; **15**:127; **16**:1–23; **17**:14; **18**:89–96, 208; **19**:1–23
pinus—**11**:1–24, 113–128; **12**:70, 125–135, 155; **13**:29–33; **15**:22, 83, 127; **16**:1–23; **17**:14, 115–131, 171–187; **18**:208; **19**:1–23; **20**:23, 82
psaltria—**11**:1–24, 113–128; **12**:70, 79, 80, 135, 155, 157–172; **13**:29–33; **15**:127; **16**:1–23; **17**:14, 115–131, 171–187; **18**:89–96, 208; **19**:1–23
tristis—**11**:1–24, 113–128; **12**:70, 155; **13**:29–33; **15**:127; **16**:63–70; **17**:14, 115–131, 171–187; **18**:208; **19**:1–23
 Carey, Christopher G.—**19**:*see* Ivey, G. L.
carolinensis, *Dumetella carolinensis*—**19**:150
Carpodacus cassinii—**11**:1–24; **12**:70, 79, 80, 125–135; **16**:1–23, 63–70; **17**:14, 171–187; **18**:164
mexicanus—**11**:1–24, 49, 113–128; **12**:70, 77, 80, 81, 84, 135, 157–172; **13**:26, 29–33; **15**:89, 105, 107, 108, 109, 127; **16**:1–23, 63–70; **17**:14, 115–131, 171–187; **18**:89–96, 208; **19**:1–23; **20**:23, 82, 90
purpureus—**11**:1–24, 113–128; **12**:70, 125–135; **15**:127; **16**:1–23; **17**:14, 171–187; **18**:207; **19**:1–23
Casmerodius albus—**11**:1–24; **12**:147; **14**:169–184; **15**:16, 117; **17**:4, 171–187; **18**:89–96, 186, 192; **20**:163, 190, 236, 239
cassinii, *Vireo solitarius*—**12**:79; **16**:1–23; **17**:39
catalinae, *Thryomanes bewickii*—**15**:123
 Catbird, Gray—**11**:167; **12**:67, 153; **14**:13, 132; **16**:32, 38, 114; **17**:11, 64, 171–187; **19**:131, 150
Catharacta maccormicki—**11**:1–24; **12**:63, 150; **17**:7; **20**:258
Cathartes aura—**11**:1–24, 25–34, 113–128; **12**:61, 76, 148; **15**:17, 117; **16**:126; **17**:5, 115–131, 171–187; **18**:89–96, 195
Catharus fuscescens—**11**:103–110; **12**:58, 67, 153; **14**:13, 141–142; **16**:32, 44, 114, 120; **17**:11, 171–187; **18**:77–83; **19**:131, 150
guttatus—**11**:1–24, 113–128; **12**:67, 81, 83, 125–135, 153; **13**:29–33; **15**:20, 82, 123; **16**:1–23; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23
minimus—**11**:103–110; **12**:58, 67; **14**:9; **16**:32; **17**:11; **19**:131, 150
ustulatus—**11**:1–24, 113–128; **12**:67, 153; **15**:20, 123; **16**:1–23; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23
Catherpes mexicanus—**11**:113–128; **12**:66, 77, 79, 153; **13**:29–33, 41; **16**:63–70; **17**:11, 171–187; **18**:89–96; **19**:1–23
Catoptrophorus semipalmatus—**11**:1–24, 53; **12**:62, 150, 173–180; **15**:18, 119; **17**:6; **18**:197; **20**:63, 200–202, 241
caurina, *Spizella atrogularis*—**16**:1–23
Strix occidentalis—**11**:79–87
Centrocerus urophasianus—**12**:61, 149; **15**:37–38; **16**:63–70; **17**:6; **18**:117–121
Cepphus carbo—**15**:145–160
columba—**11**:154; **12**:64, 151; **14**:43; **15**:1, 8, 12, 145–160, 165, 169, 170, 172; **16**:169–173; **17**:8; **18**:109–116; **20**:19–24, 33–37, 263
grylle—**15**:145–160; **20**:33
Cerorhinca monocerata—**11**:22, 154; **12**:64, 151; **14**:47; **15**:11, 12, 121, 146, 154, 170, 172; **17**:8; **20**:264–265

Certhia americana—**15**:20, 82; **16**:1–23; **17**:10, 115–131, 171–187; **18**:77–83; **19**:1–23; **20**:91–92
familiaris—**11**:1–24, 113–128; **12**:66, 125–135, 153
Ceryle alcyon—**12**:65; **15**:9, 121; **17**:9, 115–131, 171–187; **18**:89–96, 201
Chachalaca, Plain—**14**:13; **17**:15
Chaetura pelagica—**11**:22; **12**:64; **17**:9; **18**:201; **20**:27
vauxi—**11**:1–24, 113–128; **12**:64, 152; **15**:121; **16**:63–70; **17**:9; **18**:201; **20**:26
(sp.)—**17**:171–187
Chamaea fasciata—**11**:113–128; **12**:67, 134, 153; **16**:1–23; **17**:11; **18**:204; **19**:1–23
Chappell, Christopher B., and Ringer, Brenda J., Status of the Hermit Warbler in Washington—**14**:185–196
Charadrius alexandrinus—**11**:1–24; **12**:1–40, 62, 149, 173–180; **15**:118, 189; **17**:6, 145–170, 171–187; **18**:89–96, 187, 188, 196; **19**:35–36; **20**:196, 236, 237
hiaticula—**17**:2
melodus—**11**:103–110, 171; **12**:57, 62; **12**:15–16; **16**:31, 34, 42; **17**:6; **19**:131
mongolus—**12**:57, 62, 149; **14**:1, 4; **16**:31, 110; **17**:6, 60; **19**:131
montanus—**12**:62, 149; **15**:119, 128; **17**:6, 171–187; **20**:260
morinellus—**12**:57, 62; **16**:31; **17**:6; **19**:131; **20**:261
semipalmatus—**11**:1–24; **12**:62, 149, 173–180; **15**:18, 118, 170; **17**:6, 171–187; **18**:196; **19**:35–36; **19**:70; **20**:198, 238, 239
vociferus—**11**:1–24, 33, 113–128; **12**:62, 149, 173–180; **13**:29–33; **15**:6, 118; **16**:63–70; **17**:6, 33, 115–131, 171–187; **18**:89–96, 109–116, 196; **19**:1–23; **19**:70–71; **20**:198–199, 236, 237, 238, 240
wilsonia—**11**:165; **12**:62; **14**:4; **16**:31, 42; **17**:6; **19**:131, 142
Chat, Yellow-breasted—**11**:1–24, 113–128; **12**:68, 154; **15**:21, 125; **16**:63–70; **17**:13, 115–131, 171–187; **18**:10–18, 89–96, 206; **19**:1–23
Chen caerulescens—**11**:1–24; **12**:60, 148; **15**:16; **17**:4, 171–187; **18**:187, 193; **20**:167
canagica—**12**:60; **14**:4; **16**:31, 34; **17**:4, 58; **19**:131, 138; **20**:167–168
rossii—**12**:60, 148; **15**:16; **17**:4, 171–187; **18**:193; **20**:167
Chickadee, Black-capped—**12**:66, 153; **15**:83; **17**:10, 171–187; **18**:77–83
Chestnut-backed—**11**:113–128; **12**:66, 153; **16**:1–23; **17**:10; **19**:1–23
Mountain—**11**:1–24; **12**:66, 76, 78, 82, 125–135, 153; **14**:35, 36; **15**:20, 82–83; **16**:1–23, 63–70; **17**:10, 171–187; **18**:164
Chlidonias niger—**11**:1–24; **12**:63, 151; **15**:19; **17**:8, 171–187; **18**:200; **20**:232
Chondestes grammacus—**11**:1–24, 113–128; **12**:69, 135, 155; **15**:22, 126; **16**:63–70; **17**:13, 171–187; **18**:89–96, 206; **19**:1–23
Chordeiles acutipennis—**11**:1–24; **12**:64; **17**:9; **18**:89–96, 97–98, 201
minor—**12**:64, 125–135, 151; **15**:19; **16**:63–70; **17**:9, 171–187
Chuck-will’s-widow—**20**:93–95, 270
Chukar—**11**:1–24; **12**:61, 149; **15**:103, 107, 108, 118; **16**:63–70, 121; **17**:5, 171–187
Church, Jane P., Southernmost Nesting Record for the Mountain Bluebird—**13**:35
Cibit, Cathy—**20**:*see* Oberbauer, T. A.
Cicero, Carla—**16**:*see* Johnson, N. K.
Cinclus cinclus—**11**:60
mexicanus—**11**:60, 113–128; **12**:66, 141–142, 153; **16**:1–23; **17**:11, 171–187
Circus cyaneus—**11**:1–24, 25–34, 113–128; **12**:61, 149; **15**:17, 118, 175–183; **16**:123–130;

17:5, 115–131; **18:133**, 164, 195
Cistothorus palustris—**11:1–24**; **12:66**, 153; **15:123**; **17:11**, 115–131, 171–187; **18:89–96**, 204
platensis—**12:58**, 66; **14:1**, 8; **16:32**; **17:11**; **19:131**
Clangula hyemalis—**11:1–24**; **12:61**, 148; **15:10**; **17:5**; **18:109–116**, 194; **20:184**
 Clark, Clarence F., Observations on the Nesting Success of Bell’s Vireos in Southern Arizona—**19:117–120**
 Clark, Thomas O., Notable Records of Birds from Eastern Sonora, Mexico—**15:134–136**
clementae, *Melospiza melodia*—**15:126**, 127, 128
Pipilo erythrophthalmus—**15:125**, 127, 128
clementeae, *Amphispiza belli*—**15:126**, 127
clementis, *Carpodacus mexicanus*—**15:127**
Coccothraustes vespertinus—**12:70**; **15:22**; **16:63–70**; **17:14**, 171–187
Coccyzus americanus—**11:1–24**; **12:64**, 151; **15:49–80**; **17:8**, 115–131, 171–187; **18:10–18**, 19–25, 86, 89–96
erythrophthalmus—**11:103–110**; **12:64**; **16:32**, 37, 112; **17:8**, 62, 171–187; **19:131**
coerulescens, *Aphelocoma coerulescens*—**14:147–156**
 Cohen, Robert R., Female Tree Swallow Nests Successfully Following Loss of an Eye—**17:40**
Colaptes auratus—**11:1–24**, 113–128; **12:65**, 134, 152; **13:29–33**; **15:19**, 82–83, 122; **16:63–70**; **17:9**, 115–131, 171–187; **18:10–18**, 89–96, 202; **19:1–23**; **20:89**
 Cole, Ronald E., and Engilis, Andrew Jr., First Record of a Ruby-throated Hummingbird in California—**17:41–42**
Colibri thalassinus—**12:71**; **17:2**, 15, 73
Colinus virginianus—**12:149**; **18:89–96**
 Collins, Charles T., Identification Quiz—**17:93–94**
 Collins, Charles T., A Breeding Record of the Dark-eyed Junco on Santa Catalina Island, California—**18:129–130**
 Collins, Charles T., and Johnson, Eric V., Further Records of White-throated Swifts Utilizing Man-Made Structures—**13:25–28**
 Collins, Paul W., Drost, Charles, and Fellers, Gary M., Migratory Status of Flammulated Owls in California, with Recent Records from the California Channel Islands—**17:21–31**
Columba fasciata—**11:1–24**, 113–128; **12:64**, 134, 151, 185; **15:121**; **17:8**, 171–187; **18:200**
livia—**11:1–24**, 113–128; **12:64**, 151, 185; **14:43**, 44; **15:103**, 121; **16:63–70**; **17:8**, 171–187; **18:89–96**, 200; **20:22**
columbarius, *Falco columbarius*—**11:31**
Columbina inca—**11:103–110**; **12:64**; **17:8**, 171–187; **18:89–96**
passerina—**12:64**; **17:8**; **18:89–96**, 171–174
talpacoti—**16:45**; **17:2**, 15; **20:270**
 Conant, Sheila, and Kjargaard, Maile Stemmermann, Annotated Checklist of Birds of Haleakala National Park, Maui, Hawaii—**15:97–110**
 Condor, California—**12:61**, 139–140, 148; **17:5**; **19:130**
 Conry, Jeanne A., and Webb, Bruce E., Intergrade Juncos (*Junco hyemalis mearnsi* × *J. caniceps caniceps*) in Eastern Colorado—**11:205–206**
 Conry, Jeanne A., and Webb, Bruce E., An Extant Specimen of Arctic Tern from Colorado—**13:37–38**
Contopus borealis—**12:65**, 125–135, 152; **15:19**, 122; **16:1–23**; **17:9**, 171–187; **18:202**; **19:1–23**
pertinax—**11:103–110**, 166; **12:65**; **14:8**, 132; **16:32**, 112; **17:9**, 62, 171–187; **19:131**,

- 148–149
sordidulus—**11**:1–24, 113–128; **12**:65, 77, 79, 82, 83–84, 134, 152; **13**:29–33; **15**:19, 122; **16**:1–23, 63–70, 120; **17**:9, 115–131, 171–187; **18**:89–96, 202; **19**:1–23
virens—**11**:103–110, 166; **12**:58, 65; **14**:13; **16**:32, 112–113, 120; **17**:9, 74, 171–187; **18**:77–83; **19**:131
- Contreras, Alan, Northern Waterthrush Summer Range in Oregon—19:41–42**
- Cookilaria*—**19**:130, 135
- Coot, American—**11**:1–24; **12**:62, 149; **15**:11, 18, 118; **16**:63–70, 175–181; **17**:6, 171–187; **18**:89–96, 109–116, 133–134, 196; **20**:178, 192–194, 236, 239, 241
- Coragyps atratus*—**12**:71; **14**:136; **16**:31; **17**:2, 15, 74; **18**:89–96; **20**:14
- Cormorant, Brandt's—**11**:1–24; **12**:60, 147; **15**:10, 116, 127; **16**:87, 169–173; **17**:4; **20**:159, 236, 244
- Double-crested—**11**:1–24; **12**:60, 147; **15**:10, 12, 16, 116, 169–170, 173; **17**:4, 136, 171–187, 189; **18**:89–96, 109–116, 186, 187, 192; **19**:173; **20**:156–159, 236
- Great—**11**:171; **17**:15
- Neotropic—**12**:57, 60
- Olivaceous—**11**:103–110; **16**:31, 34, 108–109; **17**:4, 56; **18**:97–98, 99; **19**:136
- Pelagic—**11**:1–24; **12**:60, 147; **15**:2, 12, 117, 169–170, 173; **16**:169–173; **17**:4; **18**:109–116; **20**:160–161, 236
- Red-faced—**15**:169–170, 173
- Cornely, John E.—**15**:*see* Littlefield, C. D.
- Cornett, James W., Gila Woodpecker Nesting in Northern Baja California—17:139–140**
- coronata, Dendroica coronata*—**13**:29–33; **19**:1–23
- Corvus brachyrhynchos*—**11**:1–24, 113–128; **12**:16, 66, 153; **13**:7–8; **14**:155; **15**:35–36; **16**:63–70; **17**:10, 115–131, 171–187; **18**:203
- caurinus*—**12**:153; **13**:1–12; **15**:9–10
- corax*—**11**:1–24, 113–128; **12**:3, 5, 16, 23, 66, 76, 79, 81, 134, 139, 153; **15**:123; **16**:63–70; **17**:10, 115–131, 171–187; **18**:89–96, 164, 203; **20**:11, 23
- cryptoleucus*—**17**:115–131; **18**:89–96
- frugilegus*—**14**:150
- Cotton, James—**14**:*see* Pitman, R.
- Coturnicops noveboracensis*—**12**:62, 149; **14**:13, 137; **16**:31; **17**:6, 60, 72; **18**:97–98; **19**:129, 131, 140–142; **20**:260
- Courtright, L. D. Jr.—**15**:*see* Bryant, L. J.
- Cowbird, Bronzed—**11**:103–110; **12**:70; **17**:14; **18**:89–96
- Brown-headed—**11**:1–24, 69, 76, 113–128, 129–133; **12**:70, 77, 134–135, 155; **13**:29–33; **14**:201; **15**:33–34, 88, 127; **16**:63–70, 183–184; **17**:14, 115–131, 171–187; **18**:32, 34, 38, 39, 40–41, 42, 46–47, 55–61, 63–70, 81, 89–96, 153, 158–159, 207; **19**:1–23, 25–33, 117–120
- Crabtree, Thomas J., and Nehls, Harry B., A Checklist of the Birds of Oregon—12:145–156**
- Crane, Common—**18**:131
- Crowned—**18**:131
- Sandhill—**11**:1–24; **12**:62, 149; **15**:18; **16**:151, 185–186; **17**:6, 115–131, 171–187, 192–193; **18**:131–132; **20**:194
- Creagrus furcatus*—**17**:2; **18**:175
- Creeper, Brown—**11**:1–24, 113–128; **12**:66, 125–135, 153; **15**:20, 82; **16**:1–23; **17**:10, 115–131,

171–187; **18**:77–83; **19**:1–23; **20**:91–92
Hawaii—**14**:73–84
Maui—**15**:105, 107
crissalis, *Pipilo fuscus*—**11**:121
cristatus, *Lanius cristatus*—**19**:151
Crossbill, Red—**11**:1–24; **12**:70, 125–135, 155; **17**:14, 171–187; **20**:81–85
White-winged—**11**:103–110; **12**:58, 70, 155; **14**:1, 12; **16**:32; **17**:14; **19**:131; **20**:81–87
Crotophaga sulcirostris—**11**:103–110; **12**:57, 64; **14**:7; **16**:32; **17**:8, 171–187; **18**:97–98, 104; **19**:131
Crow, American—**12**:16, 66; **14**:155; **15**:35–36; **16**:63–70; **17**:10, 115–131, 171–187; **18**:203
Common—**11**:1–24, 113–128; **12**:153; **13**:7–8
Northwestern—**12**:153; **13**:1–12; **15**:9–10
Cuckoo, Black-billed—**11**:103–110; **12**:64; **16**:32, 37, 112; **17**:8, 62, 171–187; **19**:131
Yellow-billed—**11**:1–24; **12**:64, 151; **15**:49–80; **17**:8, 115–131, 171–187; **18**:10–18, 19–25, 86, 89–96
Curlew, Bristle-thighed—**11**:171; **14**:203–204; **17**:15
Eskimo—**18**:97–98
Eurasian—**16**:188
Little—**17**:2, 6, 60–61; **19**:131
Long-billed—**11**:1–24; **12**:62, 150, 173–180; **15**:18, 119; **17**:6, 171–187; **18**:197; **20**:203, 239
Curtis, Paul D., An Albinistic Band-tailed Pigeon in Evergreen, Colorado—**12**:185
Cyanocitta cristata—**11**:103–110, 166, 182–183; **12**:66, 153; **14**:8; **16**:32, 38; **17**:10, 171–187; **19**:131, 150
stelleri—**11**:1–24, 113–128; **12**:66, 125–135, 153; **15**:82–83; **16**:1–23; **17**:10, 39, 171–187; **19**:1–23, 58–59
Cyclorhynchus psittacula—**12**:64, 151; **15**:165, 170, 173; **16**:32; **17**:8, 62; **19**:131, 147; **20**:258
Cygnus bewickii—**11**:103–110, 164, 171; **12**:57
buccinator—**11**:164; **12**:60; **14**:4, 13, 129, 136; **16**:31, 34; **17**:4, 72; **18**:97–98, 100; **19**:131, 137, 157; **20**:260
columbianus—**11**:103–110, 164; **12**:57, 60; **15**:16, 171; **17**:4, 57, 171–187; **18**:193; **19**:137; **20**:166
cygnus—**17**:2, 4, 57; **19**:131
olor—**12**:148
Cyananthus latirostris—**11**:103–110, 166; **12**:65; **14**:8, 132, 140; **16**:32, 37, 112, 119; **17**:9, 62; **18**:89–96; **19**:131, 148, 158; **20**:53
Cypseloides lemosi—**20**:27, 29
niger—**11**:1–24, 113–128; **12**:64, 125–135, 152; **17**:9; **18**:201; **20**:25
Cyrtonyx montezumae—**17**:171–187
daggetti, *Sphyrapicus varius*—**11**:16
Daniels, Brian E., Hays, Loren, Hays, Debra, Morlan, Joseph, and Roberson, Don, First Record of the Common Black-Hawk for California—**20**:11–18
Daption capense—**12**:58, 70; **14**:12; **16**:31, 42; **17**:2, 15
Davis, John, Koenig, Walter D., and Williams, Pamela L., Birds of Hastings Reservation, Monterey County, California—**11**:113–128
dawsoni, *Leucosticte tephrocotis*—**12**:117–124

- Debban, Kim R.—**11**:*see* Wilkinson, G. S.
- De Beer, John—**18**:*see* King, D. B. Jr.
- DeGange, Anthony R.—**14**:*see* Howell, J.
- Delichon urbica*—**16**:49
- DeLong, Robert L.—**15**:*see* Stewart, B. S.
- Demaree, Salome Ross, Bathing Habits of the Cooper's Hawk—**15**:41
- Dendragapus canadensis*—**18**:133
obscurus—**11**:157; **12**:61, 149; **16**:63–70; **17**:6, 171–187
- Dendrocopos villosus*—**16**:1–23
- Dendrocygna autumnalis*—**11**:164; **12**:60; **16**:31, 121; **17**:4; **18**:89–96, 97–98, 99, 100; **19**:130–131, 157
bicolor—**11**:1–24; **12**:60, 148; **17**:4; **18**:193
- Dendroica caerulescens*—**11**:1–24; **12**:68, 154; **17**:12, 171–187
castanea—**11**:103–110, 183; **12**:68, 154; **15**:124; **16**:158; **17**:12, 171–187; **18**:105
cerulea—**11**:103–110, 167; **12**:68; **14**:10, 15; **16**:32, 116; **17**:12; **18**:97–98; **19**:131, 153
chrysoparia—**11**:103–110; **12**:58, 68; **16**:32; **17**:12, 66; **19**:131
coronata—**11**:1–24, 113–128, 157–158; **12**:68, 79, 81, 125–135, 154; **13**:29–33, 36; **14**:36; **15**:21, 82–83, 124; **16**:1–23; **17**:12, 115–131, 171–187; **18**:205; **19**:1–23
discolor—**11**:1–24, 103–110; **12**:68, 154; **15**:124; **17**:12; **18**:97–98, 205
dominica—**11**:1–24, 103–110, 170; **12**:68; **14**:10, 133; **16**:32, 39, 95–97, 116; **17**:12, 66–67, 171–187; **19**:131, 152
fusca—**11**:1–24, 103–110; **12**:68; **15**:124; **17**:12, 171–187; **19**:1–23
graciae—**11**:103–110, 170, 172; **12**:68; **14**:11, 133; **16**:32, 39; **17**:12, 67, 171–187; **19**:131, 152
kirtlandii—**18**:63
magnolia—**11**:1–24; **12**:68, 154; **16**:159; **17**:12, 171–187
nigrescens—**11**:1–24, 113–128, 157–158; **12**:68, 77, 78, 80, 81, 134, 154; **14**:185; **15**:85, 88, 124; **16**:1–23, 63–70; **17**:12, 115–131, 171–187; **18**:205; **19**:1–23
occidentalis—**11**:1–24, 113–128; **12**:68, 154; **14**:185–196; **15**:124; **17**:12, 171–187; **18**:97–98, 104, 205; **19**:1–23
palmarum—**11**:1–24; **12**:68, 154; **13**:36; **15**:124; **17**:12, 171–187; **18**:205
pensylvanica—**11**:1–24; **12**:68, 154; **17**:12, 171–187
petechia—**11**:1–24, 113–128; **12**:55, 68, 154; **15**:21, 33, 124; **16**:63–70, 183; **17**:12, 115–131, 171–187; **18**:10–18, 89–96, 205; **19**:1–23
pinus—**11**:103–110, 172; **12**:68; **14**:11, 15, 142; **16**:32, 39, 45, 120; **17**:12, 67–68; **19**:131, 153
striata—**11**:1–24, 103–110; **12**:68, 154; **15**:124, 185; **16**:120, 159; **17**:12, 171–187; **18**:205
tigrina—**12**:68, 154; **14**:199–200; **16**:158; **17**:12
townsendi—**11**:1–24, 113–128, 157–159, 183; **12**:68, 154; **14**:185, 193, 194; **15**:21, 82, 124; **17**:12, 115–131, 171–187; **18**:205; **19**:1–23
virens—**11**:1–24, 157, 183; **12**:68; **16**:158; **17**:12, 171–187
- DeSante, David F., Johnson, Ned K., LeValley, Ron, and Henderson, Robert P., Occurrence and Identification of the Yellow-bellied Flycatcher on Southeast Farallon Island, California—**16**:153–160
- DeWeese, Lawrence R.—**11**:*see* Richmond, M. L.

DeWolfe, Barbara B.—**12**:*see* Tomback, D. F.

Dickcissel—**11**:103–110, 170; **12**:69, 155; **15**:125; **17**:13, 171–187

Dickerman, Robert W., Zink, Robert M., and Frye, Susan L., Migration of the Purple Martin in Southern Mexico—**11**:203–204

Diomedea albatrus—**11**:1–24, 47–48, 162; **12**:59, 147; **16**:31, 82; **17**:3, 54, 71; **20**:258

exulans—**11**:48, 103–110; **12**:59; **16**:31; **17**:3

immutabilis—**12**:59, 147; **16**:31, 33, 42, 81–83, 90, 107; **17**:3; **19**:134, 159; **20**:89, 134–135, **20**:258

melanophris—**14**:135; **16**:107; **17**:15

nigripes—**11**:1–24, 47; **12**:59, 147; **15**:131; **16**:82, 83; **17**:3; **19**:159; **20**:258

Dipper—**11**:60, 113–128; **12**:153

Dipper, American—**12**:66, 141–142; **16**:1–23; **17**:11, 171–187

European—**11**:60

Dolichonyx oryzivorus—**11**:1–24; **12**:70, 155; **15**:126; **17**:14, 171–187; **18**:207

dominica, *Dendroica dominica*—**19**:152

Pluvialis dominica—**20**:137–265, 195–196

Dotterel—**11**:103–110

Dotterel, Eurasian—**12**:57, 62; **16**:31; **17**:6; **19**:131; **20**:261

Dove, Common Ground- —**12**:64; **17**:8; **18**:89–96, 171–174

Inca—**11**:103–110; **12**:64; **17**:8, 171–187; **18**:89–96

Mourning—**11**:1–24, 113–128; **12**:64, 76, 82, 84, 134, 151, 157–172; **15**:19, 121; **16**:63–70, 98; **17**:8, 115–131, 171–187; **18**:89–96, 133, 200; **19**:1–23; **20**:22, 89

Ringed Turtle- —**11**:1–24; **12**:58, 71; **17**:2

Rock—**11**:1–24, 113–128; **12**:151, 185; **14**:43, 44; **15**:103, 121; **16**:63–70; **17**:8, 171–187; **18**:89–96, 200; **20**:22

Ruddy Ground- —**16**:45; **17**:2, 15; **20**:270

Spotted—**11**:1–24; **12**:64; **15**:103; **17**:8; **18**:200

White-winged—**11**:1–24; **12**:64, 151; **15**:121; **17**:8, 115–131; **18**:89–96, 200

Zebra—**15**:103

Dowitcher, Long-billed—**11**:1–24; **12**:63, 150, 173–180; **15**:18, 119; **16**:189; **17**:7, 171–187; **18**:198; **19**:75, 76; **20**:142, 214–215, 240

Short-billed—**11**:1–24; **12**:63, 150, 173–180; **15**:119; **17**:7, 171–187; **18**:198; **19**:75, 76; **20**:142, 214–215

Downing, Helen, A White Ibis Near Sheridan, Wyoming—**14**:207

Drost, Charles—**17**:*see* Collins, P. W.

Dryocopus pileatus—**12**:65, 152; **17**:9; **18**:77–83

DuBowy, Paul J., and Moore, Steven W., Weather-Related Mortality in Swallows in the Sacramento Valley of California—**16**:49–50

Duck, American Black—**12**:58, 71; **16**:31; **17**:2, 4; **19**:130, 131, 138

Black—**12**:148

Black-bellied Whistling- —**11**:164; **12**:60; **16**:31, 121; **17**:4; **18**:89–96, 97–98, 99, 100; **19**:130–131, 157

Fulvous Whistling- —**11**:1–24; **12**:60, 148; **17**:4; **18**:193

Harlequin—**12**:61, 148; **15**:10, 171; **17**:5; **18**:97–98, 109–116; **20**:183–184

Hawaiian—**16**:175

Masked—**17**:15

Ring-necked—**11**:1–24; **12**:61, 148; **15**:17, 117; **17**:5, 171–187; **18**:194; **20**:140, 181
 Ring-necked × Lesser Scaup—**19**:157
 Ruddy—**11**:1–24; **12**:61, 148; **15**:17, 117; **17**:5, 171–187; **18**:89–96, 187, 195; **20**:190, 236, 239
 Tufted—**11**:103–110, 164; **12**:61, 148; **14**:4; **16**:31, 34, 109; **17**:5, 58; **19**:131, 139, 157; **20**:181
 Tufted × Greater Scaup—**18**:194; **19**:157
 Tufted × Lesser Scaup—**19**:157
 Wood—**12**:60, 148; **17**:4, 171–187; **20**:171, 236
Dumetella carolinensis—**11**:167; **12**:67, 153; **14**:13, 132; **16**:32, 38, 114; **17**:11, 64, 171–187; **19**:131, 150
 Dunlin—**11**:1–24; **12**:63, 150, 173–180; **15**:18, 119; **17**:7, 171–187; **18**:109–116, 198; **19**:74–75, 76–77; **20**:142, 211–213, 238, 240, 241
 Dunn, Jon L., Tenth Report of the California Bird Records Committee—**19**:129–163
 Dunn, Jon [L.]—**14**:*see* Luther, J. S.
 Dunning, John B. Jr.—**16**:*see* Bowers, R. K. Jr.
 Eagle, Bald—**11**:1–24, 25; **12**:61, 149; **15**:6, 12, 17, 118, 127, 171, 175–183; **16**:123–130; **17**:5, 85–86, 115–131, 171–187; **18**:10–18, 89–96, 115, 195; **19**:170
 Golden—**11**:1–24, 25–34, 113–128; **12**:61, 76, 79, 149; **15**:37–38, 118, 175–183; **16**:63–70, 123–130; **17**:5, 87–89, 115–131, 134, 171–187; **18**:89–96, 164, 195
 Solitary—**20**:15–16
 Eakle, Wade L., and Grubb, Teryl G., Prey Remains from Golden Eagle Nests in Central Arizona—**17**:87–89
 Egger, Mark, First Record of the Hudsonian Godwit for Oregon—**11**:53–55
 Egret, Cattle—**11**:1–24, 103–110, 181; **12**:60, 147; **15**:117, 128; **16**:87; **17**:4, 171–187; **18**:193; **20**:144, 164, 235–236, 241
 Great—**11**:1–24; **12**:60, 147; **14**:169–184; **15**:16, 117; **17**:4, 171–187; **18**:89–96, 186, 192; **20**:163, 190, 236, 239
 Reddish—**11**:103–110; **12**:60; **14**:3, 129; **16**:31; **17**:4, 57; **18**:97–98, 193; **19**:136–137
 Snowy—**11**:1–24; **12**:60, 147; **14**:169–184; **15**:16, 117; **17**:4, 171–187, 189; **18**:89–96, 193; **20**:163–164, 236, 241
Egretta alba [= *Casmerodius albus*]— **12**:60
caerulea—**12**:60; **14**:179; **17**:4; **18**:193; **20**:164
rufescens—**11**:103–110; **12**:60; **14**:3, 129; **16**:31; **17**:4, 57; **18**:97–98, 193; **19**:136–137
thula—**11**:1–24; **12**:60, 147; **14**:169–184; **15**:16, 117; **17**:4, 171–187, 189; **18**:89–96, 193; **20**:163–164, 236, 241
tricolor—**12**:60; **15**:117; **17**:4; **18**:193
 Eider, Common—**15**:171; **18**:99
 King—**11**:164; **12**:61, 148; **14**:129; **16**:31, 34, 109–110; **17**:5; **19**:131, 139; **20**:183
 Spectacled—**17**:15
 Steller's—**16**:105, 110; **17**:2, 5; **19**:131
Elanoides forficatus—**16**:42; **17**:15; **18**:97–98
Elanus caeruleus—**12**:61; **15**:117, 187–188; **16**:57–61, 123–130; **17**:5; **18**:195
leucurus—**11**:1–24, 25–34, 113–128, 151–153, 181; **12**:148
elegans, *Progne modesta*—**11**:203
 Elliot, Lee—**14**:*see* Boyce, W.

Elliott, Bruce G., Defensive Behavior of an Immature California Condor—**12:139–140**

Elliott, Bruce G., Nocturnal Moonlight Calling by Elegant Trogon in Arizona—**14:53**

Elliott, Bruce [G.], House Wren Breeds in Cliff Swallow Nest—**14:206**

Elliott, Bruce [G.], Changes in Distribution of Owl Species Subsequent to Habitat Alteration by Fire—**16:25–28**

Ellis, David H., Smith, Dwight G., and Wright, Philip L., Barred Owl Specimen Records for Montana—**18:217–218**

Ellis, Kevin L., Behavior of Lekking Sage Grouse in Response to a Perched Golden Eagle—**15:37–38**

Ellis, Kevin L., and Haskins, James, Unusual Nest Site for Greater Sandhill Cranes in Colorado—**16:185–186**

Ellis, Kevin L., Murphy Joseph R., and Richins, Gary H., Distribution of Breeding Male Sage Grouse in Northeastern Utah—**18:117–121**

Emberiza rustica—**17:2, 14, 71; 19:131**

Emlen, John T., and Ogden, Ruth R., Nesting Doves and Thrashers Share Close Quarters—**16:98**

Empidonax alnorum—**16:189; 17:2, 15; 18:104, 137, 143, 144**

difficilis—**11:1–24, 113–128; 12:65, 134, 152, 157–172; 13:29–33; 15:20, 122; 16:1–23, 153–160; 17:10, 115–131, 171–187; 18:202; 19:1–23, 49–60; 20:269**

flaviventris—**12:58, 65; 14:1, 8; 16:32, 153–160; 17:9, 74; 19:131**

hammondii—**11:1–24, 113–128; 12:65, 152; 15:122, 142; 16:189; 17:9, 171–187; 18:202; 19:1–23, 49–60**

insulicola—**15:122**

minimus—**11:166, 172; 12:65, 152; 14:8, 13, 132, 140–141; 16:37, 113, 153, 159, 189; 17:9, 171–187**

oberholseri—**11:1–24; 12:65, 77, 78, 80, 81, 82, 125–135, 152; 15:19, 86, 122, 142; 16:1–23; 17:9, 171–187**

occidentalis—**20:269**

traillii—**11:1–24, 113–128; 12:65, 152; 15:19, 122; 16:63–70, 189; 17:9, 171–187; 18:6, 27–36, 37–42, 67, 89–96, 137–162, 202; 19:1–23, 25–33**

virescens—**12:58, 65; 16:29, 43–44; 17:2, 15**

wrightii—**11:1–24; 12:65, 83, 152; 15:20, 85–86, 122, 142; 16:1–23, 63–70; 17:9, 115–131, 171–187; 19:1–23**

Endomychura—**15:44**

Endomychura craveri—**12:64, 151**

hypoleuca—**11:1–24; 12:151**

Engilis, Andrew Jr.—**17:see Cole, R. E.**

England, A. Sidney, and Laudenslayer, William F. Jr., Distribution and Seasonal Movements of Bendire's Thrasher in California—**20:97–123**

Eremophila alpestris—**11:1–24, 113–128; 12:66, 152; 14:114, 209–210; 15:122; 17:10; 18:89–96, 187, 203; 19:1–23**

Erickson, Richard A., Morlan, Joseph, and Roberson, Don, First Record of the White-collared Swift in California—**20:25–31**

Erickson, Richard A.—**13:see Remsen, J. V. Jr.; 14:see Morlan, J.**

Eudocimus albus—**12:60; 14:3, 143, 207; 16:31, 120; 17:4; 18:97–98, 99; 19:137; 20:166**

Eudromias morinellus—**11:103–110**

Eugenes fulgens—**11:49–52; 14:15, 201; 17:2, 15, 171–187**

Euphagus carolinus—**12**:70, 155; **15**:127; **17**:14, 171–187
cyaenocephalus—**11**:1–24, 33, 113–128; **12**:70, 155; **14**:201, 205; **15**:127; **16**:63–70, 183; **17**:14, 115–131, 171–187; **18**:207; **19**:1–23, 158–159
cyaenocephalus × *Quiscalus mexicanus*—**19**:158–159
eurygnatha, *Sterna sandvicensis*—**12**:182
Evens, Jules G.—**20**:*see* Shuford, W. D.
Everett, William T., Book Review:*Birds of Baja California*—**19**:83–85
Everett, William T., Biology of the Black-vented Shearwater—**19**:89–104
Everett, William T., and Teresa, Sherry, A Masked Booby at Islas Los Coronados, Baja California, Mexico—**19**:173–174
extimus, *Empidonax traillii*—**18**:31, 33, 137–162; **19**:25–33
Falco columbarius—**11**:1–24, 25–34, 113–128; **12**:61, 149; **15**:118, 175–183; **16**:123–130; **17**:5, 171–187; **18**:196
femoralis—**18**:89–96
mexicanus—**11**:1–24, 25–34, 113–128; **12**:61, 149; **15**:17, 175–183; **16**:63–70, 123–130; **17**:5, 107–114, 115–131, 171–187; **18**:89–96, 196
peregrinus—**11**:1–24, 25, 113–128; **12**:61, 149; **15**:118, 127, 171, 187–188; **16**:126; **17**:5, 171–187; **18**:89–96, 196
rusticolus—**11**:103–110; **12**:61, 149; **15**:171; **16**:31, 34; **17**:5, 60; **18**:97–98; **19**:131
sparverius—**11**:1–24, 25–34, 113–128; **12**:61, 81, 149; **13**:29–33; **15**:17, 118, 128, 175–183; **16**:63–70, 123–130; **17**:5, 115–131, 171–187; **18**:89–96, 164, 195; **19**:1–23; **20**:89
Falcon, Aplomado—**18**:89–96
Peregrine—**11**:1–24, 25, 113–128; **12**:61, 149; **15**:118, 127, 171, 187–188; **16**:126; **17**:5, 171–187; **18**:89–96, 196
Prairie—**11**:1–24, 25–34, 113–128; **12**:61, 149; **15**:17, 175–183; **16**:63–70, 123–130; **17**:5, 107–114, 115–131, 171–187; **18**:89–96, 196
fasciata, *Chamaea fasciata*—**16**:1–23
fasciatus, *Picoides tridactylus*—**19**:109–115
Faust, Nina H.—**15**:*see* Bailey, E. P.
Fellers, Gary M.—**17**:*see* Collins, P. W.
Ferguson, Howard L.—**15**:*see* Jorgensen, P. D.
Finch, Black Rosy- —**12**:155; **16**:42; **18**:98
Brown-capped Rosy- —**18**:98
Cassin's—**11**:1–24; **12**:70, 79, 80, 125–135, 155; **16**:1–23, 63–70; **17**:14, 171–187; **18**:164
Gray-crowned Rosy- —**12**:117–124, 155; **18**:98
House—**11**:1–24, 49, 113–128; **12**:70, 77, 80, 81, 84, 135, 155, 157–172; **13**:26, 29–33; **15**:89, 105, 107, 108, 109, 127; **16**:1–23, 63–70; **17**:14, 115–131, 171–187; **18**:89–96, 208; **19**:1–23; **20**:23, 82, 90
Purple—**11**:1–24, 113–128; **12**:70, 125–135, 155; **15**:127; **16**:1–23; **17**:14, 171–187; **18**:207; **19**:1–23
Rosy—**12**:70; **16**:42; **17**:14; **18**:98, 163–168
Zebra—**14**:209
Findholt, Scott L., New American White Pelican Nesting Colony in Wyoming—**17**:136–138
Findholt, Scott L., The Ring-billed Gull:A Rediscovered Nesting Species in Wyoming—**17**:189–

- Findholt, Scott L., and Fitton, Sam D., Records of the Scott's Oriole from Wyoming—**14:109–110**
- Fitton, Sam D., and Scott, Oliver K., Wyoming's Juniper Birds—**15:85–90**
- Fitton, Sam D.—**14:see** Findholt, S. L.
- Flamingo, Greater—**18:193**
- flamingo (sp.)—**15:117**
- flavoviridis*, *Vireo olivaceus*—**14:133; 16:39; 17:1**
- Flett, Mary Anne, and Sanders, Susan D., Ecology of a Sierra Nevada Population of Willow Flycatchers—**18:37–42**
- Flett, Mary Anne—**18:see** Harris, J. H.
- Flicker, Common—**11:1–24, 113–128; 12:65, 134, 152**
 Northern—**13:29–33; 15:19, 82–83, 122; 16:63–70; 17:9, 115–131, 171–187; 18:10–18, 89–96, 202; 19:1–23; 20:89**
 Northern (Gilded)—**18:10–18, 89–96**
 Northern (Red-shafted)—**18:89–96**
- Florida caerulea*—**11:1–24, 103–110**
- Flycatcher, Acadian—**12:58, 65; 16:29, 43–44; 17:2, 15**
 Alder—**16:189; 17:2, 15; 18:104, 137**
 Ash-throated—**11:1–24, 113–128; 12:65, 76, 79, 84, 134, 152, 157–172; 13:29–33; 15:20, 85, 86, 122; 16:44, 63–70; 17:10, 115–131, 171–187; 18:89–96, 202; 19:1–23**
 Brown-crested—**12:65; 17:10; 18:10–18, 89–96**
 Cordilleran—**20:269**
 Coues'—**11:103–110, 166**
 Dusky—**11:1–24; 12:65, 77, 78, 80, 81, 82, 125–135, 152; 15:19, 86, 122, 142; 16:1–23; 17:9, 171–187**
 Dusky-capped—**12:65; 14:132; 16:32, 37; 17:10, 62–63, 74; 18:97–98; 19:131, 149**
 Gray—**11:1–24; 12:65, 83, 152; 15:20, 85–86, 122, 142; 16:1–23, 63–70; 17:9, 115–131, 171–187; 19:1–23**
 Great Crested—**11:22, 103–110, 172; 12:65; 14:13, 132; 16:32, 37, 44, 113; 17:10, 63; 19:131, 149**
 Hammond's—**11:1–24, 113–128; 12:65, 152; 15:122, 142; 16:189; 17:9, 171–187; 18:202; 19:1–23, 49–60**
 Least—**11:166, 172; 12:65, 152; 14:8, 13, 132, 140–141; 16:37, 113, 153, 159, 189; 17:9, 171–187**
 Olivaceous—**11:103–110**
 Olive-sided—**11:1–24, 113–128; 12:65, 125–135, 152; 15:19, 122; 16:1–23; 17:9, 171–187; 18:202; 19:1–23**
 Pacific-slope—**20:269**
 Scissor-tailed—**12:66, 152; 16:32, 37, 114; 17:10, 63, 74, 171–187; 18:202; 19:131, 149**
 Streaked—**17:63**
 Sulphur-bellied—**11:103–110; 12:58, 65; 14:8, 132; 16:32; 17:10, 63; 19:131**
 Vermilion—**11:1–24; 12:65; 17:10, 115–131, 171–187; 18:10–18, 89–96, 105, 202**
 Western—**11:1–24, 113–128; 12:65, 134, 152, 157–172; 13:29–33; 15:20, 122; 16:1–23, 153–160; 17:10, 115–131, 171–187; 18:202; 19:1–23, 49–60; 20:269**

Willow—**11**:1–24, 113–128; **12**:65, 152; **15**:19, 122; **16**:63–70, 189; **17**:9, 171–187; **18**:6, 27–36, 37–42, 67, 89–96, 137–162, 202; **19**:1–23, 25–33

Wright's—**15**:86

Yellow-bellied—**12**:58, 65; **14**:1, 8; **16**:32, 153–160; **17**:9, 74; **19**:131

Fothergill, Kent A.—**19**:*see* Ivey, G. L.

Fowler, Norman E., and Howe, Robert W., Birds of Remnant Riparian Forests in Northeastern Wisconsin—**18**:77–83

Francolin, Gray—**15**:103, 108

Francolinus pondicerianus—**15**:103, 108

Franzreb, Barbara J.—**14**:*see* Franzreb, K. E.

Franzreb, Kathleen E., Perspectives on Managing Riparian Ecosystems for Endangered Bird Species—**18**:3–9

Franzreb, Kathleen E., Endangered Status and Strategies for Conservation of the Least Bell's Vireo (*Vireo bellii pusillus*) in California—**18**:43–49

Franzreb, Kathleen E., and Franzreb, Barbara J., Foraging Ecology of the Red-faced Warbler During the Breeding Season—**14**:31–38

Fratercula arctica—**15**:154

cirrhatta—**11**:154; **12**:56, 64, 151; **15**:154, 168, 172–173; **16**:99; **17**:8; **20**:265

corniculata—**12**:56, 64, 151; **14**:131; **15**:168; **16**:99–102; **17**:8; **20**:39, 258

frazari, *Haematopus palliatus*—**17**:60; **18**:215

Fregata magnificens—**11**:1–24; **12**:60, 147; **16**:87, 90; **17**:4; **18**:97–98, 99, 192; **20**:259

minor—**15**:101

Fregetta grallaria—**14**:12; **17**:15

Friedrichsen, Gary—**14**:*see* Pitman, R.

Frigatebird, Great—**15**:101

 Magnificent—**11**:1–24; **12**:60, 147; **16**:87, 90; **17**:4; **18**:97–98, 99, 192; **20**:259

Fringilla montifringilla—**12**:155; **17**:2, 14, 71; **18**:97–98, 104; **19**:131

Frye, Susan L.—**11**:*see* Dickerman, R. W.

Fulica americana—**11**:1–24; **12**:62, 149; **15**:11, 18, 118; **16**:63–70, 175–181; **17**:6, 171–187; **18**:89–96, 109–116, 133–134, 196; **20**:178, 192–194, 236, 239, 241

Fulmar, Northern—**11**:1–24; **12**:59, 147; **15**:116, 131–133; **16**:83; **17**:3; **20**:134, 258

 Southern—**19**:121–124

Fulmarus glacialis—**11**:1–24; **12**:59, 147; **15**:116, 131–133; **16**:83; **17**:3; **20**:134, 258

glacialoides—**19**:121–124

fulva, *Pluvialis dominica*—**20**:195–196

fuscatus, *Phylloscopus fuscatus*—**14**:9

Gadwall—**11**:1–24; **12**:60, 148; **15**:16; **16**:63–70; **17**:4, 171–187; **18**:89–96, 109–116, 186, 194; **20**:176, 236, 239, 241

Gaines, David, and Laymon, Stephen A., Decline, Status and Preservation of the Yellow-billed Cuckoo in California—**15**:49–80

galapagensis, *Haematopus palliatus*—**18**:215

Gallinago gallinago—**12**:63; **15**:119; **17**:7, 115–131, 171–187; **18**:128, 187, 198; **19**:76; **20**:215–217, 239, 240

Gallinula chloropus—**11**:1–24; **12**:62, 105–116, 149; **16**:175; **17**:6, 171–187; **18**:89–96, 97–98, 196; **20**:192, 236

Gallinule, Common—**11**:1–24; **12**:62, 105–116, 149

Purple—**11**:103–110; **12**:62; **16**:31; **17**:6; **18**:97–98, 100; **19**:131, 142
gambelii, *Zonotrichia leucophrys*—**19**:1–23
 Gardetto, Jeffrey—**11**:*see* Marcot, B. G.
 Garganey—**11**:103–110; **12**:57, 60; **14**:4; **16**:31; **17**:4, 58; **19**:131, 139
 Garrett, Kimball L., Book Review:*Birds of Southern California's Deep Canyon*—**15**:93–94
 Garrett, Kimball [L.]—**12**:*see* Jones, L.; **13**:*see* Remsen, J. V. Jr.
 Garrison, Barrett A., Observation of Copulation Between a Non-Nesting Adult and Subadult Bald Eagle in California—**17**:85–86
 Garrison, Barrett A., Humphrey, Joan M., and Laymon, Stephen A., Bank Swallow Distribution and Nesting Ecology on the Sacramento River, California—**18**:71–76
Garrulax canorus—**15**:104, 108
 Gatz, Thomas A., and Hegdal, Paul L., Local Winter Movements of Four Raptor Species in Central Colorado—**17**:107–114
 Gatz, Thomas A., Jakle, Martin D., Glinksi, Richard L., and Monson, Gale, First Nesting Records and Current Status of the Black-shouldered Kite in Arizona—**16**:57–61
Gavia adamsii—**11**:103–110, 162, 171; **12**:59, 147; **14**:2, 12, 56, 129; **16**:31, 33, 107, 118; **17**:3, 54; **18**:97–98, 99; **19**:134, 155; **20**:259
arctica—**11**:1–24, 113–128; **12**:59, 147; **14**:56; **15**:10, 116; **17**:2; **18**:98
immer—**11**:1–24, 113–128; **12**:59, 147; **14**:56; **15**:10, 116; **16**:118; **17**:3, 171–187; **18**:109–116; **20**:147, 149
pacifica—**17**:2, 3, 171–187; **18**:98, 192; **20**:147–149
stellata—**11**:1–24, 113–128; **12**:59, 147; **14**:55–56; **15**:29–31, 171; **17**:3; **18**:97–98, 109–116, 192; **20**:145–147
 Gent, Peter R., Colorado Field Ornithologists' Records Committee Report for 1978–1985—**18**:97–108
Geococcyx californianus—**11**:1–24, 113–128; **12**:64, 76, 82, 83, 84; **15**:175–183; **17**:8, 171–187; **18**:89–96, 187, 200
Geopelia striata—**15**:103
Geothlypis trichas—**11**:1–24, 113–128; **12**:68, 154; **15**:21, 125; **16**:63–70; **17**:13, 115–131, 171–187; **18**:89–96, 206; **19**:1–23
 Gibson, Daniel D.—**11**:*see* Byrd, G. V.
 Gilligan, Jeff, and Schmidt, Owen, First Verified Cape May Warbler for Oregon—**14**:199–200
 Gilligan, Jeff, Schmidt, Owen, Irons, David, and Smith, Richard, First Record of Le Conte's Sparrow in Oregon—**15**:185–186
 Gilligan, Jeff, Schmidt, Owen, Nehls, Harry, and Irons, David, First Record of Long-toed Stint in Oregon—**18**:126–128
Glaucidium brasilianum—**18**:10–18, 89–96
gnoma—**11**:113–128; **12**:64, 151; **16**:1–23, 25–28; **17**:8, 171–187
 Glinksi, Richard L.—**16**:*see* Gatz, T. A.
 Gnatcatcher, Black-tailed—**11**:1–24, 65–78; **12**:67, 157–172; **17**:11; **18**:89–96, 187, 188, 204; **20**:269
 Blue-gray—**11**:1–24, 113–128, 183; **12**:67, 77, 78, 79, 81, 154; **13**:29–33; **15**:85, 88, 123; **16**:1–23; **17**:11, 171–187; **18**:89–96, 188, 204
 California—**20**:269
 Godwit, Bar-tailed—**11**:55, 103–110, 165, 172; **12**:62, 150, 178; **16**:32, 35; **17**:6; **19**:131, 143; **20**:203–204

Black-tailed—**11:53; 12:178**
 Hudsonian—**11:53–55, 103–110, 172; 12:57, 62, 150, 173–180; 14:130; 16:32, 110; 17:6; 19:131, 142**
 Marbled—**11:1–24, 53; 12:62, 150, 173–180; 15:18, 119; 17:7, 171–187; 18:105, 197; 20:204, 238, 240, 241**
 Goldeneye, Barrow's—**12:61, 148; 17:5; 18:104; 20:187**
 Common—**11:1–24; 12:61, 148; 15:10, 17; 17:5, 171–187; 18:109–116, 195; 20:187**
 Golden Plover, American—**11:1–24**
 Golden-Plover, Greater—**14:13; 17:15**
 Lesser—**12:62, 149, 173–180; 15:103, 107; 17:6; 18:196; 19:76, 80; 20:144, 195–196**
 Goldfinch, American—**11:1–24, 113–128; 12:70, 155; 13:29–33; 15:127; 16:63–70; 17:14, 115–131, 171–187; 18:208; 19:1–23**
 Lawrence's—**11:1–24, 113–128; 12:70, 135; 13:29–33; 15:127; 16:1–23; 17:14; 18:89–96, 208; 19:1–23**
 Lesser—**11:1–24, 113–128; 12:70, 79, 80, 135, 155, 157–172; 13:29–33; 15:127; 16:1–23; 17:14, 115–131, 171–187; 18:89–96, 208; 19:1–23**
 Goose, Barnacle—**17:2**
 Bean—**18:193**
 Canada—**11:1–24, 112, 113–128; 12:60, 148; 15:6; 17:4, 171–187; 18:193; 20:169–171, 236**
 Emperor—**11:164; 12:60, 148; 14:4; 16:31, 34; 17:4, 58; 19:131, 138; 20:167–168**
 Greater White-fronted—**12:60; 15:16; 17:4, 171–187; 18:193; 20:166–167**
 Hawaiian—**15:103, 107, 108, 109**
 Ross'—**12:60, 148; 15:16; 17:4, 171–187; 18:193; 20:167**
 Snow—**11:1–24; 12:60, 148; 15:16; 17:4, 171–187; 18:187, 193; 20:167**
 White-fronted—**11:1–24; 12:148**
Gordon, Phil, Morlan, Joseph, and Roberson, Don, First Record of the White-winged Crossbill in California—20:81–87
 Goshawk—**11:1–24, 79–87; 12:148**
 Goshawk, Northern—**11:79–87; 12:61, 125–135; 15:187–188; 17:5, 171–187**
 Grackle, Common—**11:103–110, 170; 12:58, 70, 155; 14:11, 15, 134; 16:32, 42; 17:14, 71; 19:131, 155, 158–159**
 Great-tailed—**11:1–24, 103–110; 12:70, 155; 14:201–202; 17:14, 115–131, 171–187; 18:89–96, 105, 207; 19:158–159**
 Great-tailed × Brewer's Blackbird—**19:158–159**
 Graybill, Michael R.—**16:see Pitman, R. L.**
Greaves, James M., Nest-Site Tenacity of Least Bell's Vireo—18:50–54
 Grebe, Clark's—**12:41–46; 17:2, 3, 171–187; 18:89–96, 98, 192; 20:142, 152, 233, 241**
 Eared—**11:1–24; 12:59, 147; 15:10, 16, 116; 16:81; 17:3, 171–187; 18:192; 20:142, 149–151, 152**
 Horned—**11:1–24; 12:59, 147; 17:3, 171–187; 18:109–116, 192; 20:142, 149–151, 152**
 Least—**11:103–110; 12:59; 14:12; 16:31; 17:3**
 Pied-billed—**11:1–24; 12:59, 147, 183–184; 15:16, 116; 17:3, 171–187; 18:89–96, 187, 192; 20:149, 236, 241**
 Red-necked—**11:1–24; 12:59, 147; 17:3; 18:109–116; 20:152**
 Western—**11:1–24; 12:41–46, 59, 147; 15:10, 16, 116; 17:3, 171–187; 18:89–96, 98,**

- 109–116, 192; **20**:142, 152, 154, 233, 241
- Grosbeak, Black-headed—**11**:1–24, 113–128; **12**:69, 77, 78, 80, 81, 135, 155, 157–172; **14**:159–167; **15**:21, 125; **16**:63–70, 143–145; **17**:13, 171–187; **17**:13, 115–131; **18**:157, 206; **19**:1–23
- Blue—**11**:1–24, 113–128; **12**:69, 155; **15**:125; **17**:13; **17**:13, 115–131, 171–187; **18**:10–18, 89–96, 206
- Evening—**11**:1–24; **12**:70, 155; **15**:22; **16**:63–70; **17**:14, 171–187
- Pine—**12**:70, 155; **15**:83; **17**:14, 171–187; **20**:82, 84–85
- Rose-breasted—**11**:1–24, 183; **12**:69, 80, 81, 155; **14**:160–166; **15**:125; **17**:13, 171–187
- Ground-Dove, Common—**12**:64; **17**:8; **18**:89–96, 171–174
- Ruddy—**16**:45; **17**:2, 15; **20**:270
- Grouse, Blue—**11**:157; **12**:61, 149; **16**:63–70; **17**:6, 171–187
- Ruffed—**12**:61, 149; **17**:6
- Sage—**12**:61, 149; **15**:37–38; **16**:63–70; **17**:6; **18**:117–121
- Sharp-tailed—**12**:61, 149; **16**:31; **17**:6; **18**:133; **19**:130
- Spruce—**12**:149; **18**:133
- Grubb, Teryl G.—**17**:*see* Eakle, W. L.
- Grus canadensis*—**11**:1–24; **12**:62, 149; **15**:18; **16**:151, 185–186; **17**:6, 115–131, 171–187, 192–193; **18**:131–132; **20**:194
- grus*—**18**:131
- Gubanich, Alan A., and Judd, Hugh, First Report of Nesting Ring-billed Gulls in Nevada—**19**:125–127
- Guillemot, Black—**15**:145–160; **20**:33
- Pigeon—**11**:154; **12**:64, 151; **14**:43; **15**:1, 8, 12, 145–160, 165, 169, 170, 172; **16**:169–173; **17**:8; **18**:109–116; **20**:19–24, 33–37, 263
- Sooty—**15**:145–160
- Guiraca caerulea*—**11**:1–24, 113–128; **12**:69, 155; **15**:125; **17**:13, 115–131, 171–187; **18**:10–18, 89–96, 206
- Gull, Bonaparte's—**11**:1–24, 113–128; **12**:63, 151; **13**:1–12; **15**:11, 19, 120; **17**:7; **18**:199; **20**:142, 219–220, 241
- Black-headed—**11**:103–110; **13**:8; **14**:6
- Black-tailed—**12**:71; **15**:146, 150; **17**:2, 15, 74–75
- California—**11**:1–24, 182; **12**:17, 23, 63, 150; **13**:2; **14**:106; **15**:11, 19, 120; **16**:88, 119, 147–150, 187; **17**:7, 133–134, 136, 171–187, 189; **18**:199; **19**:82, 125–126; **20**:222–225, 236, 244
- Common Black-headed—**12**:63; **14**:131; **16**:32, 36, 75, 111, 188; **17**:7, 61, 73; **19**:131, 146; **20**:262
- Franklin's—**11**:1–24; **12**:63, 151; **15**:19, 120; **17**:7, 171–187; **18**:199; **20**:219
- Glaucous—**11**:1–24; **12**:63, 150; **17**:7; **18**:19; **20**:228
- Glaucous-winged—**11**:1–24, 154; **12**:63, 150; **13**:1–12; **14**:87, 88, 89, 106; **15**:8, 12, 35–36, 120, 132, 169, 173; **16**:119; **17**:7; **18**:97–98, 100, 109–116, 199; **19**:82; **20**:226
- Glaucous-winged × Western Gull—**15**:35–36; **19**:82
- Great Black-backed—**16**:42; **17**:15; **18**:97–98, 100
- Heermann's—**11**:1–24; **12**:63, 151; **14**:39–46; **15**:11, 120; **16**:74, 187; **17**:7; **18**:199; **19**:62; **20**:19–24, 142, 221, 222, 223, 230, 236, 240, 244

Herring—**11**:1–24, 182; **12**:63, 150; **13**:2, 8, 9, 10; **14**:88, 89, 106; **15**:36, 120; **16**:88, 147–150, 187, 188; **17**:7; **18**:199; **19**:146; **20**:225

Iceland—**16**:119; **17**:2, 15

Ivory—**18**:97–98

Laughing—**12**:63; **13**:3; **15**:120, **16**:75, 88, 187; **17**:7

Lava—**18**:175

Lesser Black-backed—**11**:103–110; **12**:57, 63; **16**:32, 188; **17**:7; **18**:97–98; **19**:82, 131, 146

Little—**11**:1–24, 103–110, 166, 172; **12**:63, 151; **14**:6, 131; **16**:32, 36, 110–111; **17**:7, 61; **18**:97–98, 100; **19**:131, 146, 158; **20**:262

Mew—**11**:1–24; **12**:63, 150; **13**:1–12; **15**:11, 120, 169; **16**:147–150, 187–188; **17**:7, 141–142; **18**:97–98, 100, 199; **20**:221–222

Ring-billed—**11**:1–24, 182; **12**:63, 150; **15**:11, 19, 120; **16**:147–150; **17**:7, 115–131, 141, 171–187, 189–190; **18**:175–176, 199; **19**:81, 125–127; **20**:222

Ross’—**18**:97–98, 100

Sabine’s—**11**:1–24, 182; **12**:63, 151; **17**:7, 171–187; **19**:82; **20**:263

Slaty-backed—**15**:146; **16**:42

Swallow-tailed—**17**:2; **18**:175

Thayer’s—**11**:1–24; **12**:63, 150; **13**:2; **14**:106; **15**:120; **16**:119, 147–150; **17**:7; **18**:199; **19**:82; **20**:225–226

Western—**11**:1–24, 199, 200; **12**:13, 63, 150; **14**:40, 43, 44, 85–107; **15**:35–36, 91, 120, 127; **16**:42, 88, 119; **17**:7; **18**:199; **19**:81–82, 173; **20**:19–24, 225, 226, 236, 244

Western × Glaucous-winged Gull—**15**:35–36; **19**:82

Yellow-footed—**12**:63; **14**:85–107; **17**:7; **19**:82, 146

Yellow-legged—**16**:42

gundlachi, *Buteogallus anthracinus*—**20**:14

Gygis alba—**16**:131–141

Gymnogyps californianus—**12**:61, 139–140, 148; **17**:5; **19**:130

Gymnorhinus cyanocephalus—**11**:1–24; **12**:66, 76, 82, 125–135, 153; **14**:150, 155, 156; **15**:89; **16**:63–70; **17**:10, 171–187

Gyr Falcon—**11**:103–110; **12**:61, 149; **15**:171; **16**:31, 34; **17**:5, 60; **18**:97–98; **19**:131

Haematopus bachmani—**11**:1–24; **12**:62, 149; **14**:43, 44, 130; **15**:6, 12, 119, 170, 172; **17**:6; **20**:261

ostralegus—**18**:216

*palliatu*s—**11**:164; **12**:62; **14**:4, 130; **16**:31; **17**:6, 60, 73; **18**:215–216; **19**:131

Haemig, Paul D., Nesting of the Phainopepla on Santa Cruz Island, California—**17**:48

Haight, Lois T.—**18**:see Johnson, R. R.

Haliaeetus leucocephalus—**11**:1–24, 25; **12**:61, 149; **15**:6, 12, 17, 118, 127, 171, 175–183; **16**:123–130; **17**:5, 85–86, 115–131, 171–187; **18**:10–18, 89–96, 115, 195; **19**:170

Halterman, Mary D., Laymon, Stephen A., and Whitfield, Mary J., Status and Distribution of the Elf Owl in California—**20**:71–80

Halterman, Mary D.—**18**:see Laymon, S. A.

Hanka, Ladislav R., A Brown-headed Cowbird Parasitizes Northern Orioles—**15**:33–34

Hanka, Ladislav R., Recent Altitudinal Range Expansion by the Brown-headed Cowbird in Colorado—**16**:183–184

Hansen, Robert B.—**14**:see Baldrige, F. A.

Harpyhaliaetus solitarius—**20**:15–16

Harrier, Northern—**12**:61; **15**:17, 118, 175–183; **16**:123–130; **17**:5, 115–131; **18**:133, 164, 195

Harriman, Bettie R.—**20**:*see* Wilson, E. M.

Harrington-Tweit, Bill, First Records of the White-tailed Kite in Washington—**11**:151–153

Harris, John H., Sanders, Susan D., and Flett, Mary Anne, Willow Flycatcher Surveys in the Sierra Nevada—**18**:27–36

Harris, Roger D., Albinistic Red-breasted Sapsucker—**14**:168

Harris, Stanley W.—**19**:*see* Brown, P. P.

Hastings, Donald—**19**:*see* King, D.

Hastings, Marjorie—**19**:*see* King, D.

Hawk, Broad-winged—**11**:1–24, 103–110; **12**:61; **17**:5; **18**:77–83, 105; **20**:16

 Common Black- —**17**:2, 5, 59, 115–131; **18**:10–18, 89–96, 97–98, 100; **19**:131; **20**:11–18

 Cooper’s—**11**:1–24, 25, 113–128; **12**:61, 76, 79, 82, 84, 148, 157–172; **15**:17, 41, 118, 175–183; **16**:123–130; **17**:5, 115–131, 171–187; **18**:10–18, 89–96, 195; **19**:1–23

 Ferruginous—**11**:1–24, 25–34; **12**:61, 149; **15**:175–183; **16**:123–130; **17**:5, 171–187; **18**:89–96, 195; **19**:170–171

 Gray—**17**:15, 72; **18**:10–18, 89–96; **20**:16

 Great Black- —**20**:12–16

 Harris’—**11**:111, 171, 172; **12**:61; **14**:13, 15; **16**:31; **17**:5, 59; **18**:10–18, 89–96; **19**:130, 140

 Mangrove Black- —**20**:14–16

 Marsh—**11**:1–24, 25–34, 113–128; **12**:149

 Red-shouldered—**11**:1–24, 25–34, 113–128, 181–182; **12**:61, 149; **16**:123–130; **17**:5; **18**:79, 186, 195

 Red-tailed—**11**:1–24, 25–34, 113–128, 181; **12**:61, 76, 79, 81, 134, 148; **15**:17, 118, 175–183; **16**:57, 63–70, 118, 123–130; **17**:5, 107–114, 115–131, 171–187; **18**:89–96, 164, 195; **20**:11

 Rough-legged—**11**:1–24, 25–34; **12**:61, 149; **15**:17, 171, 175–183; **16**:123–130; **17**:5, 107–114, 171–187; **18**:133, 195

 Sharp-shinned—**11**:1–24, 25–34, 113–128; **12**:61, 125–135, 148; **15**:17, 81, 118, 175–183; **16**:1–23, 126; **17**:5, 115–131, 171–187; **18**:195; **19**:1–23

 Swainson’s—**11**:31–32; **12**:61, 149; **15**:17; **16**:126; **17**:5, 171–187; **18**:89–96

 White-tailed—**15**:134; **16**:118; **17**:15

 Zone-tailed—**11**:1–24, 164; **12**:61; **14**:13, 129, 137; **16**:31, 34, 110; **17**:5, 59–60; **18**:10–18, 89–96; **19**:131, 140; **20**:14–15

Hayes, David, Unusual Western Bluebird Eggs—**16**:146

Hayes, Floyd E., and Baker, William S., Loggerhead Shrike Feeds on a Dead American Coot—**18**:133–134

Hays, Debra—**20**:*see* Daniels, B. E.

Hays, Loren—**20**:*see* Daniels, B. E.

Hayward, James L. Jr., and Thoresen, Asa C., Dippers in Marine Habitats in Washington—**11**:60

Hegdal, Paul L.—**17**:*see* Gatz, T. A.

Helm, Roger C., A Short-tailed Albatross off California—**11**:47–48

Helmitheros vermivorus—**11**:103–110, 167; **12**:68; **14**:10; **16**:32, 40, 44, 116, 120; **17**:12, 68, 171–187; **19**:131, 153

Hemignathus lucidus—**15**:105, 106, 109
virens—**14**:74, 77, 82; **15**:105, 107
Henderson, Robert P.—**16**:*see* DeSante, D. F.
Henny, Charles J.—**11**:*see* Blus, L. J.
Heron, Black-crowned Night- —**11**:1–24; **12**:60, 114, 147; **14**:169–184; **15**:16, 117; **16**:175;
17:4, 171–187, 189; **18**:89–96, 193; **20**:19–24, 165, 236, 239
Chestnut-bellied—**11**:171; **17**:15
Great Blue—**11**:1–24, 113–128, 202; **12**:60, 147; **14**:169–184, 207; **15**:5–6, 8, 12, 16,
117; **17**:4, 115–131, 136, 171–187; **18**:89–96, 109–116, 183, 192; **19**:37–40;
20:161, 163, 190, 236, 239
Green—**11**:1–24, 113–128; **12**:60, 147
Green-backed—**15**:117; **17**:4, 171–187; **18**:89–96, 193; **20**:165, 236
Little Blue—**11**:1–24, 103–110; **12**:60; **14**:179; **17**:4; **18**:193; **20**:164
Louisiana—**12**:147
Tricolored—**12**:60; **15**:117; **17**:4; **18**:193
Yellow-crowned Night- —**11**:1–24, 103–110, 164; **12**:60; **14**:3, 12, 129; **16**:31, 34, 109;
17:4, 57, 72; **18**:104, 193; **19**:137
Herron, Diana, An Albinistic Black-necked Stilt:A Second Record—12:103
Hesperiphona vespertina—**11**:1–24; **12**:155
Heteroscelus brevipes—**14**:130; **16**:29, 31; **17**:2, 33–36; **19**:131
incanus—**11**:1–24; **12**:62, 150; **15**:103, 119; **17**:6, 33–36; **18**:197; **20**:202
Hill, Randy—**11**:*see* Marcot, B. G.
Himantopus mexicanus—**11**:1–24; **12**:62, 103, 149, 173–180; **15**:18, 119; **16**:175–181; **17**:6,
171–187; **18**:89–96, 196–197, 215; **19**:76; **20**:199, 236
Himatione sanguinea—**14**:82; **15**:105, 107
Hirundo fulva—**18**:125
pyrrhonota—**12**:66; **14**:206; **15**:20, 122; **16**:49–50, 63–70; **17**:10, 115–131, 171–187;
18:89–96, 203; **20**:25
rustica—**11**:1–24, 113–128, 201; **12**:66, 152; **13**:29–33; **15**:20, 122–123; **16**:49–50, 63–
70; **17**:10, 171–187; **18**:89–96, 203; **20**:23; **20**:25, 27
Histrionicus histrionicus—**12**:61, 148; **15**:10, 171; **17**:5; **18**:97–98, 109–116; **20**:183–184
hoactli, *Nycticorax nycticorax*—**16**:175
Holloway, Gaylin D.—**18**:*see* Littlefield, C. D.
Honeycreeper, Crested—**15**:105, 106, 107, 109
House-Martin, Common—**16**:49
Howe, Robert W.—**18**:*see* Fowler, N. E.
**Howell, Judd, LaClergue, David, Paris, Sharon, Boarman, William I., DeGange, Anthony R., and
Binford, Laurence C., First Nests of Heermann’s Gull in the United States—14:39–46**
**Huber, Harriet R., and Lewis, T. James, First Records of the Red-footed Booby in the Western
United States—11:199–200**
Hummingbird, Allen’s—**11**:1–24, 113–128; **12**:65, 152; **14**:26, 28; **15**:26, 121; **17**:9; **18**:201;
19:1–23; **20**:22–23
Anna’s—**11**:1–24, 113–128; **12**:65, 77, 79, 134, 152; **14**:24, 28; **15**:23–27, 121, 127;
17:9; **18**:89–96, 97–98, 104, 187, 201; **19**:1–23; **20**:22–23, 41, 53, 54, 89
Black-chinned—**11**:1–24, 113–128; **12**:65, 152; **14**:24–26, 28; **16**:63–70; **17**:9, 115–131,
171–187; **18**:89–96, 201; **20**:41

Blue-throated—**11**:49–52, 103–110; **12**:57, 65; **14**:17–30; **16**:32; **17**:9; **18**:97–98; **19**:131
 Broad-billed—**11**:103–110, 166; **12**:65; **14**:8, 132, 140; **16**:32, 37, 112, 119; **17**:9, 62;
 18:89–96; **19**:131, 148, 158; **20**:53
 Broad-tailed—**11**:1–24, 182; **12**:65, 77, 80, 81, 82, 83, 152; **15**:81; **17**:9, 41, 62, 115–
 131, 171–187; **18**:164
 Calliope—**11**:1–24, 113–128; **12**:65, 125–135, 152; **14**:26, 28; **15**:121; **17**:9, 41, 171–
 187; **19**:1–23
 Costa's—**11**:1–24; **12**:65, 76, 80, 84, 152, 157–172; **14**:24, 28; **15**:121; **17**:9; **18**:89–96,
 201; **20**:41–62
 Lucifer—**18**:89–96
 Magnificent—**14**:201; **17**:2, 15, 171–187
 Rivoli's—**11**:49–52; **14**:15
 Ruby-throated—**17**:2, 9, 41–42, 62, 74; **19**:131; **20**:41
 Rufous—**11**:1–24, 113–128; **12**:65, 152; **14**:26, 28; **15**:19, 81, 121; **17**:9, 171–187;
 18:201; **19**:1–23
 Rufous/Allen's—**12**:134
 Violet-crowned—**11**:103–110; **12**:57, 65; **16**:32; **17**:9; **18**:89–96; **19**:131; **20**:53
 White-eared—**17**:15
 Xantus'—**20**:270
 Humphrey, Joan M.—**18**:*see* Garrison, B. A.
 Hunter, William C., Ohmart, Robert D., and Anderson, Bertin W., Status of Breeding Riparian-
 Obligate Birds in Southwestern Riverine Systems—**18**:10–18
Hydranassa tricolor—**12**:147
hyemalis, *Junco hyemalis*—**11**:205; **19**:1–23
Hylocharis leucotis—**17**:15
 xantusii—**20**:270
Hylocichla mustelina—**11**:103–110, 167; **12**:67, 153; **14**:8–9; **16**:32, 38, 114; **17**:11, 64, 171–
 187; **18**:77–83; **19**:131
hyloscopus, *Dendrocopus villosus*—**16**:1–23
hypoleucus, *Synthliboramphus hypoleucus*—**15**:44
 Ibis, Glossy—**18**:99
 White—**12**:60; **14**:3, 143, 207; **16**:31, 120; **17**:4; **18**:97–98, 99; **19**:137; **20**:166
 White-faced—**11**:1–24; **12**:60, 148; **14**:207; **15**:16; **17**:4, 171–187; **18**:99, 193; **19**:105–
 108; **20**:125–133, 259–260
Icteria virens—**11**:1–24, 113–128; **12**:68, 154; **15**:21, 125; **16**:63–70; **17**:13, 115–131, 171–187;
 18:10–18, 89–96, 206; **19**:1–23
Icterus cucullatus—**11**:1–24, 113–128; **12**:69, 155, 157–172; **15**:127; **17**:14, 171–187; **18**:10–
 18, 89–96, 207
 galbula—**11**:1–24, 113–128; **12**:69, 134, 155, 157–172; **13**:29–33; **15**:22, 33–34, 127;
 16:63–70; **17**:14, 115–131, 171–187; **18**:10–18, 89–96, 207; **19**:1–23
 parisorum—**11**:1–24, 113–128; **12**:69, 77, 80, 81, 84, 134, 157–172; **14**:109–110; **15**:85,
 88–89; **17**:14; **18**:89–96, 105, 207
 pustulatus—**12**:69; **16**:32; **17**:14; **19**:131, 155
 spurius—**11**:1–24; **12**:69, 155; **15**:135; **17**:14, 171–187; **18**:207
Ictinia mississippiensis—**12**:61; **16**:31, 34, 110; **17**:5, 58, 72; **18**:10–18, 89–96; **19**:131, 139–
 140

Iiwi—**14:82; 15:105, 107**
 Inkley, Douglas B., A Transparent Nest Box for Swallows—**14:112**
 Inkley, Douglas B., First Record of the Yellow-throated Warbler in Wyoming—**16:95–97**
inornatus, *Parus inornatus*—**16:8**
insularis, *Aphelocoma coerulescens*—**14:147–156**
 Eremophila alpestris—**15:122**
 Junco hyemalis—**20:90**
insulicola, *Empidonax difficilis*—**15:122**
 Irons, David—**15:see Gilligan, J.; 18:see Gilligan, J.**
 Ivey, Gary L., Some Recent Nesting Records for the Snowy Plover in the San Joaquin Valley, California—**15:189**
 Ivey, Gary L., Fothergill, Kent A., and Yates-Mills, Karlyn L., A Semipalmated Plover Nest in Oregon—**19:35–36**
 Ivey, Gary L., Stern, Mark A., and Carey, Christopher G., An Increasing White-faced Ibis Population in Oregon—**19:105–108**
Ixobrychus exilis—**11:1–24; 12:60, 147; 17:4; 18:89–96, 186, 187, 189, 192; 20:259**
Ixoreus naevius—**11:1–24, 113–128; 12:67, 153; 15:21, 123; 17:11; 18:204; 19:1–23**

 Jacana, Northern—**18:123–124**
Jacana spinosa—**18:123–124**
 Jaeger, Long-tailed—**11:22; 12:63, 150; 17:7; 18:97–98; 20:258**
 Parasitic—**11:1–24; 12:63, 150; 15:120, 170, 173; 16:88; 17:7; 18:199; 20:144, 219, 262**
 Pomarine—**11:1–24; 12:63, 150; 15:120; 16:88; 17:7, 171–187; 18:199; 20:262**
 Jakle, Martin D.—**16:see Gatz, T. A.**
 Jamison, Bryan—**20:see Taylor, D. M.**
 Jay, Blue—**11:103–110, 166, 182–183; 12:66, 153; 14:8; 16:32, 38; 17:10, 171–187; 19:131, 150**
 Gray—**12:66, 153; 15:82–83; 17:10, 171–187**
 Pinyon—**11:1–24; 12:66, 76, 82, 125–135, 153; 14:150, 155, 156; 15:89; 16:63–70; 17:10, 171–187**
 Scrub—**11:1–24, 113–128; 12:66, 76, 79, 81, 134, 153; 13:29–33; 14:147–158; 15:32, 85, 86; 17:10, 171–187; 18:203; 19:1–23**
 Steller's—**11:1–24, 113–128; 12:66, 125–135, 153; 15:82; 16:1–23; 17:10, 39, 171–187; 19:1–23, 58–59**
 Jehl, Joseph R. Jr., Trends in the State List of California Birds—**11:103–110**
 Jehl, Joseph R. Jr., The Caspian Tern at Mono Lake—**17:133–135**
 Johanos, Thea C.—**14:see Sakai, H. F.**
 Johnson, Eric V.—**13:see Collins, C. T.**
 Johnson, L. Scott, Song in a Female Plain Titmouse—**18:135**
 Johnson, Ned K., and Cicero, Carla, The Breeding Avifauna of San Benito Mountain, California:Evidence for Change over One-Half Century—**16:1–23**
 Johnson, Ned K.—**16:see DeSante, D. F.**
 Johnson, R. Roy, Haight, Lois T., and Simpson, James M., Endangered Habitats Versus Endangered Species:A Management Challenge—**18:89–69**
 Jones, Lee, Garrett, Kimball, and Small, Arnold, Checklist of the Birds of California—**12:57–72**
 Jorgensen, Paul D., and Ferguson, Howard L., The Birds of San Clemente Island—**15:111–130**
 Judd, Hugh—**19:see Gubanich, A. A.**

Junco, Dark-eyed—**11**:1–24, 113–128, 205–206; **12**:53, 69, 81, 83, 125–135, 155; **13**:29–33; **15**:22, 82–83, 126; **16**:1–23, 63–70; **17**:13, 115–131, 171–187; **18**:98, 129–130, 164, 207; **20**:90
 Gray-headed—**11**:1–24, 113–128, 205–206; **12**:53, 81; **17**:171–187; **18**:98
 Oregon—**11**:21, **11**:205; **12**:81; **17**:171–187; **19**:1–23
 Pink-sided—**11**:205
 Slate-colored—**11**:21, 205; **17**:171–187; **19**:1–23
 White-winged—**11**:205
Junco caniceps—**11**:1–24, 205–206; **12**:53, 81; **18**:98
 hyemalis—**11**:1–24, 113–128, 205–206; **12**:53, 69, 81, 83, 125–135, 155; **13**:29–33; **15**:22, 82–83, 126; **16**:1–23, 63–70; **17**:13, 115–131, 171–187; **18**:98, 129–130, 164, 207; **19**:1–23; **20**:90

 Kaiser, Susan—**19**:*see* Mewaldt, L. R.
kamchatkanensis [sic = *kamtschatschensis*], *Larus canus*—**16**:148
 Kautesk, Brian M.—**12**:*see* Weber, W. C.
kelsalli, *Oceanodroma tethys*—**14**:3
 Kennedy, Joseph L.—**11**:*see* Knopf, F. L.
 Kestrel, American—**11**:1–24, 25–34, 113–128; **12**:61, 81, 149; **13**:29–33; **15**:17, 118, 128, 175–183; **16**:63–70, 123–130; **17**:5, 115–131, 171–187; **18**:89–96, 164, 195; **19**:1–23; **20**:89
 Kiff, Lloyd F.—**14**:*see* Baldrige, F. A.
 Killdeer—**11**:1–24, 33, 113–128; **12**:62, 149, 173–180; **13**:29–33; **15**:6, 118; **16**:63–70; **17**:6, 33, 115–131, 171–187; **18**:89–96, 109–116, 196; **19**:1–23, 70–71; **20**:198–199, 236, 237, 238, 240
 King, David, Hastings, Donald, and Hastings, Marjorie, Communal Winter Roosts of Ferruginous Hawks in San Diego County, California—**19**:170–171
 King, David B. Jr., Baumgartel, Mona, De Beer, John, and Meyer, Terry, The Birds of San Elijo Lagoon, San Diego County, California—**18**:177–208
 Kingbird, Cassin's—**11**:1–24; **12**:65, 76, 83, 84, 152; **13**:29–33; **15**:122; **17**:10, 115–131, 171–187; **18**:89–96, 187, 202
 Eastern—**11**:1–24; **12**:66, 152; **15**:20, 122; **16**:114; **17**:10, 171–187; **18**:202
 Thick-billed—**11**:103–110; **12**:66; **14**:132; **16**:32, 114; **17**:10; **18**:10–18, 89–96; **19**:131, 149
 Tropical—**11**:1–24, 103–110; **12**:65, 152; **15**:122; **17**:10; **18**:10–18, 89–96, 202
 Western—**11**:1–24, 113–128; **12**:66, 152; **13**:29–33; **14**:201; **15**:20, 122; **16**:63–70; **17**:10, 115–131, 171–187; **18**:91, 89–96, 202; **19**:1–23
 Kingfisher, Belted—**11**:1–24, 113–128; **12**:65, 152; **15**:9, 121; **17**:9, 115–131, 171–187; **18**:89–96, 201
 Kinglet, Golden-crowned—**11**:1–24, 113–128; **12**:67, 125–135, 154; **15**:20, 82–83, 123; **17**:11, 171–187; **18**:204; **19**:1–23
 Ruby-crowned—**11**:1–24, 113–128; **12**:67, 81, 125–135, 154, 157–172; **13**:29–33; **14**:35, 36; **15**:20, 82–83, 123; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23; **20**:90
 Kite, American Swallow-tailed—**16**:42; **17**:15; **18**:97–98
 Black-shouldered—**12**:61; **15**:117, 187–188; **16**:57–61, 123–130; **17**:5; **18**:195
 Mississippi—**12**:61; **16**:31, 34, 110; **17**:5, 58, 72; **18**:10–18, 89–96; **19**:131, 139–140
 White-tailed—**11**:1–24, 25–34, 113–128, 151–153, 181; **12**:148
 Kittiwake, Black-legged—**11**:1–24; **12**:63, 151; **15**:120, 131, 168, 172–173; **16**:83, 88; **17**:7;

18:199; 20:228, 241
 Red-legged—**12:151; 14:139; 17:15**
 Kjargaard, Maile Stemmermann—**15:see** Conant, S.
 Knight, Richard L., and Ryan, Dana C., An Unusual Case of Barn Swallow Mortality—**11:201**
 Knight, Richard L., Skriletz, Jeff, and Ryan, Dana C., Four Additional Cases of Bird Mortality
 on Barbed-Wire Fences—**11:202**
 Knopf, Fritz L., and Kennedy, Joseph L., Foraging Sites of White Pelicans Nesting at Pyramid
 Lake, Nevada—**11:175–180**
 Knot, Red—**11:1–24; 12:62, 150, 173–180; 15:119; 17:7, 33, 171–187; 18:197; 19:76; 20:206**
knudseni, *Himantopus mexicanus*—**16:175–181**
 Koenig, Walter D.—**11:see** Davis, J.
 Kratt, L. F.—**12:see** Young, D. A.

 LaClergue, David—**14:see** Howell, J.
Lagopus leucurus—**12:149; 17:2**
 (sp.)—**15:171**
Lampornis clemenciae—**11:49–52, 103–110; 12:57, 65; 14:17–30; 16:32; 17:9; 18:97–98;**
19:131
clemenciae × *Calypte costae*—**14:24**
 Landry, Ross E.—**16:see** McCrary, M. D.
Lanius bucephalus—**19:151**
collurio—**19:151**
cristatus—**17:2, 12; 19:130, 131, 151**
excubitor—**12:67, 154; 15:21; 17:12, 171–187; 18:133**
isabellinus—**19:151**
ludovicianus—**11:1–24, 113–128; 12:67, 154, 157–172; 15:124, 127, 128, 175–183;**
16:63–70; 17:12, 115–131, 171–187; 18:89–96, 133–134, 205; 19:1–23
tigrinus—**19:151**
 Lark, Horned—**11:1–24, 113–128; 12:66, 152; 14:114, 209–210; 15:122; 17:10; 18:89–96, 187,**
203; 19:1–23
 Lesser Short-toed—**14:114**
 Larson, Diane, Identification Notes—**12:143–144**
Larus argentatus—**11:1–24, 182; 12:63, 150; 13:2, 8, 9, 10; 14:88, 89, 106; 15:36, 120; 16:88,**
147–150, 187, 188; 17:7; 18:199; 19:146; 20:225
atricilla—**12:63; 13:3; 15:120, 16:75, 88, 187; 17:7**
californicus—**11:1–24, 182; 12:17, 23, 63, 150; 13:2; 14:106; 15:11, 19, 120; 16:88,**
119, 147–150, 187; 17:7, 133–134, 136, 171–187, 189; 18:199; 19:82, 125–126;
20:222–225, 236, 244
canus—**11:1–24; 12:63, 150; 13:1–12; 15:11, 120, 169; 16:147–150, 187–188; 17:7,**
141–142; 18:97–98, 100, 199; 20:221–222
crassirostris—**12:71; 15:146, 150; 17:2, 15, 74–75**
delawarensis—**11:1–24, 182; 12:63, 150; 15:11, 19, 120; 16:147–150; 17:7, 115–131,**
141, 171–187, 189–190; 18:175–176, 199; 19:81, 125–127; 20:222
fuliginosus—**18:175**
fuscus—**11:103–110; 12:57, 63; 16:32, 188; 17:7; 18:97–98; 19:82, 131, 146**
glaucescens—**11:1–24, 154; 12:63, 150; 13:1–12; 14:87, 88, 89, 106; 15:8, 12, 35–36,**
120, 132, 169, 173; 16:119; 17:7; 18:97–98, 100, 109–116, 199; 19:82; 20:226

glaucescens × *L. occidentalis*—**15**:35–36; **19**:82
glaucoides—**16**:119; **17**:2, 15
heermanni—**11**:1–24; **12**:63, 151; **14**:39–46; **15**:11, 120; **16**:74; **17**:7; **18**:199; **19**:62;
20:19–24, 142, 221, 222, 223, 230, 236, 240, 244
hyperboreus—**11**:1–24; **12**:63, 150; **17**:7; **18**:199; **20**:228
livens—**12**:63; **14**:85–107; **16**:42; **17**:7; **19**:82, 146
marinus—**16**:42; **17**:15; **18**:97–98, 100
minutus—**11**:1–24, 103–110, 166, 172; **12**:63, 151; **14**:6, 131; **16**:32, 36, 110–111; **17**:7,
61; **18**:97–98, 100; **19**:131, 146, 158; **20**:262
occidentalis—**11**:1–24, 199, 200; **12**:13, 63, 150; **14**:40, 43, 44, 85–107; **15**:35–36, 91,
120, 127; **16**:42, 88, 119; **18**:199; **19**:81–82, 173; **20**:19–24, 225, 226, 236, 244
occidentalis × *L. glaucescens*—**15**:35–36; **19**:82
philadelphia—**11**:1–24, 113–128; **12**:63, 151; **13**:1–12; **15**:11, 19, 120; **17**:7; **18**:199;
20:142, 219–220, 241
pipixcan—**11**:1–24; **12**:63, 151; **15**:19, 120; **17**:7, 171–187; **18**:199; **20**:219
ridibundus—**11**:103–110; **12**:63; **13**:8; **14**:6, 131; **16**:32, 36, 75, 111, 188; **17**:7, 61, 73;
19:131, 146; **20**:262
schistisagus—**15**:146; **16**:42
thayeri—**11**:1–24; **12**:63, 150; **13**:2; **14**:106; **15**:120; **16**:119, 147–150; **17**:7; **18**:199;
19:82; **20**:225–226
Laterallus jamaicensis—**11**:22; **12**:62; **17**:6; **18**:89–96, 97–98, 100, 196; **20**:190–191, 236
Laudenslayer, William F. Jr.—**20**:see England, A. S.
Laughing-Thrush, Melodious—**15**:104, 108
Laymon, Stephen A., Western Bird Photographers:A Photo Essay by Ray Ekstrom—**11**:187–194
Laymon, Stephen A., Management and Preservation of Endangered Birds in Riparian
Ecosystems:A Symposium Presented in Conjunction with the Cooper Ornithological
Society Annual Meeting, 10 September 1986—**18**:1–2
Laymon, Stephen A., Brown-headed Cowbirds in California:Historical Perspectives and
Management Opportunities in Riparian Habitats—**18**:63–70
Laymon, Stephen A., and Halterman, Mary D., Can the Western Subspecies of the Yellow-billed
Cuckoo be Saved from Extinction?—**18**:19–25
Laymon, Stephen A.—**15**:see Gaines, D.; **18**:see Garrison, B. A.; **20**:see Halterman, M. D.
Leck, Charles, Sunbathing in the Brown Creeper—**20**:91–92
Lehman, Paul, Book Review:*The Birds of San Diego County*—**16**:52–54
Lehman, Paul, Identification Notes:Calls of Alder and Willow Flycatchers—**16**:189
Leiothrix, Red-billed—**15**:104, 107, 108
Leiothrix lutea—**15**:104, 107, 108
leucophrys, *Thryomanes bewickii*—**15**:123, 127
leucoptera, *Loxia leucoptera*—**20**:81–87
Leucosticte arctoa—**12**:70; **16**:42; **17**:14; **18**:98, 163–168
atrata—**12**:155; **18**:98
australis—**18**:98
tephrocotis—**12**:117–124, 155; **18**:98
LeValley, Ron—**16**:see DeSante, D. F.
levipes, *Rallus longirostris*—**12**:87–99; **18**:187–188, 189, 196
Lewis, T. James—**11**:see Huber, H. R.

Lichtwardt, Eric—**20**:*see* Oberbauer, T. A.

Limnodromus griseus—**11**:1–24; **12**:63, 150; **15**:119; **17**:7, 171–187; **18**:198; **19**:75, 76; **20**:142, 214–215

scolopaceus—**11**:1–24; **12**:63, 150; **15**:18, 119; **16**:189; **17**:7, 171–187; **18**:198; **19**:75, 76; **20**:142, 214–215, 240

Limnothlypis swainsonii—**17**:15, 64, 171–187; **18**:97–98

Limosa fedoa—**11**:1–24, 53; **12**:62, 150, 173–180; **15**:18, 119; **17**:7, 171–187; **18**:105, 197; **20**:204, 238, 240, 241

haemastica—**11**:53–55, 103–110, 172; **12**:57, 62, 150, 173–180; **14**:130; **16**:32, 110; **17**:6; **19**:131, 142

lapponica—**11**:55, 103–110, 165, 172; **12**:62, 150, 178; **16**:32, 35; **17**:6; **19**:131, 143; **20**:203–204

limosa—**11**:53; **12**:178

Littlefield, Carroll D., New Bird Records from Malheur National Wildlife Refuge, Oregon—**11**:181–185

Littlefield, Carroll D., First Oregon Record of the Gray-headed Junco—**12**:53

Littlefield, Carroll D., Oregon's First Records of the Great-tailed Grackle—**14**:201–202

Littlefield, Carroll D., A Record of Preterritorial Copulation by Sandhill Cranes—**16**:151

Littlefield, Carroll D., and Cornely, John E., Fall Migration of Birds at Malheur National Wildlife Refuge, Oregon—**15**:15–22

Littlefield, Carroll D., and Holloway, Gaylin D., The First Record of a Four-Egg Clutch for Sandhill Cranes—**18**:131–132

littoralis, *Leucosticte tephrocotis*—**12**:117–124

livens, *Larus occidentalis*—**14**:96

Lobipes lobatus—**11**:1–24

Lonchura malabarica—**15**:106

punctulata—**15**:105, 108

Longspur, Chestnut-collared—**12**:69, 156; **14**:114; **15**:126; **17**:14, 171–187; **18**:99

 Lapland—**12**:69, 156; **14**:114; **17**:14, 171–187

 McCown's—**11**:103–110; **12**:69, 156; **17**:14, 171–187

 Smith's—**14**:114; **17**:171–187; **18**:99

Loon, Arctic—**11**:1–24, 113–128; **12**:59, 147; **14**:56; **15**:10, 116; **17**:2; **18**:98

 Common—**11**:1–24, 113–128; **12**:59, 147; **14**:56; **15**:10, 116; **16**:118; **17**:3, 171–187; **18**:109–116; **20**:147, 149

 Pacific—**17**:2, 3, 171–187; **18**:98, 192; **20**:147–149

 Red-throated—**11**:1–24, 113–128; **12**:59, 147; **14**:55–56; **15**:29–31, 171; **17**:3; **18**:97–98, 109–116, 192; **20**:145–147

 Yellow-billed—**11**:103–110, 162, 171; **12**:59, 147; **14**:2, 12, 56, 129; **16**:31, 33, 107, 118; **17**:3, 54; **18**:97–98, 99; **19**:134, 155; **20**:259

Lophodytes cucullatus—**11**:1–24; **12**:61, 148; **15**:17; **17**:5, 171–187; **18**:109–116, 195; **20**:189

Lophortyx californicus—**11**:1–24, 113–128; **12**:149

Loxia curvirostra—**11**:1–24; **12**:70, 125–135, 155; **17**:14, 171–187; **20**:81–85

leucoptera—**11**:103–110; **12**:58, 70, 155; **14**:1, 12; **16**:32; **17**:14; **19**:131; **20**:81–87

Loxops coccineus—**15**:105, 106, 109

lucida, *Polioptila melanura*—**11**:65, 66

lucionensis, *Lanius cristatus*—**19**:151

lugens, Motacilla alba—14:9
lutescens, Vermivora celata—11:19; 12:79
luteus, Colaptes auratus—18:202
 Luther, John [S.], President's Message—11:62–63
 Luther, John S., Fourth Report of the California Bird Records Committee—11:161–173
 Luther, John [S.], President's Message—12:100
 Luther, John S., McCaskie, Guy, and Dunn, Jon, Fifth Report of the California Bird Records Committee—14:1–16
Lymnocyptes minimus—12:63; 14:13; 16:32; 17:7, 61; 19:131
 Macaw, Military—15:134
 Magpie, Black-billed—11:57; 12:66, 153; 14:150; 15:33; 16:63–70; 17:10, 171–187
 Yellow-billed—11:113–128; 12:66; 17:10; 19:1–23
 Mallard—11:1–24, 113–128; 12:60, 148; 15:6, 117, 171; 16:63–70; 17:4, 115–131, 171–187; 18:89–96, 109–116, 186, 194; 20:19–24, 171–172, 236, 237, 239
 Mannikin, Nutmeg—15:105, 108
 Manolis, Tim, Identification Quiz—12:103–104
 Manolis, Tim, Identification Quiz—15:141–142
 Manolis, Tim, *Western Birds* Has a New Editor—17:90
 Manolis, Tim, President's Message—17:91–92
 Manolis, Tim, President's Message—18:220–221
 Manolis, Tim, Binford, Laurence C., McCaskie, G., Stallcup, R., and Webb, B., Identification Notes. Identification of Winter-Plumaged Loons:A Request for Information—11:174
 Marcot, Bruce G., and Gardetto, Jeffrey, Status of the Spotted Owl in Six Rivers National Forest, California—11:79–87
 Marcot, Bruce G., and Hill, Randy, Flammulated Owls in Northwestern California—11:141–149
margaritae, Polioptila melanura—11:65
 Martin, Gray-breasted—11:203–204
 Purple—11:1–24, 113–128, 195–198, 203–204; 12:66, 152; 16:1–23, 49, 50; 17:10, 171–187; 18:89–96, 203
 Massey, Barbara W.—12:see Zembal, R.
 Mayhew, Wilbur W.—12:see Weathers, W. W.
 McCaskie, Guy, Another Look at the Western and Yellow-footed Gulls—14:85–107
 McCaskie, Guy—11:see Manolis, T.; 14:see Luther, J. S.
 McCrary, Michael D., McKernan, Robert L., Wagner, William D., and Landry, Ross E., Roadside Raptor Census in the San Jacinto Valley of Southern California—16:123–130
 McKernan, Robert L.—16:see McCrary, M. D.
 McNicholl, Martin K., Songs of MacGillivray's and Townsend's Warblers in Coastal British Columbia—11:157–159
 Meadowlark, Eastern—17:171–187; 18:89–96
 Western—11:1–24, 113–128; 12:70, 155; 13:29–33; 15:126; 16:63–70; 17:14, 115–131, 171–187; 18:89–96, 207; 19:1–23
mearnsi, Junco hyemalis—11:205–206
 Lanius ludovicianus—15:124, 127, 128
 Medin, Dean E., Breeding Birds of an Alpine Habitat in the Southern Snake Range, Nevada—18:163–168
medius, Vireo bellii—16:190

Megaceryle alcyon—**11**:1–24, 113–128; **12**:152
megalonyx, *Pipilo erythrophthalmus*—**11**:121
megaplaga, *Loxia leucoptera*—**20**:84
Melanerpes aurifrons—**18**:89–96
 carolinus—**14**:201
 erythrocephalus—**11**:103–110; **12**:57, 65; **16**:32, 37; **17**:9; **19**:131
 formicivorus—**11**:1–24, 113–128; **12**:65, 134, 152; **13**:29–33; **15**:121; **17**:9, 115–131, 171–187; **19**:1–23
 lewis—**11**:1–24, 113–128; **12**:65, 152; **15**:19, 121; **16**:63–70; **17**:9, 171–187; **18**:209–212
 uropygialis—**12**:65; **13**:30; **17**:9, 115–131, 139–140, 171–187; **18**:10–18, 89–96
Melanitta deglandi—**11**:1–24
 fusca—**12**:61, 148; **15**:10, 117, 171; **17**:5, 171–187; **18**:109–116; **20**:186–187
 nigra—**11**:1–24; **12**:61, 148; **17**:5; **18**:109–116; **20**:184
 perspicillata—**11**:1–24; **12**:61, 148; **15**:10, 117, 171; **17**:5, 171–187; **18**:109–116, 194–195; **20**:184–186, 187, 237
Melanotis caerulescens—**15**:134
Meleagris gallopavo—**11**:113–128; **12**:61, 149; **17**:6, 171–187
Melospiza georgiana—**11**:1–24; **12**:69, 156; **17**:13, 115–131, 171–187; **18**:207
 lincolnii—**11**:1–24, 113–128; **12**:69, 156; **15**:22, 126, 186; **17**:13, 115–131, 171–187; **18**:207; **19**:1–23
 melodia—**11**:1–24, 113–128; **12**:69, 156; **15**:125, 126, 127, 128; **16**:63–70; **17**:13, 115–131, 171–187; **18**:52, 89–96, 187, 207; **19**:1–23; **20**:19–24
Merganser, Common—**11**:1–24, 113–128; **12**:61, 148; **15**:10, 17, 171; **16**:1–23; **17**:5, 115–131, 171–187; **18**:89–96, 109–116, 195; **20**:189, 236
 Hooded—**11**:1–24; **12**:61, 148; **15**:17; **17**:5, 171–187; **18**:109–116, 195; **20**:189
 Red-breasted—**11**:1–24; **12**:61, 148; **15**:11, 117, 171; **17**:5, 171–187; **18**:109–116, 195; **20**:189, 241
Mergellus albellus—**16**:29, 31, 34; **17**:2, 5, 58; **19**:131
Mergus merganser—**11**:1–24, 113–128; **12**:61, 148; **15**:10, 17, 171; **16**:1–23; **17**:5, 115–131, 171–187; **18**:89–96, 109–116, 195; **20**:189, 236
 serrator—**11**:1–24; **12**:61, 148; **15**:11, 117, 171; **17**:5, 171–187; **18**:109–116, 195; **20**:189, 241
Merlin—**11**:1–24, 25–34, 113–128; **12**:61, 149; **15**:118, 175–183; **16**:123–130; **17**:5, 171–187; **18**:196
Mewaldt, L. Richard, and Kaiser, Susan, Passerine Migration Along the Inner Coast Range of Central California—**19**:1–23
mexicana, *Streptoprocne zonaris*—**16**:112; **20**:25–31
Meyer, Terry—**18**:see King, D. B. Jr.
Micrathene whitneyi—**12**:64; **17**:8; **18**:10–18, 89–96; **20**:71–80
Micropalama himantopus—**12**:150, 173–180; **19**:75
Miles, Dorothy H., White Terns on Oahu Produce Siblings Five Months Apart—**16**:131–141
Miller, Aaron A.—**18**:see Schmitt, C. G.
Miller, Gary S., Nelson, S. Kim, and Wright, Will C., Two-Year Old Female Spotted Owl Breeds Successfully—**16**:93–94
Mimus polyglottos—**11**:1–24, 97–102, 113–128; **12**:67, 153, 157–172; **13**:29–33; **14**:201;

15:104, 123; 17:11, 171–187; 18:89–96, 183, 204; 19:1–23
minimus, Catharus minimus—**19:150**
 Minsky, Dennis E.—**14:see** Atwood, J. A.
Mniotilta varia—**11:1–24; 12:68, 154; 15:125; 17:12, 171–187; 18:77–83, 205**
 Mockingbird—**11:1–24, 97–102, 113–128; 12:153, 157–172**
 Mockingbird, Blue—**15:134**
 Northern—**12:67; 13:29–33; 14:201; 15:104, 123; 17:11, 171–187; 18:89–96, 183, 204;**
 19:1–23
moffitti, Branta canadensis—**11:112; 20:169–171**
Molothrus aeneus—**11:103–110; 12:70; 17:14; 18:89–96**
 ater—**11:1–24, 69, 76, 113–128, 129–133; 12:70, 77, 134–135, 155; 13:29–33; 14:201;**
 15:33–34, 88, 127; 16:63–70, 183–184; 17:14, 115–131, 171–187; 18:32, 34, 38,
 39, 40–41, 42, 46–47, 55–61, 63–70, 81, 89–96, 153, 158–159, 207; 19:1–23, 25–
 33, 117–120
 Monson, Gale—**16:see** Gatz, T. A.
 Moore, Steven W.—**16:see** DuBow, P. J.
 Moore-Craig, Narca, Western Bird Photographers:A Photo Essay by Frans Lanting—**13:13–23**
 Moore-Craig, Narca, President’s Message—**20:267–268**
 Moorhen, Common—**16:175; 17:6, 171–187; 18:89–96, 97–98, 196; 20:192, 236**
 Morgenson, Randy—**13:see** Norris L. L.
 Morlan, Joseph, Identification Quiz—**14:55–56**
 Morlan, Joseph, Eighth Report of the California Bird Records Committee—**16:105–122**
 Morlan, Joseph, and Erickson, Richard A., A Eurasian Skylark at Point Reyes, California, with
 Notes on Skylark Identification and Systematics—**14:113–126**
 Morlan, Joseph—**19:see** Stallcup, R., and *see* Trochet, J.; **20:see** Daniels, B. E., *see* Erickson,
 R. A., and *see* Gordon, P.
Motacilla alba—**11:103–110, 167; 12:58, 67, 154; 13:7; 14:9; 16:29, 38; 17:2, 11, 64; 19:131**
 alba/M. lugens—**16:31, 32, 38; 17:1, 64; 19:131**
 cinerea—**14:142; 17:15**
 citreola—**16:114**
 flava—**11:103–110; 12:58, 67; 14:13; 16:29, 105, 114; 17:2, 11; 19:131**
 lugens—**16:29, 32, 38; 17:2, 11, 64; 19:131**
 Murphy, Joseph R.—**18:see** Ellis, K. L.
 Murphy, Marty, Status of Great Blue Heron Colonies in King County, Washington—**19:37–40**
 Murre, Common—**11:1–24; 12:64, 151; 15:11, 120, 146, 165–168, 172; 16:169–173; 17:8;**
 18:109–116, 200; 20:148, 232–233, 236
 Thick-billed—**11:103–110, 166; 12:64, 151; 14:139–140; 15:165–168; 16:32, 36; 17:8,**
 73; 19:131; 19:147
 Murrelet, Ancient—**11:1–24; 12:64, 151; 15:43–44, 121, 146, 170, 172; 17:8; 18:97–98, 213–**
 214; 20:264
 Craveri’s—**12:64, 151; 14:47; 15:44; 17:8; 20:258**
 Kittlitz’s—**12:71; 15:165, 170, 171; 16:29, 31, 32, 36–37; 17:2, 8; 19:131**
 Marbled—**12:64, 151; 15:8–9, 12, 43–44, 165, 170, 171; 16:36; 17:8; 18:97–98, 104;**
 20:33–37, 264
 Xantus’—**11:1–24; 12:64, 151; 15:44, 120, 127; 17:8, 22; 20:89, 264**
Muscivora forficata—**12:152; 17:63**

Myadestes townsendi—**11**:1–24, 113–128; **12**:67, 125–135, 153; **15**:20, 123; **17**:11, 171–187; **18**:164, 204

Mycteria americana—**12**:60; **17**:4, 171–187; **18**:97–98, 193

Myiarchus cinerascens—**11**:1–24, 113–128; **12**:65, 76, 79, 84, 134, 152, 157–172; **13**:29–33; **15**:20, 85, 86, 122; **16**:44, 63–70; **17**:10, 115–131, 171–187; **18**:89–96, 202; **19**:1–23

crinitus—**11**:22, 103–110, 172; **12**:65; **14**:13, 132; **16**:32, 37, 44, 113; **17**:10, 63; **19**:131, 149

maculatus—**17**:63

tuberculifer—**11**:103–110; **12**:65; **14**:132; **16**:32, 37; **17**:10, 62–63, 74; **18**:97–98; **19**:131, 149

tyrannulus—**12**:65; **17**:10; **18**:10–18, 89–96

Myioborus pictus—**11**:52; **12**:68, 78, 82; **16**:31, 116, 120; **17**:13, 115–131, 171–187; **18**:97–98; **19**:153

Miodynastes luteiventris—**11**:103–110; **12**:58, 65; **14**:8, 132; **16**:32; **17**:10, 63; **19**:131

Myna, Common—**12**:114; **15**:104

Nehls, Harry B.—**12**:see Crabtree, T. J.; **18**:see Gilligan, J.

Nelson, S. Kim—**16**:see Miller, G. S.

nelsoni, *Ammodramus caudacutus*—**15**:186; **19**:154

Nene—**15**:103, 107, 108, 109

Nesochen sandvicensis—**15**:103, 107, 108, 109

nevadensis, *Amphispiza belli*—**15**:126

Newcomer, Michael A., and Silber, Gregory K., Sightings of the Laysan Albatross in the Northern Gulf of California, Mexico—**20**:134–135

Newcomer, Michael [A.]—**14**:see Pitman, R.

newelli, *Puffinus auricularis*—**19**:94–95, 156–157

Nighthawk, Common—**12**:64, 125–135, 151; **15**:19; **16**:63–70; **17**:9, 171–187

Lesser—**11**:1–24; **12**:64; **17**:9; **18**:89–96, 97–98, 201

Night-Heron, Black-crowned—**11**:1–24; **12**:60, 114, 147; **14**:169–184; **15**:16, 117; **16**:175; **17**:4, 171–187, 189; **18**:89–96, 193; **20**:19–24, 165, 236, 239

Yellow-crowned—**11**:1–24, 103–110, 164; **12**:60; **14**:3, 12, 129; **16**:31, 34, 109; **17**:4, 57, 72; **18**:104, 193; **19**:137

Nightjar, Buff-collared—**18**:89–96

Jungle—**20**:93

Rufous—**20**:93

nigricans, *Branta bernicla*—**20**:168–169

nivosus, *Charadrius alexandrinus*—**12**:1–40; **15**:189; **17**:145–170

Norris, Larry L., Nesting of Plumbeous Solitary Vireo in the Southern Sierra Nevada—**17**:37–39

Norris, Larry L., and Morgenson, Randy, Nesting of Water Pipits in Sequoia and Kings Canyon National Parks—**13**:39–40

nuchalis, *Sphyrapicus varius*—**11**:16

Nucifraga columbiana—**11**:1–24, 113–128; **12**:66, 125–135, 137–138, 153; **15**:32; **17**:10, 171–187; **18**:164

Nukupuu—**15**:105, 106, 109

Numenius americanus—**11**:1–24; **12**:62, 150, 173–180; **15**:18, 119; **17**:6, 171–187; **18**:197; **20**:203, 239

arquata—**16**:188
borealis—**18**:97–98
minutus—**17**:2, 6, 60–61; **19**:131
phaeopus—**11**:1–24; **12**:62, 150, 173–180; **14**:203, 204; **15**:119, 171; **17**:6; **18**:197;
19:71, 157; **20**:203
tahitiensis—**11**:171; **14**:203–204; **17**:15
Nutcracker, Clark’s—**11**:1–24, 113–128; **12**:66, 125–135, 137–138, 153; **15**:32; **17**:10, 171–187; **18**:164
Nuthatch, Pygmy—**11**:1–24, 155–156; **12**:66, 83–84, 125–135, 153; **15**:83; **16**:1–23, 189;
17:10, 171–187
Red-breasted—**11**:1–24, 113–128; **12**:66, 81, 83, 125–135, 153; **15**:82–83, 123; **17**:10, 171–187; **18**:77–83, 203; **19**:1–23
White-breasted—**11**:1–24, 113–128; **12**:66, 134, 153; **13**:29–33; **17**:10, 115–131, 171–187; **18**:10–18, 77–83, 89–96; **19**:1–23
Nuttallornis borealis—**11**:1–24, 113–128
Nyctanassa violacea—**11**:1–24, 103–110, 164; **14**:3, 12
Nyctea scandiaca—**11**:57; **12**:64, 151; **14**:7, 14; **16**:32; **17**:8, 62; **19**:131
Nycticorax nycticorax—**11**:1–24; **12**:60, 114, 147; **14**:169–184; **15**:16, 117; **16**:175; **17**:4, 171–187, 189; **18**:89–96, 193; **20**:19–24, 165, 236, 239
violaceus—**12**:60; **14**:129; **16**:31, 34, 109; **17**:4, 57, 72; **18**:104, 193; **19**:137
Oberbauer, Thomas A., Cibit, Cathy, and Lichtwardt, Eric, Notes from Isla Guadalupe—20:89–90
obscurus, Molothrus ater—**18**:63–70
Regulus calendula—**20**:90
obsoletus, Rallus longirostris—**11**:13; **20**:191
occidentalis, Coccyzus americanus—**18**:10–18, 19–25, 86
Larus occidentalis—**14**:87, 88, 96; **19**:82
Strix occidentalis—**16**:25–28
Oceanites oceanicus—**11**:164; **12**:59, 147; **14**:3, 12; **16**:31, 33, 108; **17**:3, 56; **19**:136; **20**:258
Oceanodroma castro—**12**:57, 59; **14**:1, 3; **16**:31; **17**:3
furcata—**12**:59, 147; **15**:131, 169, 172; **16**:169–173; **17**:3; **20**:258
homochroa—**11**:22; **12**:59; **15**:116; **17**:3; **20**:154, 236
leucorhoa—**11**:22; **12**:59, 147; **15**:169, 172; **16**:84, 88, 90; **17**:3; **20**:258
melania—**11**:1–24; **12**:59; **15**:116; **17**:3; **20**:134, 258
microsoma—**12**:59; **17**:3, 56; **20**:134
tethys—**11**:103–110, 164; **12**:59; **14**:3, 136–136; **16**:31, 84; **17**:3, 56, 72
ochracea, Spizella arborea—**11**:56
ochraceus, Loxops coccineus—**15**:105, 106, 109
ocularis, Motacilla alba—**14**:9; **17**:64
Oenanthe oenanthe—**11**:103–110, 167; **12**:58, 67, 153; **14**:13; **16**:32; **17**:11; **19**:131, 150
Ogden, Ruth R.—**16**:see Emlen, J. T.
Ohmart, Robert D.—**18**:see Hunter, W. C.
Oldsquaw—**11**:1–24; **12**:61, 148; **15**:10; **17**:5; **18**:109–116, 194; **20**:184
olivascens, Myiarchus tuberculifer—**17**:63
Olor buccinator—**12**:148
columbianus—**11**:1–24; **12**:148

oocleptica, *Aphelocoma coerulescens*—**14**:148
Oporornis agilis—**11**:103–110, 170; **12**:68; **14**:11, 15, 134, 142; **16**:32, 40, 44; **17**:12, 68; **18**:97–98; **19**:131, 153, 158
formosus—**11**:103–110, 170; **12**:68; **14**:142; **16**:32, 40; **17**:12, 68, 171–187; **19**:131, 153
philadelphia—**11**:103–110, 157, 170, 172; **12**:68; **16**:32, 40–41, 44, 116, 158; **17**:13, 70, 171–187; **18**:97–98, 104; **19**:131, 153
tolmiei—**11**:1–24, 113–128, 157–159; **12**:68, 80, 82, 154; **15**:21, 125; **16**:1–23, 63–70, 116; **17**:13, 70, 171–187; **18**:206; **19**:1–23
oreganus, *Junco hyemalis*—**11**:205; **12**:53; **15**:126; **19**:1–23
oregonus, *Pipilo erythrophthalmus*—**15**:125
Oreomystis mana—**14**:73–84
Oreortyx pictus—**11**:113–128; **12**:62, 134, 149; **16**:1–23; **17**:6
Oreoscoptes montanus—**11**:1–24; **12**:67, 153; **15**:21, 123; **17**:11, 171–187; **18**:204
Oriole, Bullock's—**19**:1–23
Hooded—**11**:1–24, 113–128; **12**:69, 155, 157–172; **15**:127; **17**:14, 171–187; **18**:10–18, 89–96, 207
Northern—**11**:1–24, 113–128; **12**:69, 134, 155, 157–172; **13**:29–33; **15**:22, 33–34, 127; **16**:63–70; **17**:14, 115–131; **18**:10–18, 89–96, 207
Northern (Baltimore)—**11**:20; **17**:171–187
Northern (Bullock's)—**11**:20; **13**:29–33; **15**:33–34; **17**:171–187
Orchard—**11**:1–24; **12**:69, 155; **15**:135; **17**:14, 171–187; **18**:207
Scott's—**11**:1–24, 113–128; **12**:69, 77, 80, 81, 84, 134, 157–172; **14**:109–110; **15**:85, 88–89; **17**:14, 171–187; **18**:89–96, 105, 207
Streak-backed—**12**:69; **16**:32; **17**:14; **19**:131, 155
Ortalis vetula—**14**:13; **17**:15
Osprey—**11**:1–24, 113–128; **12**:47–51, 61, 149; **15**:6, 17, 117, 127; **16**:123–130; **17**:5, 171–187; **18**:89–96, 195
Otus asio—**11**:22, 40, 113–128; **12**:64, 76, 82, 151; **18**:98
flammeolus—**11**:35–46, 141–149; **12**:64, 81, 125–135, 151; **14**:49–52; **16**:1–23, 25–28; **17**:8, 21–31, 171–187
kennicottii—**16**:1–23, 25–28, 63–70; **17**:8, 22; **18**:89–96, 98; **19**:1–23; **20**:1–10
scops—**11**:57
Ou—**15**:106
Ovenbird—**11**:1–24; **12**:68, 154; **17**:12, 171–187; **18**:77–83
Owl, Barn—**11**:1–24, 57, 113–128, 202; **12**:151
Barred—**12**:151; **16**:29, 32, 37, 112; **17**:2, 8; **18**:97–98, 217–218; **19**:131, 148
Boreal—**11**:57; **12**:151; **17**:2; **18**:105; **19**:158
Burrowing—**11**:1–24, 32; **12**:64, 151; **15**:121; **16**:123–130; **17**:8, 22, 171–187; **18**:89–96, 200; **20**:1–10, 89
Common Barn- —**12**:64; **15**:103, 108, 121, 127; **16**:25–28, 126; **17**:8, 171–187; **18**:89–96, 200; **20**:1–10
Eastern Screech- —**18**:98
Elf—**12**:64; **17**:8; **18**:10–18, 89–96; **20**:71–80
Ferruginous Pygmy- —**18**:10–18, 89–96
Flammulated—**11**:35–46, 141–149; **12**:64, 81, 125–135, 151; **14**:49–52; **16**:1–23, 25–28; **17**:8, 21–31, 171–187

Great Gray—**11:85; 12:64, 151; 17:8**
 Great Horned—**11:1–24, 84, 113–128, 202; 12:64, 76, 79, 151; 14:155; 15:175–183; 16:25–28, 63–70, 126; 17:8, 107–114, 115–131, 134, 171–187; 18:89–96, 125, 200; 20:1–10**
 Hawk—**12:151**
 Long-eared—**11:57–59, 113–128; 12:64, 76, 82, 84, 151; 15:121; 16:25–28; 17:8, 171–187; 18:89–96, 201; 19:1–23; 20:1–10**
 Northern Pygmy- —**12:64; 16:1–23, 25–28; 17:8, 171–187**
 Northern Saw-whet—**12:64; 15:19; 16:1–23, 25–28; 17:8, 171–187**
 Pygmy—**11:113–128; 12:151**
 Saw-whet—**11:113–128; 12:125–135, 151**
 Scops—**11:57**
 Screech—**11:22, 40, 113–128; 12:64, 76, 82, 151**
 Short-eared—**11:1–24, 32–33, 202; 12:64, 151; 15:19, 104, 108, 121, 171; 16:126; 17:8, 171–187; 18:201**
 Snowy—**11:57; 12:64, 151; 14:7, 14; 16:32; 17:8, 62; 19:131**
 Spotted—**11:79–87, 141, 145; 12:64, 151; 14:53; 16:1–23, 25–28, 93–94; 17:8, 171–187**
 Tawny—**11:57, 85, 86**
 Tengmalm's—**11:57**
 Ural—**11:85, 86**
 Western Screech- —**16:1–23, 25–28, 63–70; 17:8, 22; 18:89–96, 98; 19:1–23; 20:1–10**
Oxyura dominica—**17:15**
 jamaicensis—**11:1–24; 12:61, 148; 15:17, 117; 17:5, 171–187; 18:89–96, 187, 195; 20:190, 236, 239**
 Oystercatcher, American—**11:164; 12:62; 14:4, 130; 16:31; 17:6, 60, 73; 18:215–216; 19:131**
 American Black—**14:43, 44, 130; 15:6, 12, 119, 170, 172**
 Black—**11:1–24; 12:62, 149; 17:6; 20:261**
 Eurasian—**18:216**

Pachyramphus aglaiae—**18:10–18, 89–96**
pacifica, Gavia arctica—**14:56**
 Page, Gary W., and Stenzel, Lynne E. (eds.), *The Breeding Status of the Snowy Plover in California*—**12:1–40**
 Page, Gary W., Bidstrup, Frances C., Ramer, Robert J., and Stenzel, Lynne E., *Distribution of Wintering Snowy Plovers in California and Adjacent States*—**17:145–170**
 Page, Gary W.—**20:see Shuford, W. D.**
Pagophila eburnea—**18:97–98**
pallidifrons, Streptoprocne zonaris—**20:29**
Palmeria dolei—**15:105, 106, 107, 109**
Pandion haliaetus—**11:1–24, 113–128; 12:47–51, 61, 149; 15:6, 17, 117, 127; 16:123–130; 17:5, 171–187; 18:89–96, 195**
Panurus biarmicus—**14:209**
Panyptila cayennensis—**20:29**
 sanctihieronymi—**20:29**
Parabuteo unicinctus—**11:111, 171, 172; 12:61; 14:13, 15; 16:31; 17:5, 59; 18:10–18, 89–96; 19:130, 140**
 Parakeet, Canary-winged—**11:1–24**

Paris, Sharon—**14**:see Howell, J.

Parker, Robert E., and Campbell, Erick G., Habitat Use by Wintering Birds of Prey in Southeastern Arizona—**15**:175–183

Paroreomyza montana—**15**:105, 107

Parrotbill, Maui—**15**:105, 106, 109

Partridge, Gray—**12**:58, 149; **16**:121; **17**:15

Parula, Northern—**11**:113–128; **12**:68, 154; **14**:36; **15**:124; **16**:39; **17**:12, 171–187; **18**:205
Tropical—**15**:134–135

Parula americana—**11**:103–110, 113–128; **12**:68, 154; **14**:36; **15**:124; **16**:39; **17**:12, 171–187; **18**:205

pitiayumi—**15**:134–135

Parus atricapillus—**12**:66, 153; **15**:83; **17**:10, 171–187; **18**:77–83

bicolor—**14**:201; **18**:135

caeruleus—**16**:188

gambeli—**11**:1–24; **12**:66, 76, 78, 82, 125–135, 153; **14**:35, 36; **15**:20, 82–83; **16**:1–23, 63–70; **17**:10, 171–187; **18**:164

inornatus—**11**:22, 113–128; **12**:66, 76, 79, 134, 153; **13**:29–33; **15**:85, 86; **16**:1–23; **17**:10, 171–187; **18**:135; **19**:1–23

rufescens—**11**:113–128; **12**:66, 153; **16**:1–23; **17**:10; **19**:1–23

wollweberi—**11**:49; **17**:115–131; **18**:10–18, 89–96, 135

Passer domesticus—**11**:1–24, 113–128; **12**:70, 155; **13**:29–33; **15**:127, 128; **17**:14, 171–187; **18**:89–96, 187, 208

montanus—**14**:209

Passerculus sandwichensis—**11**:1–24, 33, 113–128; **12**:155, 157–172; **14**:114; **15**:22, 126; **16**:63–70; **17**:13, 171–187; **18**:187, 188, 189, 206; **19**:1–23

Passerella iliaca—**11**:1–24, 113–128; **12**:69, 156; **15**:22, 126; **17**:13, 171–187; **18**:207; **19**:1–23

Passerina amoena—**11**:1–24, 113–128; **12**:69, 155; **15**:21, 125; **16**:63–70; **17**:13, 115–131, 171–187; **18**:89–96, 206; **19**:1–23

ciris—**12**:69, 155; **14**:134; **16**:32, 41, 117; **17**:13, 70, 75, 171–187; **18**:89–96; **19**:131, 154

cyanea—**11**:1–24; **12**:69, 155; **15**:125; **16**:29; **17**:13, 171–187; **18**:89–96

versicolor—**12**:69; **16**:32; **17**:13; **18**:89–96; **19**:131

Paton, Peter W. C., Scott, J. Michael, Burr, Timothy A., American Coot and Black-necked Stilt on the Island of Hawaii—**16**:175–181

Paulson, Dennis R., Identification of Juvenile Tattlers, and a Gray-tailed Tattler Record from Washington—**17**:33–36

Pavo cristatus—**11**:1–24; **18**:196

Peafowl, Common—**11**:1–24; **18**:196

Pedioecetes phasianellus—**12**:149

pekinensis, *Alauda arvensis*—**11**:166

Pelecanus erythrorhynchos—**11**:1–24, 175–180; **12**:17, 60, 147; **15**:16; **17**:3, 136–138, 171–187; **18**:192; **20**:154–155

occidentalis—**11**:1–24; **12**:60, 147; **15**:116; **16**:75, 169–173; **17**:4; **18**:97–98, 186, 192; **19**:136; **20**:155–156, 221, 222, 223, 230, 236, 239, 240, 244

Pelican, American White—**12**:60, 147; **15**:16; **17**:3, 136–138, 171–187; **18**:192; **20**:154–155

Brown—**11**:1–24; **12**:60, 147; **15**:116; **16**:75, 169–173; **17**:4; **18**:97–98, 186, 192;

19:136; 20:155–156, 221, 222, 223, 230, 236, 239, 240, 244
 White—**11:1–24, 175–180; 12:17**
perdix, Brachyramphus marmoratus—**18:104**
Perdix perdix—**12:58, 149; 16:121; 17:15**
Perisoreus canadensis—**12:66, 153; 15:82–83; 17:10, 171–187**
 Petrel, Ashy Storm- —**11:22; 12:59; 5:116; 17:3; 20:154, 236**
 Band-rumped Storm- —**12:57, 59; 14:1, 3; 17:3**
 Black Storm- —**11:1–24; 12:59; 15:116; 16:84; 17:3; 20:134, 258**
 Cape—**12:58, 70; 14:12; 16:31, 42; 17:2, 15**
 Cook’s—**11:103–110; 12:57, 59; 14:1, 2, 129, 135; 16:29, 31, 33, 84; 17:2, 3, 54–55, 79–84; 19:134–135; 20:258**
 Cook’s/Mas Atierra—**16:29, 31, 33**
 Dark-rumped—**15:101, 107, 108, 109**
 De Filippi’s—**19:134**
 Fork-tailed Storm- —**12:59, 147; 15:131, 169, 172; 16:169–173; 17:3; 20:258**
 Galapagos Storm- —**11:103–110, 164; 14:3; 16:84**
 Leach’s Storm- —**11:22; 12:59, 147; 15:169, 172; 16:84, 88, 90; 17:3; 20:258**
 Least Storm- —**12:59; 17:3, 56; 20:134**
 Mas Atierra—**16:33**
 Mottled—**11:103–110; 12:57, 59, 147; 16:31, 108; 17:3; 19:134; 20:258**
 Murphy’s—**20:258**
 Pycroft’s—**19:134**
 Scaled—**11:162**
 Solander’s—**17:2**
 Stejneger’s—**12:57, 59; 14:1, 2; 16:31, 33; 17:3**
 Wedge-rumped- —**12:59; 14:135–136; 17:3, 56, 72**
 White-bellied Storm- —**14:12; 17:15**
 Wilson’s Storm- —**11:164; 12:59, 147; 14:3, 12; 16:31, 33, 108; 17:3, 56; 19:136; 20:258**
Petrochelidon pyrrhonota—**11:1–24, 113–128; 12:152**
Peucedramus taeniatus—**16:45, 120; 17:15**
 Pewee, Eastern Wood- —**11:103–110, 166; 12:58, 65; 14:13; 16:32, 112–113, 120; 17:9, 74, 171–187; 18:77–83; 19:131**
 Greater—**12:65; 14:8, 132; 16:32, 112; 17:9, 62, 171–187; 19:131, 148–149**
 Western Wood- —**11:1–24, 113–128; 12:65, 77, 79, 82, 83–84, 134, 152; 13:29–33; 15:19, 122; 16:1–23, 63–70, 120; 17:9, 115–131, 171–187; 18:89–96, 202; 19:1–23**
Phaethon aethereus—**12:59; 15:116; 16:84–85, 90; 17:3**
 lepturus—**11:103–110; 12:59; 15:101, 16:31; 17:3, 56**
 rubricauda—**11:103–110; 12:57, 59; 14:1, 3; 16:31; 17:3; 19:136**
Phainopepla—**11:1–24, 113–128; 12:67, 154, 157–172; 13:29–33; 15:124; 17:11, 48; 18:89–96, 97–98, 204; 19:1–23**
Phainopepla nitens—**11:1–24, 113–128; 12:67, 154, 157–172; 13:29–33; 15:124; 17:11, 48; 18:89–96, 97–98, 204; 19:1–23**
Phalacrocorax auritus—**11:1–24; 12:60, 147; 15:10, 12, 16, 116, 169–170, 173; 17:4, 136, 171–187, 189; 18:89–96, 109–116, 186, 187, 192; 19:173; 20:156–159, 236**

carbo—**11**:171; **17**:15
olivaceus—**11**:103–110; **12**:57, 60; **16**:31, 34, 108–109; **17**:4, 56; **18**:97–98, 99; **19**:136
pelagicus—**11**:1–24; **12**:60, 147; **15**:2, 117, 169–170, 173; **16**:169–173; **17**:4; **18**:109–116; **20**:160–161, 236
penicillatus—**11**:1–24; **12**:60, 147; **15**:10, 116, 127; **16**:87, 169–173; **17**:4; **20**:159, 236, 244
urile—**15**:169–170, 173
Phalaenoptilus nuttallii—**11**:1–24, 113–128; **12**:64, 76, 79, 81, 83, 151; **15**:121; **16**:63–70; **17**:9, 171–187; **18**:89–96, 201
Phalarope, Northern—**11**:1–24; **12**:150, 173–180
Red—**11**:1–24, 113–128; **12**:63; **15**:119; **16**:87, 100; **17**:7, 171–187; **18**:199; **19**:76; **20**:218–219, 241
Red-necked—**12**:63; **15**:19, 170–171; **17**:7, 171–187; **18**:198; **19**:76, 79–80; **20**:217–218
Wilson’s—**11**:1–24; **12**:63, 150, 173–180; **14**:111; **15**:18, 119; **17**:7, 171–187; **18**:198; **19**:76, 80; **20**:144, 217
Phalaropus fulicarius—**11**:1–24, 113–128; **12**:63, 150; **16**:87, 100; **17**:7, 171–187; **18**:199; **19**:76; **20**:218–219, 241
lobatus—**12**:63, 150, 173–180; **15**:19, 119 [sic = *P. tricolor*], 170–171; **17**:7, 171–187; **18**:198; **19**:76, 79–80; **20**:217–218
tricolor—**12**:63, 150, 173–180; **14**:111; **15**:18; **17**:7, 171–187; **18**:198; **19**:76, 80; **20**:144, 217
Phasianus colchicus—**11**:1–24; **12**:61, 149; **15**:103, 107, 108; **16**:63–70; **17**:6, 115–131; **18**:196
Pheasant, Ring-necked—**11**:1–24; **12**:61, 149; **15**:103, 107, 108; **16**:63–70; **17**:6, 115–131; **18**:196
Pheucticus ludovicianus—**11**:1–24, 183; **12**:69, 80, 81, 155; **14**:160–166; **15**:125; **17**:13, 171–187
melanocephalus—**11**:1–24, 113–128; **12**:69, 77, 78, 80, 81, 135, 155, 157–172; **14**:159–167; **15**:21, 125; **16**:63–70, 143–145; **17**:13, 115–131, 171–187; **18**:157, 206; **19**:1–23
Philacte canagica—**11**:164; **12**:148
Philomachus pugnax—**11**:103–110, 165, 172; **12**:63, 150; **14**:6, 14, 131; **16**:36, 42; **17**:7; **18**:97–98, 198; **20**:214
Phoebe, Black—**11**:1–24, 113–128; **12**:65, 101–102, 152; **13**:29–33; **15**:122, 127; **17**:10, 115–131, 171–187; **18**:89–96, 97–98, 202; **19**:1–23; **20**:23
Eastern—**11**:1–24, 166; **12**:65; **13**:30; **14**:8, 13; **17**:10, 115–131, 171–187; **18**:202
Say’s—**11**:1–24, 113–128; **12**:65, 152, 157–172; **15**:20, 122; **16**:63–70; **17**:10, 115–131, 171–187; **18**:89–96, 202; **19**:1–23
Phoenicopterus ruber—**18**:193
(sp.)—**15**:117
Phylloscopus fuscatus—**12**:58, 67; **14**:1, 9; **16**:31, 32; **17**:11, 63–64; **19**:131
schwarzi—**17**:63
Pica nuttalli—**11**:113–128; **12**:66; **17**:10; **19**:1–23
pica—**11**:57; **12**:66, 153; **14**:150; **15**:33; **16**:63–70; **17**:10, 171–187
Picoides albolarvatus—**11**:1–24; **12**:65, 125–135, 152; **17**:9
arcticus—**12**:65, 152; **17**:9; **19**:110
nuttalli—**11**:1–24, 113–128; **12**:65, 134, 152; **13**:29–33; **17**:9; **18**:201; **19**:1–23

nuttallii × *P. pubescens*—**17**:43–44
pubescens—**11**:1–24, 113–128; **12**:65, 152; **13**:29–33; **15**:83; **17**:9, 171–187; **18**:201; **19**:1–23
scalaris—**12**:65, 76, 82, 84; **13**:29–33; **17**:9, 115–131; **18**:89–96
tridactylus—**12**:152; **16**:43, 119; **17**:2, 15, 171–187; **19**:109–115; **20**:270
villosus—**11**:1–24, 113–128; **12**:65, 80, 82, 83, 125–135, 152; **13**:29–33; **15**:19; **16**:1–23; **17**:9, 115–131, 171–187; **18**:77–83, 201; **19**:1–23, 109, 114
Piest, Linden A., First Nesting Records of Wilson’s Phalarope in Arizona—**14**:111
Piest, Linden A., and SOWLS, Lyle K., Records of American Wigeon Breeding in Arizona—**12**:54
Pigeon, Band-tailed—**11**:1–24, 113–128; **12**:64, 134, 151, 185; **15**:121; **17**:8, 171–187; **18**:200
Rock—**12**:64
Pillmore, Richard E.—**11**:see Richmond, M. L.
Pinicola enucleator—**12**:70; **15**:83; **17**:14, 171–187; **20**:82, 84–85
Pinkowski, Benedict C., Pygmy Nuthatch Feeds Mountain Bluebird Nestlings—**11**:155–156
pinosus, *Junco hyemalis*—**16**:1–23
Pintail—**11**:1–24, 113–128; **12**:148
Pintail, Northern—**12**:60; **15**:10, 16, 117, 171; **17**:4, 115–131, 171–187; **18**:89–96, 109–116, 194; **20**:172, 236, 240
Pipilo aberti—**12**:69; **17**:13, 115–131; **18**:10–18, 89–96
chlorurus—**11**:1–24; **12**:69, 125–135, 155; **15**:22, 125; **16**:63–70; **17**:13, 115–131, 171–187; **18**:206; **19**:1–23
erythrophthalmus—**11**:1–24; **12**:69, 77, 78, 80, 135, 155; **15**:22, 125, 127, 128; **16**:63–70; **17**:13, 115–131, 171–187; **18**:183, 206; **19**:1–23
fuscus—**11**:1–24; **12**:69, 155; **13**:29–33; **16**:51; **17**:13, 115–131, 171–187; **18**:89–96, 206; **19**:1–23
Pipit, Red-throated—**11**:103–110, 167; **12**:67; **14**:9, 13, 133; **16**:32, 38, 114; **17**:11, 66; **19**:131, 150
Sprague’s—**11**:103–110; **12**:58, 67; **14**:9, 133; **16**:32, 38–39, 44; **17**:11, 66, 171–187; **19**:131, 150–151
Water—**11**:1–24, 33, 113–128; **12**:67, 154; **13**:29–33, 39–40; **14**:114; **15**:21, 123; **17**:11, 115–131, 171–187; **18**:163–168, 204; **19**:1–23
Piranga bidentata—**15**:135
flava—**11**:1–24, 103–110; **12**:68, 78, 80, 82, 84; **17**:13, 171–187; **18**:97–98, 105
ludoviciana—**11**:1–24, 113–128; **12**:68, 125–135, 155; **15**:21, 125; **16**:1–23, 63–70; **17**:13, 115–131, 171–187; **18**:157, 206; **19**:1–23
olivacea—**11**:1–24, 170; **12**:68, 155; **14**:11, 134; **16**:32, 41, 117; **17**:13, 70, 74, 171–187; **18**:77–83; **19**:131, 154
rubra—**11**:1–24; **12**:68, 155; **15**:125; **17**:13, 115–131, 171–187; **18**:10–18, 89–96, 206
Pitman, Robert L., The Marine Birds of Alijos Rocks, Mexico—**16**:81–92
Pitman, Robert L., and Graybill, Michael R., Horned Puffin Sightings in the Eastern Pacific—**16**:99–102
Pitman, Robert [L.], Newcomer, Michael, Butler, John, Cotton, James, and Friedrichsen, Gary, A Crested Auklet from Baja California—**14**:47–48
Plectrophenax hyperboreus—**12**:156
navalis—**11**:103–110, 171; **12**:69, 156; **14**:12, 54, 134; **15**:171; **16**:32; **17**:14, 71; **19**:131, 155

Plegadis chihi—**11**:1–24; **12**:60, 148; **14**:207; **15**:16; **17**:4, 171–187; **18**:99, 193; **19**:105–108; **20**:125–133, 259–260
falcinellus—**18**:99

Plover, American Golden—**11**:1–24
 Black-bellied—**11**:1–24; **12**:62, 149, 173–180; **14**:203; **15**:18, 118; **17**:6, 171–187; **18**:109–116, 196; **19**:69–70, 76–77; **20**:194–195, 198, 238, 240, 241
 Common Ringed—**17**:2
 Greater Golden- —**14**:13; **17**:15
 Lesser Golden- —**12**:62, 149, 173–180; **15**:103, 107, 118; **17**:6; **18**:196; **19**:76, 80; **20**:144, 195–196
 Mongolian—**12**:57, 62, 149; **14**:1, 4; **16**:31, 110; **17**:6, 60; **19**:131
 Mountain—**12**:62, 149; **15**:119, 128; **17**:6, 171–187; **20**:260
 Piping—**11**:103–110, 171; **12**:15–16, 57, 62; **16**:31, 34, 42; **17**:6; **19**:131
 Semipalmated—**11**:1–24; **12**:62, 149, 173–180; **15**:18, 118, 170; **17**:6, 171–187; **18**:196; **19**:35–36, 70; **20**:198, 238, 239
 Snowy—**11**:1–24; **12**:1–40, 62, 149, 173–180; **15**:118, 189; **17**:6, 145–170, 171–187; **18**:89–96, 187, 188, 196; **19**:35–36; **20**:196, 236, 237
 Wilson’s—**11**:165; **12**:62; **14**:4; **16**:31, 42; **17**:6; **19**:131, 142

plumbeus, *Vireo solitarius*—**17**:37–39

Pluvialis apricaria—**14**:13; **17**:15
dominica—**11**:1–24; **12**:62, 149, 173–180; **15**:118; **17**:6; **18**:196; **19**:76, 80; **20**:144, 195–196
fulva—**15**:103, 107
squatarola—**11**:1–24; **12**:62, 149, 173–180; **14**:203; **15**:18, 118; **17**:6, 171–187; **18**:109–116, 196; **19**:69–70, 76–77; **20**:194–195, 198, 238, 240, 241

Podiceps auritus—**11**:1–24; **12**:59, 147; **17**:3, 171–187; **18**:109–116, 192; **20**:142, 149–151, 152
grisegena—**11**:1–24; **12**:59, 147; **17**:3; **18**:109–116; **20**:152
nigricollis—**11**:1–24; **12**:59, 147; **15**:10, 16, 116; **16**:81; **17**:3, 171–187; **18**:192; **20**:142, 149–151, 152

Podilymbus podiceps—**11**:1–24; **12**:59, 147, 183–184; **15**:16, 116; **17**:3, 171–187; **18**:89–96, 187, 192; **20**:149, 236, 241

Poephila guttata—**14**:209

Polioptila caerulea—**11**:1–24, 113–128, 183; **12**:67, 77, 78, 79, 81, 154; **13**:29–33; **15**:85, 88, 123; **16**:1–23; **17**:11, 171–187; **18**:89–96, 188, 204
californica—**20**:269
melanura—**11**:1–24, 65–78; **12**:67, 157–172; **17**:11; **18**:89–96, 187, 188, 204; **20**:269

Polyborus plancus—**18**:89–96

Polysticta stelleri—**16**:105, 110; **17**:2, 5; **19**:131

pontilis, *Polioptila melanura*—**11**:65

Pooecetes gramineus—**11**:113–128; **12**:69, 155; **15**:22, 126; **16**:63–70; **17**:13, 171–187; **18**:206

Poorwill—**11**:1–24, 113–128
 Poorwill, Common—**12**:64, 76, 79, 81, 83, 151; **15**:121; **16**:63–70; **17**:9, 171–187; **18**:89–96, 201

Porphyrio martinicus [sic = *Porphyryla martinica*]—**12**:62
Porphyryla martinica—**11**:103–110; **16**:31; **17**:6; **18**:97–98, 100; **19**:131, 142

Porzana carolina—**11**:1–24, 202; **12**:62, 149; **15**:18, 118; **17**:6, 171–187; **18**:89–96, 196;
20:192, 236
sandwichensis—**16**:175

Pratt, Helen M., Marin County California Heron Colonies:1967-1981—14:169–184

Priocella antarctica—**19**:121
Procellaria glacialisoides—**19**:121
tenuirostris—**19**:121, 122
Progne chalybea—**11**:203–204
modesta—**11**:203
subis—**11**:1–24, 113–128, 195–198, 203–204; **12**:66, 152; **16**:1–23, 49, 50; **17**:10, 171–187; **18**:89–96, 203
Protonotaria citrea—**11**:1–24, 103–110, 167; **12**:68, 154; **14**:10, 134; **16**:32, 39–40, 116; **17**:12, 68, 171–187; **19**:131, 153, 158
Psaltriparus minimus—**11**:1–24, 113–128; **12**:66, 76, 78, 79, 81, 134, 153; **15**:83, 85, 86; **16**:50, 63–70; **17**:115–131, 171–187; **18**:203; **19**:1–23
Pseudonestor xanthophrys—**15**:105, 106, 109
Psittirostra psittacea—**15**:106
 Ptarmigan, White-tailed—**12**:149; **17**:2
 ptarmigan (sp.)—**15**:171
Pterodroma cookii—**11**:103–110; **12**:57, 60; **14**:1, 2, 129, 135; **16**:29, 31, 33, 84; **17**:2, 3, 54–55, 79–84; **19**:134–135; **20**:258
cookii/defilippiana—**16**:29, 31, 33
defilippiana—**14**:2; **16**:33; **19**:134
inexpectata—**11**:103–110, 162; **12**:57, 60, 147; **16**:31, 108; **17**:3; **19**:134; **20**:258
longirostris—**12**:57, 60; **14**:1, 2; **16**:31, 33; **17**:3
phaeopygia—**15**:101, 107, 108, 109
pycrofti—**19**:134
solandri—**17**:2
ultima—**20**:258
Ptilogonys cinereus—**16**:45; **17**:15
Ptychoramphus aleuticus—**11**:1–24; **12**:64, 151; **14**:47; **15**:121; **19**:91; **20**:264
 Puffin, Atlantic—**15**:154
 Horned—**12**:56, 64, 151; **14**:131; **15**:168; **16**:99–102; **17**:8; **20**:39, 258
 Tufted—**11**:154; **12**:56, 64, 151; **15**:154, 168, 172–173; **16**:99; **17**:8; **20**:265
puffinus, *Puffinus puffinus*—**19**:156–157
Puffinus auricularis—**16**:84; **17**:2; **19**:92–93, 94, 95, 96, 98, 156–157
bulleri—**12**:59, 147; **17**:3, 45–47; **19**:62, 66, 155; **20**:258
carneipes—**12**:59, 147; **17**:3, 45; **19**:66; **20**:258
creatopus—**11**:1–24; **12**:59, 147; **16**:169–173; **17**:3, 45; **19**:62, 66, 156; **20**:134, 258
gavia—**19**:98
gravis—**11**:103–110; **12**:57, 59; **14**:1; **16**:31; **17**:3
griseus—**11**:1–24; **12**:59, 147; **15**:116; **16**:84, 169–173; **17**:3, 45, 46; **19**:66; **20**:134
huttoni—**19**:98
nativitatis—**19**:66, 97
opisthomelas—**12**:59; **16**:84; **17**:3; **19**:89–104, 156–157; **20**:258
pacificus—**17**:45; **19**:61–68, 96; **20**:270

- puffinus*—**11**:1–24; **12**:147; **17**:15, 72; **19**:89–104, 156–157
tenuirostris—**11**:1–24, 162; **12**:59, 147; **14**:2, 129; **15**:131; **17**:3, 45; **19**:66, 97, 122;
20:258
- pugetensis*, *Zonotrichia leucophrys*—**19**:1–23
- Purcell, Kathryn—**14**:*see* Ritter, L. V.
- pusillus*, *Vireo bellii*—**11**:129–133; **15**:96; **16**:190; **18**:6, 43–49, 50–54, 55–61, 63, 66; **19**:117
- pygmaea*, *Sitta pygmaea*—**16**:1–23
- Pygmy-Owl, Ferruginous—**18**:10–18, 89–96
Northern—**16**:1–23, 25–28; **17**:8, 171–187
- Pyrocephalus rubinus*—**11**:1–24; **12**:65; **17**:10, 115–131, 171–187; **18**:10–18, 89–96, 105, 202
- Pyrrhula pyrrhula*—**14**:209
- Pyrrhuloxia—**11**:103–110, 170; **12**:58, 69; **16**:32; **18**:89–96; **19**:131, 154
- Pyrrhuloxia sinuata* [= *Cardinalis sinuatus*]—**11**:170
- Quail, California—**11**:1–24; 113–128; **12**:62, 149; **13**:29–33; **15**:118; **16**:63–70; **17**:6, 171–187;
18:187, 196; **19**:1–23
Gambel’s—**12**:61, 76, 82, 84, 157–172; **13**:29–33; **15**:118; **17**:6, 115–131; **18**:89–96
Montezuma—**17**:171–187
Mountain—**11**:113–128; **12**:62, 134, 149; **16**:1–23; **17**:6
Scaled—**17**:171–187; **18**:89–96
- Quiscalus mexicanus*—**11**:1–24, 103–110; **12**:70, 155; **14**:201–202; **17**:14, 115–131, 171–187;
18:89–96, 105, 207, 158–159
mexicanus × *Euphagus cyanocephalus*—**19**:158–159
quiscula—**11**:103–110, 170; **12**:58, 70, 155; **14**:11, 15, 134; **16**:32, 42; **17**:14, 71;
19:131, 155, 158–159
- Radke, Marcia F., and Radke, William R., Breeding by a Two-Year Old Sandhill Crane—
17:192–193
- Radke, William R.—**17**:*see* Radke, M. F.
- Rail, Black—**11**:22; **12**:62; **17**:6; **18**:89–96, 97–98, 100, 196; **20**:190–191, 236
Clapper—**11**:1–24; **12**:62, 87–99; **17**:6; **18**:89–96, 187–188, 189, 196; **20**:191, 233, 236
Hawaiian—**16**:175
King—**18**:97–98, 100
Virginia—**11**:1–24, 113–128; **12**:62, 149; **15**:18, 118; **17**:6, 171–187; **18**:89–96, 196;
20:191–192, 236
Yellow—**12**:62, 149; **14**:13, 137; **16**:31; **17**:6, 60, 72; **18**:97–98; **19**:129, 131, 140–142;
20:260
- Rallus elegans*—**18**:97–98, 100
limicola—**11**:1–24, 113–128; **12**:62, 149; **15**:18, 118; **17**:6, 171–187; **18**:89–96, 196;
20:191–192, 236
longirostris—**11**:1–24; **12**:62, 87–99; **17**:6; **18**:89–96, 187–188, 189, 196; **20**:191, 233,
236
- Ramer, Robert J.—**17**:*see* Page, G. W.
- Ratti, John T., Identification and Distribution of Clark’s Grebe—**12**:41–46
- Raven, Chihuahuan—**17**:115–131; **18**:89–96
Common—**11**:1–24, 113–128; **12**:3, 5, 16, 23, 66, 76, 79, 81, 134, 139, 153; **15**:123;
16:63–70; **17**:10, 115–131, 171–187; **18**:89–96, 164, 203; **20**:11, 23

Recurvirostra americana—**11**:1–24; **12**:23, 62, 103, 149, 173–180; **15**:18, 119; **17**:6, 171–187; **18**:89–96, 197; **19**:71; **20**:199–200, 236, 237, 239, 240, 241
 Redhead—**11**:1–24; **12**:60, 148; **15**:17, 117; **17**:5, 171–187; **18**:89–96, 194; **20**:140, 179
 Redpoll, Common—**12**:70, 155; **16**:32; **17**:14, 71; **19**:131
 Redshank, Spotted—**12**:150; **16**:105, 110; **17**:2, 6; **19**:131, 142
 Redstart, American—**11**:1–24; **12**:68, 154; **15**:21, 125, 141; **17**:12, 115–131, 171–187; **18**:206; **19**:1–23
 Painted—**11**:52; **12**:68, 78, 82; **16**:31, 116, 120; **17**:13, 115–131, 171–187; **18**:97–98; **19**:153
regulorum, *Balearica regulorum*—**18**:131
Regulus calendula—**11**:1–24, 113–128; **12**:67, 81, 125–135, 154, 157–172; **13**:29–33; **14**:35, 36; **15**:20, 82–83, 123; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23; **20**:90
 satrapa—**11**:1–24, 113–128; **12**:67, 125–135, 154; **15**:20, 82–83, 123; **17**:11, 171–187; **18**:204; **19**:1–23
 Remsen, J. V. Jr., Garrett, Kimball, and Erickson, Richard A., Vocal Copying in Lawrence's and Lesser Goldfinches—**13**:29–33
 Remsen, J. V. Jr.—**12**:*see* Cardiff, S. W.
 Reynolds, Timothy D., and Shorey, Douglas P., Unusual Behavior of the Horned Lark—**14**:209–210
rhizophorae, *Buteogallus subtilis*—**20**:15
Rhodostethia rosea—**18**:97–98, 100
 Rich, Terrell, First Record of the Golden-winged Warbler in Idaho—**12**:55
 Rich, Terrell, Mountain Bluebird Use of Treeless Lava Flows for Nest Sites—**15**:39–40
 Richins, Gary H.—**18**:*see* Ellis, K. L.
 Richmond, Merle L., DeWeese, Lawrence R., and Pillmore, Richard E., Brief Observations on the Breeding Biology of the Flammulated Owl in Colorado—**11**:35–46
ridgwayi, *Buteogallus urubitinga*—**20**:15
 Rieger, John P.—**18**:*see* Beezley, J. A.
 Ringer, Brenda J.—**14**:*see* Chappell, C. B.
Riparia riparia—**12**:66, 152; **14**:206; **15**:20, 122; **16**:63–70; **17**:10, 171–187; **18**:71–76, 89–96, 203
Rissa brevirostris—**12**:151; **14**:139; **17**:15
 tridactyla—**11**:1–24; **12**:63, 151; **15**:120, 131, 168, 172–173; **16**:83, 88; **17**:7; **18**:199; **20**:228, 241
 Ritchison, Gary, Breeding Biology of the Black-headed Grosbeak in Northern Utah—**14**:159–167
 Ritchison, Gary, Vocalizations of the Black-headed Grosbeak—**16**:143–145
 Ritter, Lyman V., Nesting Ecology of Scrub Jays in Chico, California—**14**:147–158
 Ritter, Lyman V., and Purcell, Kathryn, Cavity-Nesting Brewer's Blackbirds—**14**:205
 Roadrunner—**11**:1–24, 113–128
 Roadrunner, Greater—**12**:64, 76, 82, 83, 84; **15**:175–183; **17**:8, 171–187; **18**:89–96, 187, 200
 Roberson, Don, Identification Quiz—**15**:43–44
 Roberson, Don, Ninth Report of the California Bird Records Committee—**17**:49–77
 Roberson, Don, News from the California Bird Records Committee—**20**:269–271
 Roberson, Don—**19**:*see* Stallcup, R., and *see* Trochet, J.; **20**:*see* Daniels, B. E., *see*

Erickson, R. A., and *see* Gordon, P.

Robin, American—**11**:1–24, 113–128; **12**:67, 134, 153; **13**:29–33; **15**:82, 123; **16**:1–23, 63–70; **17**:11, 115–131, 171–187; **18**:89–96, 164, 204; **19**:1–23

Rufous-backed—**11**:103–110; **12**:58, 67; **16**:32; **17**:11, 64; **19**:131

Rook—**14**:150

Rosenberg, Gary H., and Terrill, Scott B., The Avifauna of Apache County, Arizona—**17**:171–187

rostratus, *Passerculus sandwichensis*—**18**:206

Rosy Finch, Black—**12**:155

Gray-crowned—**12**:117–124, 155

rubripes, *Sula sula*—**11**:200

Ruff—**11**:103–110, 165, 172; **12**:63, 150; **14**:6, 14, 131; **16**:36, 42; **17**:7; **18**:97–98, 198; **20**:214

rufipileus, *Colaptes auratus*—**20**:89

Ryan, Dana C.—**11**:*see* Knight, R. L. [201 and 202]

Rynchops niger—**11**:103–110; **12**:13, 63; **16**:78; **17**:8; **18**:200

Sakai, Howard F., Breeding Biology and Behavior of Hammond's and Western Flycatchers in Northwestern California—**19**:49–60

Sakai, Howard F., and Johanos, Thea C., The Nest, Egg, Young, and Aspects of the Life History of the Endangered Hawaii Creeper—**14**:73–84

Säll, Torbjörn—**18**:*see* Udvardy, M. D. F.

Salpinctes obsoletus—**11**:1–24, 113–128; **12**:66, 77, 79, 153; **13**:29–33; **15**:123, 128; **16**:63–70; **17**:11, 171–187; **18**:89–96, 163–168, 204; **19**:1–23; **20**:90

Sanderling—**11**:1–24; **12**:62, 150, 173–180; **15**:119; **17**:7, 171–187; **18**:197; **19**:76, 77; **20**:64; **20**:206–207, 238, 244

Sanders, Susan D.—**18**:*see* Flett, M. A., and *see* Harris, J. H.

Sandpiper, Baird's—**11**:1–24; **12**:63, 150, 173–180; **15**:18, 119; **17**:7, 171–187; **18**:198; **19**:76; **20**:209–211

Buff-breasted—**11**:1–24, 53, 165; **12**:63, 150; **14**:6, 131; **16**:32, 36, 110; **17**:7, 61; **19**:76, 131, 144–146; **20**:262

Curlew—**11**:103–110; **12**:63, 150, 173–180; **14**:131; **16**:32, 35–36; **17**:7; **18**:198; **19**:131, 144; **20**:213

Least—**11**:1–24; **12**:62, 150, 173–180; **15**:18, 119, 170; **17**:7, 115–131, 171–187; **18**:126–128; **19**:74; **19**:74, 80; **20**:142, 209, 238, 240

Pectoral—**11**:1–24; **12**:63, 150, 173–180; **15**:18, 119; **17**:7, 171–187; **18**:126–128, 198; **19**:76; **20**:211

Rock—**12**:63, 150; **15**:171; **17**:7; **20**:262

Rufous-necked—**11**:103–110; **12**:150; **19**:165–169

Semipalmated—**11**:103–110, 165, 171; **12**:62, 150, 173–180; **14**:6, 14, 130, 137–138; **16**:35, 118–119; **17**:7, 171–187; **18**:198; **19**:76; **20**:207–209

Sharp-tailed—**11**:165, 171; **12**:63, 150; **14**:5, 14, 130–131; **16**:35; **17**:7; **18**:97–98; **19**:76, 155; **20**:261–262

Solitary—**11**:1–24, 113–128; **12**:62, 150, 173–180; **15**:119; **17**:6, 115–131; **18**:197; **19**:76; **20**:261

Spotted—**11**:1–24; **12**:62, 150, 173–180; **13**:29–33; **15**:18, 119; **16**:63–70; **17**:6, 115–131, 171–187; **18**:89–96, 187, 197; **19**:71; **20**:63, 64–66, 67, 202–203, 233, 236

Stilt—**12**:63, 150, 173–180; **17**:7, 171–187; **18**:198; **19**:75; **20**:214

Terek—**20**:63-69, 270
 Upland—**12**:62, 150; **14**:4, 130; **16**:32; **17**:6; **19**:131, 142, 157
 Western—**11**:1–24; **12**:62, 150, 173–180; **15**:11, 18, 119; **16**:35; **17**:7, 171–187; **18**:126, 198; **19**:71–74, 76; **20**:142, 209, 237, 238, 239
 White-rumped—**11**:103–110, 171; **12**:62; **14**:6; **16**:32, 35; **17**:7; **19**:131, 143–144; **20**:261
 Wood—**17**:15; **19**:157
sandvicensis, *Gallinula chloropus*—**12**:105–116; **16**:175
Sterna sandvicensis—**12**:182
sandwichensis, *Asio flammeus*—**15**:104, 108
Pterodroma phaeopygia—**15**:101, 107, 108, 109
sanguinea, *Himatione sanguinea*—**15**:105, 107
 Sapsucker, Red-breasted—**11**:113–128; **12**:65, 125–135; **14**:168; **15**:122; **17**:9, 97–105; **18**:201; **19**:1–23
 Red-naped—**11**:113–128; **17**:2, 9, 115–131, 171–187; **18**:98, 201
 Williamson’s—**11**:1–24; **12**:65, 125–135, 152; **15**:82; **17**:9, 171–187
 Yellow-bellied—**11**:1–24; **12**:57–58, 65, 152; **15**:19, 82–83; **17**:9, 171–187; **18**:98
Sayornis nigricans—**11**:1–24, 113–128; **12**:65, 101–102, 152; **13**:29–33; **15**:122, 127; **17**:10, 115–131, 171–187; **18**:89–96, 97–98, 202; **19**:1–23; **20**:23
phoebe—**11**:1–24, 166; **12**:65; **13**:30; **14**:8, 13; **17**:10, 115–131, 171–187; **18**:202
saya—**11**:1–24, 113–128; **12**:65, 152, 157–172; **15**:20, 122; **16**:63–70; **17**:10, 115–131, 171–187; **18**:89–96, 202; **19**:1–23
 Scaup, Greater—**11**:1–24; **12**:61, 148; **17**:5; **18**:109–116, 194; **20**:142, 181–183
 Greater × Tufted Duck—**19**:157
 Lesser—**11**:1–24; **12**:61, 148; **15**:17, 117; **17**:5, 171–187; **18**:109–116, 194; **20**:142, 181–183
 Lesser × Ring-necked Duck—**19**:157
 Lesser × Tufted Duck—**19**:157
 Schaffner, Fred C., A Sandwich Tern in California—**12**:181–182
 Schaffner, Fred C., Royal Tern Nesting Attempts in California: Isolated or Significant Incidents?—**16**:71–80
 Schmidt, Owen—**14**:*see* Gilligan, J.; **15**:*see* Gilligan, J.; **18**:*see* Gilligan, J.
 Schmitt, C. Gregory, and Miller, Aaron A., A Specimen Record of the Ancient Murrelet from New Mexico—**18**:213–214
 Scoter, Black—**11**:1–24; **12**:61, 148; **17**:5; **18**:109–116; **20**:184
 Surf—**11**:1–24; **12**:61, 148; **15**:10, 117, 171; **17**:5, 171–187; **18**:109–116, 194–195; **20**:184–186, 187, 237
 White-winged—**11**:1–24; **12**:61, 148; **15**:10, 117, 171; **17**:5, 171–187; **18**:109–116; **20**:186–187
 Scott, J. Michael—**16**:*see* Paton, P. W. C.
 Scott, Oliver K.—**15**:*see* Fitton, S. D.
 Scott, Virgil E.—**11**:*see* Svoboda, P. L.
 Screech-Owl, Eastern—**18**:98
 Western—**16**:1–23, 25–28, 63–70; **17**:8, 22; **18**:89–96, 98; **19**:1–23; **20**:1–10
scrippsi, *Synthliboramphus hypoleucus*—**15**:44
sedentarius, *Selasphorus sasin*—**15**:121
 Seed-eater, White-collared—**16**:45; **17**:15

Seiurus aurocapillus—**11**:1–24; **12**:68, 154; **17**:12; **18**:77–83
motacilla—**12**:68; **16**:32; **17**:12, 68, 171–187; **18**:97–98; **19**:131, 153
noveboracensis—**11**:1–24; **12**:68, 154; **15**:125; **17**:12, 115–131, 171–187; **18**:206;
19:41–42
Selasphorus platycercus—**11**:1–24, 182; **12**:65, 77, 80, 81, 82, 83, 152; **15**:81; **17**:9, 41, 62,
115–131, 171–187; **18**:164
rufus—**11**:1–24, 113–128; **12**:65, 152; **14**:26, 28; **15**:19, 81, 121; **17**:9, 171–187; **18**:201;
19:1–23
rufus/sasin—**12**:134
sasin—**11**:1–24, 113–128; **12**:65, 152; **14**:26, 28; **15**:26, 121; **17**:9; **18**:201; **19**:1–23;
20:22–23
Setophaga ruticilla—**11**:1–24; **12**:68, 154; **15**:21, 125, 141; **17**:12, 115–131, 171–187; **18**:206;
19:1–23
Sharp, Brian, Avifaunal Changes in Central Oregon since 1899—**16**:63–70
Shaw, Carrie Anne, The California Natural Diversity Data Base and Riparian Ecosystem
Conservation—**18**:85–88
Shearwater, Black-vented—**12**:59; **16**:84; **17**:3; **19**:89–104, 156–157; **20**:258
Buller's—**12**:59; **17**:3, 45–47; **19**:62, 66, 155; **20**:258
Christmas—**19**:66, 97
Flesh-footed—**12**:59, 147; **17**:3, 45; **19**:66; **20**:258
Fluttering—**19**:98
Greater—**11**:103–110; **12**:57, 59; **14**:1; **16**:31; **17**:3
Hutton's—**19**:98
Jouanin's—**19**:67
Manx—**11**:1–24; **12**:147; **17**:15, 72; **19**:89–104, 156–157
Newell's—**19**:94–95, 156–157
New Zealand—**12**:147
Pink-footed—**11**:1–24; **12**:59, 147; **16**:169–173; **17**:3, 45; **19**:62, 66, 156; **20**:134;
20:258
Short-tailed—**11**:1–24, 162; **12**:59, 147; **14**:2, 129; **15**:131; **17**:3, 45; **19**:66, 97; **20**:258
Slender-billed—**19**:122
Sooty—**11**:1–24; **12**:59, 147; **15**:116; **16**:84, 169–173; **17**:3, 45; **19**:66; **20**:134
Streaked—**11**:103–110; **12**:57, 59; **16**:31, 108; **17**:3, 46; **19**:155–156
Townsend's—**16**:84; **17**:2; **19**:92–93, 94, 95, 96
Wedge-tailed—**17**:45; **19**:61–68, 96; **20**:270
Shelduck, Common—**18**:194
Shorey, Douglas P.—**14**:*see* Reynolds, T. D.
Shoveler, Northern—**11**:1–24; **12**:60, 148; **15**:16, 117, 171; **17**:4, 171–187; **18**:194; **20**:176,
236, 239, 241
Shrike, Brown—**17**:2, 12; **19**:130, 131, 151
Bull-headed—**19**:151
Isabelline—**19**:151
Loggerhead—**11**:1–24, 113–128; **12**:67, 154, 157–172; **15**:124, 127, 128, 175–183;
16:63–70; **17**:12, 115–131, 171–187; **18**:89–96, 133–134, 205; **19**:1–23
Northern—**12**:67, 154; **15**:21; **17**:12, 171–187; **18**:133
Red-backed—**19**:151

Tiger—**19**:151

Shuford, W. David, Have Ornithologists or Breeding Red-breasted Sapsuckers Extended Their Range in Coastal California?—**17**:97–105

Shuford, W. David, Page, Gary W., Evens, Jules G., and Stenzel, Lynne E., Seasonal Abundance of Waterbirds at Point Reyes: A Coastal California Perspective—**20**:137–265

Shuster, William C., Northern Goshawk Nest Site Requirements in the Colorado Rockies—**11**:89–96

Sialia currucoides—**11**:155–156; **12**:67, 78, 125–135, 153; **13**:35; **15**:39–40, 123; **16**:63–70, 146, 161–168; **17**:11, 171–187; **18**:164

mexicana—**11**:113–128; **12**:67, 83–84, 134, 153; **13**:29–33; **15**:20, 123; **16**:146; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23

sialis—**15**:40; **16**:146, 162, 163, 166, 167

Silber, Gregory K.—**20**:*see* Newcomer, M. W.

Silky-flycatcher, Gray—**16**:45; **17**:15

Silverbill, Warbling—**15**:106

Simpson, James M.—**18**:*see* Johnson, R. R.

Siskin, Pine—**11**:1–24, 113–128; **12**:70, 125–135, 155; **13**:29–33; **15**:22, 83, 127; **16**:1–23; **17**:14, 115–131, 171–187; **18**:208; **19**:1–23; **20**:23, 82

Sitta canadensis—**11**:1–24, 113–128; **12**:66, 81, 83, 125–135, 153; **15**:82–83, 123; **17**:10, 171–187; **18**:77–83, 203; **19**:1–23

carolinensis—**11**:1–24, 113–128; **12**:66, 134, 153; **13**:29–33; **17**:10, 115–131, 171–187; **18**:10–18, 77–83, 89–96; **19**:1–23

pygmaea—**11**:1–24, 155–156; **12**:66, 83–84, 125–135, 153; **15**:83; **16**:1–23, 189; **17**:10, 171–187

Skimmer, Black—**11**:103–110; **12**:13, 63; **16**:78; **17**:8; **18**:200

Skriletz, Jeff—**11**:*see* Knight, R. L.

Skua, South Polar—**11**:1–24; **12**:63, 150; **17**:7; **20**:258

Skylark—**11**:103–110, 166

Skylark, Eurasian—**12**:58, 66; **14**:113–126; **15**:104, 108; **16**:31, 32, 37; **17**:10; **19**:131, 149–150

Oriental—**14**:114

Small, Arnold—**12**:*see* Jones, L.

Smew—**16**:29, 31, 34; **17**:2, 5, 58; **19**:131

Smith, Dwight G.—**18**:*see* Ellis, D. H.

Smith, Richard—**15**:*see* Gilligan, J.

Snipe, Common—**11**:1–24, 113–128; **12**:63, 150, 173–180; **15**:119; **17**:7, 115–131, 171–187; **18**:128, 187, 198; **19**:76; **20**:215–217, 239, 240

Jack—**12**:63; **14**:13; **16**:32; **17**:7, 61; **19**:131

Sodhi, Navjot S., Occurrence of Bird Nests on Jumping Cholla Cacti—**18**:219

Solitaire, Townsend's—**11**:1–24, 113–128; **12**:67, 125–135, 153; **15**:20, 123; **17**:11, 171–187; **18**:164, 204

Somateria fischeri—**17**:15

mollissima—**15**:171; **18**:99

spectabilis—**11**:164; **12**:61, 148; **14**:129; **16**:31, 34, 109–110; **17**:5; **19**:131, 139; **20**:183

Sora—**11**:1–24, 202; **12**:62, 149; **15**:18, 118; **17**:6, 171–187; **18**:89–96, 196; **20**:192, 236

Sordahl, Tex A., Phenology and Status of the Shorebirds in Northern Utah—**12**:173–180

sordida, *Vermivora celata*—**11:19; 15:124**

Sowls, Lyle K.—**12:see** Piest, L. A.

Sparrow, American Tree—**12:69; 15:125; 17:13, 171–187**

Baird's—**11:103–110; 12:69; 16:32, 41; 17:13, 70, 171–187; 19:131**

Black-chinned—**11:1–24, 113–128; 12:69, 77, 80, 135, 156; 15:126; 16:1–23; 17:13; 19:1–23**

Black-throated—**11:1–24; 12:69, 77, 80, 84, 155, 157–172; 15:126; 16:51, 63–70; 17:13, 171–187; 18:89–96; 19:1–23**

Botteri's—**18:89–96**

Brewer's—**11:1–24; 12:69, 156, 157–172; 15:22, 126; 16:63–70; 17:13, 171–187**

Cassin's—**11:103–110; 12:69; 14:12, 134; 16:32, 41, 51; 17:13, 70, 171–187; 18:89–96; 19:131, 154**

Chipping—**11:1–24, 113–128; 12:69, 80, 81, 82, 83, 135, 156, 157–172; 15:22, 125; 16:63–70; 17:13, 115–131, 171–187; 18:206; 19:1–23**

Clay-colored—**11:1–24, 103–110; 12:69, 156; 15:125, 185; 17:13, 171–187**

Eurasian Tree—**14:209**

Field—**11:22, 103–110, 172; 12:69; 14:155; 16:32; 17:13, 70, 171–187; 19:131**

Five-striped—**18:89–96**

Fox—**11:1–24, 113–128; 12:69, 125–135, 156; 15:22, 126; 17:13, 171–187; 18:207; 19:1–23**

Golden-crowned—**11:1–24, 113–128; 12:69, 156, 157–172; 15:22, 126; 17:13, 171–187; 18:207; 19:1–23**

Grasshopper—**11:1–24, 113–128; 12:69, 155; 15:186; 17:13, 171–187; 18:89–96, 206; 19:1–23**

Harris'—**11:1–24, 113–128; 12:69, 156; 15:126; 17:13, 171–187**

Henslow's—**18:97–98, 104**

House—**11:1–24, 113–128; 12:70, 155; 13:29–33; 15:127, 128; 17:14, 171–187; 18:89–96, 187, 208**

Lark—**11:1–24, 113–128; 12:69, 135, 155; 15:22, 126; 16:63–70; 17:13, 171–187; 18:89–96, 206; 19:1–23**

Le Conte's—**11:103–110, 171; 12:58, 69; 14:134; 15:185–186; 16:32, 42; 17:13, 71; 18:97–98; 19:131, 154**

Lincoln's—**11:1–24, 113–128; 12:69, 125–135, 156; 15:22, 126, 186; 17:13, 115–131, 171–187; 18:207; 19:1–23**

Rufous-crowned—**11:1–24, 113–128; 12:69, 77, 82, 83; 13:29–33; 17:13, 171–187; 18:89–96, 206; 19:1–23**

Rufous-winged—**18:89–96**

Sage—**11:1–24, 113–128; 12:69, 155; 15:22, 126, 127; 16:1–23; 17:13, 171–187; 19:1–23**

Savannah—**11:1–24, 33, 113–128; 12:69, 155, 157–172; 14:114; 15:22, 126; 16:63–70; 17:13, 171–187; 18:187, 188, 189, 206; 19:1–23**

Sharp-tailed—**11:171; 12:69; 14:12, 15; 15:186; 16:32, 42, 117–118; 17:13, 71; 18:97–98; 19:130, 154**

Song—**11:1–24, 113–128; 12:69, 156; 15:125, 126, 127, 128; 16:63–70; 17:13, 115–**

131, 171–187; **18**:52, 89–96, 187, 207; **19**:1–23; **20**:19–24
Swamp—**11**:1–24; **12**:69, 156; **17**:13, 115–131, 171–187; **18**:207
Tree—**11**:1–24, 56; **12**:156
Vesper—**11**:113–128; **12**:69, 155; **15**:22, 126; **16**:63–70; **17**:13, 171–187; **18**:206
White-crowned—**11**:1–24, 113–128; **12**:69, 156, 157–172; **15**:22, 126; **16**:1–23; **17**:13, 115–131, 171–187; **18**:207; **19**:1–23; **20**:19–24
White-throated—**11**:1–24, 113–128; **12**:69, 156; **17**:13, 115–131, 171–187; **18**:207
Speich, Steven M., Nocturnal Foraging of the Rock Wren under Artificial Illumination—**13**:41
Speich, Steven M., and Thompson, Steven P., Impacts on Waterbirds from the 1984 Columbia River and Whidbey Island, Washington, Oil Spills—**18**:109–116
Speich, Steven M.—**15**:*see* Wahl, T. R.
Spencer, Kevin T., Range Extension of the Common Ground-Dove into Santa Barbara and Ventura Counties, California—**18**:171–174
Sphyrapicus nuchalis—**11**:113–128; **17**:2, 9, 115–131, 171–187; **18**:98, 201
ruber—**11**:113–128; **12**:65, 125–135; **14**:168; **15**:122; **17**:9, 97–105; **18**:201; **19**:1–23
thyroideus—**11**:1–24; **12**:65, 125–135, 152; **15**:82; **17**:9, 171–187
varius—**11**:1–24; **12**:57–58, 65, 152; **15**:19, 82–83; **17**:9, 171–187; **18**:98
Spiza americana—**11**:103–110, 170; **12**:69, 155; **15**:125; **17**:13, 171–187
Spizella arborea—**11**:1–24, 56; **12**:69, 156; **15**:125; **17**:13, 171–187
atrogularis—**11**:1–24, 113–128; **12**:69, 77, 80, 84, 135, 156; **15**:125; **16**:1–23; **17**:13, 171–187; **18**:89–96; **19**:1–23
breweri—**11**:1–24; **12**:69, 156, 157–172; **15**:22, 126; **16**:63–70; **17**:13, 171–187
pallida—**11**:1–24, 103–110; **12**:69, 156; **15**:126, 185; **17**:13, 171–187
passerina—**11**:1–24, 113–128; **12**:69, 80, 81, 82, 83, 135, 156, 157–172; **15**:22, 125; **16**:63–70; **17**:13, 115–131, 171–187; **18**:206; **19**:1–23
pusilla—**11**:22, 103–110, 172; **12**:69; **14**:155; **16**:32; **17**:13, 70, 171–187; **19**:131
Spofford, Sally Hoyt, Ability of Blue-throated and Rivoli’s Hummingbirds to Survive Subfreezing Temperatures—**11**:49–52
Spoonbill, Roseate—**12**:60; **17**:4; **18**:97–98; **19**:130
Sporophila torqueola—**16**:45; **17**:15
Stallcup, Richard, Identification Quiz—**15**:95–96
Stallcup, Richard, Morlan, Joseph, and Roberson, Don, First Record of the Wedge-tailed Shearwater in California—**19**:61–68
Stallcup, R[ichard].—**11**:*see* Manolis, T.
Starling—**11**:1–24, 58, 113–128; **12**:154
Starling, European—**12**:67; **13**:29–33; **15**:124, 128; **16**:63–70; **17**:12, 115–131, 139, 171–187; **18**:89–96, 205; **19**:1–23; **20**:23, 90
Steganopus tricolor—**11**:1–24
Stelgidopteryx ruficollis—**11**:1–24, 113–128; **12**:66, 152
serripennis—**15**:20, 122; **16**:63–70; **17**:10, 115–131; **18**:89–96, 187, 203
Stellula calliope—**11**:1–24, 113–128; **12**:65, 125–135, 152; **14**:26, 28; **15**:121; **17**:9, 41, 171–187; **19**:1–23
Stenzel, Lynne E.—**12**:*see* Page, G. W.; **17**:*see* Page, G. W.; **20**:*see* Shuford, W. D.
Stephens, Daniel A., and Stephens, James E., An American Oystercatcher in Idaho—**18**:215–216
Stephens, James E.—**18**:*see* Stephens, D. A.
Stercorarius longicaudus—**11**:22; **12**:63, 150; **17**:7; **18**:97–98; **20**:258

- parasiticus*—**11**:1–24; **12**:63, 150; **15**:120, 170, 173; **16**:88; **17**:7; **18**:199; **20**:144, 219, 262
- pomarinus*—**11**:1–24; **12**:63, 150; **15**:120; **16**:88; **17**:7, 171–187; **18**:199; **20**:262
- Stern, Mark A.—**19**:*see* Ivey, G. L.
- Sterna albifrons*—**11**:1–24; **12**:2, 7, 63, 151, 181
- antillarum*—**14**:57–72; **17**:8; **18**:105, 187, 188, 189, 200; **20**:263
- bergii*—**16**:75
- caspia*—**11**:1–24, 113–128; **12**:13, 17, 63, 151; **15**:11, 19, 120; **16**:71–79; **17**:7, 133–135, 136, 171–187, 189; **18**:100, 199; **20**:228–229, 236
- elegans*—**11**:1–24; **12**:63, 181–182; **15**:120; **16**:71–80; **17**:8; **18**:200; **19**:136; **20**:219, 222, 229–231, 236, 239, 240, 244, 262, 263
- forsteri*—**11**:1–24; **12**:13, 63, 151, 181; **15**:19, 120; **16**:78; **17**:8, 171–187; **18**:200; **20**:231–232, 236, 241
- fuscata*—**16**:71, 88, 90, 105, 111–112; **17**:2, 8; **19**:111, 131
- hirundo*—**11**:1–24, 182; **12**:63, 151; **13**:37–38; **15**:120; **17**:8, 171–187; **18**:200; **20**:144, 231
- maxima*—**11**:1–24; **12**:63, 182; **15**:120; **16**:71–80; **17**:7; **18**:199; **20**:230–231, 263
- nilotica*—**12**:63; **17**:7
- paradisaea*—**11**:1–24; **12**:63, 151; **13**:37–38; **17**:8; **18**:97–98, 100; **20**:258
- sandvicensis*—**12**:57, 63, 181–182; **14**:1, 6–7; **16**:32, 75, 111; **17**:8; **18**:182; **19**:131
- Stewart, Brent S., First Record of Hooded Warbler for the Southern California Channel Islands—**15**:91–92
- Stewart, Brent S., and DeLong, Robert L., Black-shouldered Kite and Northern Goshawk Interactions with Peregrine Falcons at San Miguel Island, California—**15**:187–188
- Stilt, Black-necked—**11**:1–24; **12**:62, 103, 149, 173–180; **15**:18, 119; **16**:175–181; **17**:6, 171–187; **18**:89–96, 196–197, 215; **19**:76; **20**:199, 236
- Stint, Little—**17**:2, 7, 61; **19**:131, 143, 165–169; **20**:261
- Long-toed—**12**:150; **18**:126–128; **20**:270
- Red-necked—**12**:57, 62
- Rufous-necked—**14**:138–139; **16**:32, 35, 110; **17**:7, 61, 73; **19**:131
- Temminck’s—**17**:15, 73
- stoddardi*, *Dendroica dominica*—**19**:152
- Stork, Wood—**12**:60; **17**:4, 171–187; **18**:97–98, 193
- Storm-Petrel, Ashy—**11**:22; **12**:59; **15**:116; **17**:3; **20**:154, 236
- Band-rumped—**12**:57, 59; **14**:1, 3; **16**:31; **17**:3
- Black—**11**:1–24; **12**:59; **15**:116; **16**:84; **17**:3; **20**:134, 258
- Fork-tailed—**12**:59, 147; **15**:131, 169, 172; **16**:169–173; **17**:3; **20**:258
- Galapagos—**11**:103–110, 164; **14**:3; **16**:84
- Leach’s—**11**:22; **12**:59, 147; **15**:169, 172; **16**:84, 88, 90; **17**:3; **20**:258
- Least—**12**:59; **17**:3, 56; **20**:134
- Wedge-rumped—**12**:59; **14**:135–136; **16**:31; **17**:3, 56, 72
- White-bellied—**14**:12; **17**:15
- Wilson’s—**11**:164; **12**:59, 147; **14**:3, 12; **16**:31, 33, 108; **17**:3, 56; **19**:136; **20**:258
- Streptopelia chinensis*—**11**:1–24; **12**:64; **15**:103; **17**:8; **18**:200
- risoria*—**11**:1–24; **12**:58; **17**:2
- roseogrisea*—**12**:71

Streptoprocne biscutata—**20**:29–30
semicollaris—**20**:27
zonaris—**16**:105, 112; **17**:2, 9; **19**:131; **20**:25–31

Strix aluco—**11**:57, 85, 86
nebulosa—**11**:85; **12**:64, 151; **17**:8
occidentalis—**11**:79–87, 141, 145; **12**:64, 151; **14**:53; **16**:1–23, 25–28, 93–94; **17**:8, 171–187
uralensis—**11**:85, 86
varia—**16**:29, 32, 37, 112, 151; **17**:2, 8; **18**:97–98, 217–218; **19**:131, 148

Sturnella magna—**17**:171–187; **18**:89–96
neglecta—**11**:1–24, 113–128; **12**:70, 155; **13**:29–33; **15**:126; **16**:63–70; **17**:14, 115–131, 171–187; **18**:89–96, 207; **19**:1–23

Sturnus vulgaris—**11**:1–24, 58, 113–128; **12**:67, 154; **13**:29–33; **15**:124, 128; **16**:63–70; **17**:12, 115–131, 139, 171–187; **18**:89–96, 205; **19**:1–23; **20**:23, 90

subtilis, *Buteogallus subtilis*—**20**:15

Sula dactylatra—**11**:103–110; **12**:57, 59; **16**:31, 85, 90; **17**:3; **19**:173–174
leucogaster—**11**:103–110; **12**:59; **14**:3; **16**:31, 33, 108; **17**:3, 56; **19**:136, 173
nebouxii—**11**:1–24; **12**:59; **17**:3; **19**:130, 136, 173
sula—**11**:103–110, 199–200; **12**:57, 59; **14**:136; **16**:31; **17**:3; **19**:173; **20**:259

superciliosa, *Aphelocoma coerulescens*—**14**:147–158

Surfbird—**11**:1–24; **12**:62, 150; **17**:7; **18**:197; **20**:206

Surnia ulula—**12**:151

Svoboda, Peggy L., Young, Kimberley E., and Scott, Virgil E., Recent Nesting Records of Purple Martins in Western Colorado—**11**:195–198

Swallow, Bank—**12**:66, 152; **14**:206; **15**:20, 122; **16**:63–70; **17**:10, 171–187; **18**:71–76, 89–96, 203
Barn—**11**:1–24, 113–128, 201; **12**:66, 152; **13**:29–33; **15**:20, 122–123; **16**:49–50, 63–70; **17**:10, 171–187; **18**:89–96, 203; **20**:23, 25, 27
Cave—**18**:125
Cliff—**11**:1–24, 113–128; **12**:66, 152; **14**:206; **15**:20, 122; **16**:49–50, 63–70; **17**:10, 115–131, 171–187; **18**:89–96, 203; **20**:25
Northern Rough-winged—**15**:20, 122; **16**:63–70; **17**:10, 115–131, 171–187; **18**:89–96, 187, 203
Rough-winged—**11**:1–24, 113–128; **12**:66, 152
Tree—**11**:1–24, 113–128, 196; **12**:66, 152; **14**:112; **15**:20, 122; **16**:49–50; **17**:10, 40, 171–187; **18**:203; **20**:25
Violet-green—**11**:1–24, 113–128; **12**:66, 76, 78, 79, 81, 134, 152, 157–172; **13**:29–33; **14**:112; **15**:122; **16**:1–23, 49–50, 63–70; **17**:10, 115–131, 171–187; **18**:164, 187, 203; **19**:1–23; **20**:25

Swan, Bewick's—**11**:103–110, 164, 171; **12**:57
Mute—**12**:148
Trumpeter—**11**:164; **12**:60, 148; **14**:4, 13, 129, 136; **16**:31, 34; **17**:4, 72; **18**:97–98, 100; **19**:131, 137, 157; **20**:260
Tundra—**12**:60; **15**:16, 171; **17**:4, 57, 171–187; **18**:193; **19**:137; **20**:166
Whistling—**11**:1–24, 164; **12**:148
Whooper—**17**:2, 4, 57; **19**:131

- Swenson, Jon E., Status of the Osprey in Southeastern Montana Before and After the Construction of Reservoirs—**12:47–51**
- Swenson, Jon E., Reproduction of Mountain Bluebirds in Southcentral Montana—**16:161–168**
- Swift, Biscutate—**20:29–30**
 Black—**11:1–24, 113–128; 12:64, 125–135, 152; 17:9; 18:201; 20:25, 26, 27**
 Chimney—**11:22; 12:64; 17:9; 18:201; 20:27**
 Great Swallow-tailed—**20:29**
 House—**13:26**
 Lesser Swallow-tailed—**20:29**
 Vaux's—**11:1–24, 113–128; 12:64, 152; 15:121; 16:63–70; 17:9; 18:201; 20:26**
 White-chested—**20:27, 29**
 White-collared—**16:105, 112; 17:2, 9; 19:131; 20:25–31**
 White-naped—**20:27**
 White-throated—**11:113–128; 12:64, 76, 78, 79, 152; 13:25–28; 15:121; 17:9, 115–131, 171–187; 18:89–96, 201**
- Synthliboramphus antiquus*—**11:1–24; 12:64, 151; 15:43–44, 121, 146, 170, 172; 17:8; 18:97–98, 213–214; 20:264**
craveri—**14:47; 15:44; 17:8; 20:258**
hypoleucus—**15:44, 120, 127; 17:8, 22; 20:89, 264**
- tabida*, *Grus canadensis*—**15:18; 16:185–186; 17:192–193; 18:131–132**
- Tachybaptus dominicus*—**11:103–110; 12:59; 14:12; 16:31; 17:3**
- Tachycineta bicolor*—**11:1–24, 113–128, 196; 12:66, 152; 14:112; 15:20, 122; 16:49–50; 17:10, 40, 171–187; 18:203; 20:25**
thalassina—**11:1–24, 113–128; 12:66, 76, 78, 79, 81, 134, 152, 157–172; 13:29–33; 14:112; 15:122; 16:1–23, 49–50, 63–70; 17:10, 115–131, 171–187; 18:164, 187, 203; 19:1–23; 20:25**
- Tadorna tadorna*—**18:194**
- Tanager, Flame-colored—**15:135**
 Hepatic—**11:1–24, 103–110; 12:68, 78, 80, 82, 84; 17:13, 171–187; 18:97–98, 105**
 Scarlet—**11:1–24, 170; 12:68, 155; 14:11, 134; 16:32, 41, 117; 17:13, 70, 74, 171–187; 18:77–83; 19:131, 154**
 Summer—**11:1–24; 12:68, 155; 15:125; 17:13, 115–131, 171–187; 18:10–18, 89–96, 206**
 Western—**11:1–24, 113–128; 12:68, 125–135, 155; 15:21, 125; 16:1–23, 63–70; 17:13, 115–131, 171–187; 18:157, 206; 19:1–23**
- Tangren, Gerald V., Feeding Behavior of Crows and Gulls on a Puget Sound Beach—**13:1–12**
- Tattler, Gray-tailed—**14:130; 16:29, 31; 17:2, 6, 33–36; 19:131**
 Wandering—**11:1–24; 12:62, 150; 15:103, 119; 17:6, 33–36; 18:197; 20:202**
- Taylor, Daniel M., Palm Warbler Observations in Idaho—**13:36**
- Taylor, Daniel M., Trost, Charles H., and Jamison, Bryan, The Biology of the White-faced Ibis in Idaho—**20:125–133**
- Teal, Baikal—**11:103–110; 12:57, 148; 16:31, 109; 17:4; 19:131**
 Blue-winged—**11:1–24; 12:60, 148; 15:117; 16:180; 17:4, 171–187; 18:89–96, 183, 194; 20:172–175, 176, 236**
 Cinnamon—**11:1–24, 113–128; 12:60, 148; 15:16, 117; 16:63–70; 17:4, 115–131, 171–187; 18:89–96, 194; 20:140, 172, 175–176, 236, 237, 238, 239**

- Green-winged—**11**:1–24; **12**:60, 148; **15**:16, 117, 171; **17**:4, 115–131, 171–187; **18**:109–116, 194; **20**:171
- tenuirostris*, *Charadrius alexandrinus*—**17**:165
- tephrocotis*, *Leucosticte tephrocotis*—**12**:118
- Teresa, Sherry—**19**:*see* Everett, W. T.
- Tern, Arctic—**11**:1–24; **12**:63, 151; **13**:37–38; **17**:8; **18**:97–98, 100; **20**:258
- Black—**11**:1–24; **12**:63, 151; **15**:19; **17**:8, 171–187; **18**:200; **20**:232
- Caspian—**11**:1–24, 113–128; **12**:13, 17, 63, 151; **15**:11, 19, 120; **16**:71–79; **17**:7, 133–135, 136, 171–187, 189; **18**:100, 199; **20**:228–229, 236
- Common—**11**:1–24, 182; **12**:63, 151; **13**:37–38; **15**:120; **17**:8, 171–187; **18**:200; **20**:144, 231
- Crested—**16**:75
- Elegant—**11**:1–24; **12**:63, 181–182; **15**:120; **16**:71–80; **17**:8; **18**:200; **19**:136; **20**:219, 222, 229–231, 236, 239, 240, 244, 262, 263
- Forster's—**11**:1–24; **12**:13, 63, 151, 181; **15**:19, 120; **16**:78; **17**:8, 171–187; **18**:200; **20**:231–232, 236, 241
- Gull-billed—**12**:63; **17**:7
- Least—**11**:1–24; **12**:2, 7, 63, 151, 181; **14**:57–72; **17**:8; **18**:105, 187, 188, 189, 200; **20**:263
- Royal—**11**:1–24; **12**:63, 182; **15**:120; **16**:71–80; **17**:7; **18**:199; **20**:230–231, 263
- Sandwich—**12**:57, 63, 181–182; **14**:1, 6–7; **16**:32, 75, 111; **17**:8; **18**:182; **19**:131
- Sooty—**16**:71, 88, 90, 105, 111–112; **17**:2, 8; **19**:111, 131
- White—**16**:131–141
- terraenovae*, *Picoides villosus*—**19**:114
- Terrill, Scott B.—**17**:*see* Rosenberg, G. H.
- Thompson, Steven P.—**18**:*see* Speich, S. M.
- Thoresen, Asa Clifford, Diurnal Land Visitations by Rhinoceros Auklets—**11**:154
- Thoresen, Asa C., Midsummer Occurrence of the Horned Puffin in Rosario Strait, Washington—**12**:56
- Thoresen, Asa C., Breeding Phenology and Mid-Seasonal Social Behavior of the Sooty Guillemot on Teuri Island, Japan—**15**:145–160
- Thoresen, Asa C., Diving Times and Behavior of Pigeon Guillemots and Marbled Murrelets off Rosario Head, Washington—**20**:33–37
- Thoresen, Asa C.—**11**:*see* Hayward, J. L. Jr.
- Thrasher, Bendire's—**11**:1–24; **12**:67; **15**:123; **17**:11, 171–187; **18**:89–96, 97–98, 204, 219; **20**:97–123
- Brown—**11**:1–24, 113–128; **12**:67, 153; **17**:11
- California—**11**:1–24, 113–128; **12**:67, 134, 153; **17**:11; **18**:187, 204; **19**:1–23
- Crissal—**12**:67, 77, 82, 84; **17**:11; **18**:10–18, 89–96; **20**:119–120
- Curve-billed—**12**:67; **14**:132, 201; **16**:32, 38, 44, 98; **17**:11; **18**:89–96, 219; **19**:131
- Le Conte's—**12**:67; **17**:11; **18**:89–96; **20**:103
- Long-billed—**18**:97–98
- Sage—**11**:1–24; **12**:67, 153; **15**:21, 123; **17**:11, 171–187; **18**:204
- Thrush, Gray-cheeked—**11**:103–110; **12**:58, 67; **14**:9; **16**:32; **17**:11; **19**:131, 150
- Hermit—**11**:1–24, 113–128; **12**:67, 81, 83, 125–135, 153; **13**:29–33; **15**:20, 82, 123; **16**:1–23; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23

Swainson's—**11**:1–24, 113–128; **12**:67, 153; **15**:20, 123; **16**:1–23; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23

Varied—**11**:1–24, 113–128; **12**:67, 153; **15**:21, 123; **17**:11; **18**:204; **19**:1–23

Wood—**11**:103–110, 167; **12**:67, 153; **14**:8–9; **16**:32, 38, 114; **17**:11, 64, 171–187; **18**:77–83; **19**:131

Thryomanes bewickii—**11**:1–24; **12**:66, 76, 78, 79, 134, 153, 157–172; **13**:29–33; **15**:85, 88, 123, 125, 127; **17**:11, 115–131, 171–187; **18**:89–96, 204; **19**:1–23

Thryothorus ludovicianus—**14**:201

thurberi, *Junco hyemalis*—**18**:129

Tirmenstein, Debra A.—**11**:*see* Sordahl, T. A.

Tit, Bearded—**14**:209

Blue—**16**:188

Titmouse, Bridled—**11**:49; **17**:115–131; **18**:10–18, 89–96, 135

Plain—**11**:22, 113–128; **12**:66, 76, 79, 134, 153; **13**:29–33; **15**:85, 86; **16**:1–23; **17**:10, 171–187; **18**:135; **19**:1–23

Tufted—**14**:201; **18**:135

Tomback, Diana F., and DeWolfe, Barbara B., Foraging Behavior of a Cross-Billed Nutcracker—**12**:137–138

torqueola, *Sporophila torqueola*—**16**:45

Tove, Michael H., First Utah Records of Thayer's and Mew Gulls, with Comments on Their Regional Distribution and Status—**16**:147–150

Tove, Michael H., and Trost, Charles H., First Record of the Western Gull from Idaho—**19**:81–82

Towhee, Abert's—**12**:69; **17**:13, 115–131; **18**:10–18, 89–96

Brown—**11**:1–24, 113–128; **12**:69, 155; **13**:29–33; **16**:51; **17**:13, 115–131, 171–187; **18**:89–96, 206; **19**:1–23

Green-tailed—**11**:1–24, 113–128; **12**:69, 125–135, 155; **15**:22, 125; **16**:63–70; **17**:13, 115–131, 171–187; **18**:206; **19**:1–23

Rufous-sided—**11**:1–24, 113–128; **12**:69, 77, 78, 80, 135, 155; **15**:22, 125, 127, 128; **16**:63–70; **17**:13, 115–131, 171–187; **18**:183, 206; **19**:1–23

Toxostoma bendirei—**11**:1–24; **12**:67; **15**:123; **17**:11, 171–187; **18**:89–96, 97–98, 204, 219; **20**:97–123

crissale—**17**:11

curvirostre—**12**:67; **14**:132, 201; **16**:32, 38, 44, 98; **17**:11; **18**:89–96, 219; **19**:131

dorsale—**12**:67, 77, 82, 84; **18**:10–18, 89–96; **20**:119–120

lecontei—**12**:67; **17**:11; **18**:89–96; **20**:103

longirostre—**18**:97–98

redivivum—**11**:1–24, 113–128; **12**:67, 134, 153; **17**:11; **18**:187, 204; **19**:1–23

rufum—**11**:1–24, 113–128; **12**:67, 153; **17**:11

traillii, *Empidonax traillii*—**18**:140

Tringa erythropus—**12**:150; **16**:105, 110; **17**:2, 6; **19**:131, 142

flavipes—**11**:1–24; **12**:62, 150, 173–180; **15**:18, 119; **17**:6, 171–187; **18**:197; **19**:71; **20**:144, 200

glareola—**17**:15; **19**:157

melanoleuca—**11**:1–24; **12**:62, 150, 173–180; **13**:29–33; **15**:18, 119; **17**:6, 171–187; **18**:197; **19**:71, 76; **20**:200

- solitaria*—**11**:1–24, 113–128; **12**:62, 150, 173–180; **15**:119; **17**:6, 115–131; **18**:197; **19**:76; **20**:261
- Trochet, John, Morlan, Joseph, and Roberson, Don, First Record of the Three-toed Woodpecker in California—**19**:109–115
- Troglodytes aedon*—**11**:1–24; **12**:66, 79, 134, 153, 157–172; **13**:29–33; **14**:206; **15**:20, 123; **16**:146, 162; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23
- troglodytes*—**12**:66, 153; **16**:1–23; **17**:11, 17–20, 115–131; **18**:77–83, 171–187; **19**:1–23
- Trogon, Elegant—**14**:53
- Trogon elegans*—**14**:53
- Tropicbird, Red-billed—**12**:59; **15**:116; **16**:84–85, 90; **17**:3
- Red-tailed—**11**:103–110; **12**:57, 59; **14**:1, 3; **16**:31; **17**:3; **19**:136
- White-tailed—**11**:103–110; **12**:59; **15**:101, **16**:31; **17**:3, 56
- Trost, Charles H.—**19**:see Tove, M. H.; **20**:see Taylor, D. M.
- Tryngites subruficollis*—**11**:1–24, 53, 165; **12**:63, 150; **14**:6, 131; **16**:32, 36, 110; **17**:7, 61; **19**:76, 131, 144–146; **20**:262
- turati*, *Picoides pubescens*—**17**:43–44
- Turdus migratorius*—**11**:1–24, 113–128; **12**:67, 134, 153; **13**:29–33; **15**:82, 123; **16**:1–23, 63–70; **17**:11, 115–131, 171–187; **18**:89–96, 164, 204; **19**:1–23
- rufopalliatu*s—**11**:103–110; **12**:58, 67; **16**:32; **17**:11, 64; **19**:131
- Turkey—**11**:113–128; **12**:149
- Turkey, Wild—**12**:61; **17**:6, 171–187
- Turnstone, Black—**11**:1–24; **12**:62, 150; **15**:119, 171; **17**:7; **18**:197; **19**:76; **20**:206, 239
- Ruddy—**11**:1–24; **12**:62, 150, 173–180; **15**:11, 119; **16**:71; **17**:7, 171–187; **18**:197; **19**:71; **20**:204
- Turtle-Dove, Ringed—**11**:1–24; **12**:58, 71; **17**:2
- Tyler, Wm. Breck, and Burton, Kenneth, A Cook's Petrel Specimen from California—**17**:79–84
- Tympanuchus phasianellus*—**12**:61; **16**:31; **17**:6; **18**:133; **19**:130
- Tyrannulet, Northern Beardless—**15**:95; **18**:10–18
- Tyrannus crassirostris*—**11**:103–110; **12**:66; **14**:132; **16**:32, 114; **17**:10; **18**:10–18, 89–96; **19**:131, 149
- forficatus*—**12**:66; **16**:32, 37, 114; **17**:10, 63, 74, 171–187; **18**:202; **19**:131, 149
- melancholicus*—**11**:1–24, 103–110; **12**:65, 152; **15**:122; **17**:10; **18**:10–18, 89–96, 202
- tyrannus*—**11**:1–24; **12**:66, 152; **15**:20, 122; **16**:114; **17**:10, 171–187; **18**:202
- verticalis*—**11**:1–24, 113–128; **12**:66, 152; **13**:29–33; **14**:201; **15**:20, 122; **16**:63–70; **17**:10, 115–131, 171–187; **18**:91, 89–96, 202; **19**:1–23
- vociferans*—**11**:1–24; **12**:65, 76, 83, 84, 152; **13**:29–33; **15**:122; **17**:10, 115–131, 171–187; **18**:89–96, 187, 202
- Tyto alba*—**11**:1–24, 57, 113–128, 202; **12**:64, 151; **15**:103, 108, 121, 127; **16**:25–28, 126; **17**:8, 171–187; **18**:89–96, 200; **20**:1–10
- Udvardy, Miklos D. F., and Säll, Torbjörn, A Ring-billed Gull on the Galápagos Islands—**18**:175–176
- Unitt, Philip, Birds of Hot Springs Mountain, San Diego County, California—**12**:125–135
- Unitt, Philip, Identification Notes: Plumage Wear in *Vireo bellii*—**16**:189–190
- Unitt, Philip, Another Hybrid Downy x Nuttall's Woodpecker from San Diego County—**17**:43–44
- Unitt, Philip, *Empidonax traillii extimus*: An Endangered Subspecies—**18**:137–162

Uria aalge—**11**:1–24; **12**:64, 151; **15**:11, 120, 146, 165–168, 172; **16**:169–173; **17**:8; **18**:109–116, 200; **20**:148, 232–233, 236
lomvia—**11**:103–110, 166; **12**:64, 151; **14**:139–140; **15**:165–168; **16**:32, 36; **17**:8, 73; **19**:131; **19**:147
urubitinga, *Buteogallus urubitinga*—**20**:15
utilis, *Buteogallus anthracinus*—**20**:14

Van Vuren, Dirk, A Harris' Hawk in Utah—11:111

Veery—**11**:103–110; **12**:58, 67, 153; **14**:13, 141–142; **16**:32, 44, 114, 120; **17**:11, 171–187; **18**:77–83; **19**:131, 150

Veit, Richard R., Identification of the Salton Sea Rufous-necked Sandpiper—19:165–169

Verdin—**12**:66, 157–172; **13**:29–33; **17**:10; **18**:89–96, 203
Vermivora celata—**11**:1–24, 113–128; **12**:68, 79, 134, 154, 157–172; **15**:21, 124; **16**:63–70, 120; **17**:12, 171–187; **18**:205; **19**:1–23
chrysoptera—**11**:103–110, 167; **12**:68, 154; **12**:55; **14**:10, 133; **16**:32, 39, 116; **17**:12, 66, 171–187; **19**:131, 152
chrysoptera × *V. pinus*—**17**:1; **19**:131, 152
luciae—**11**:1–24; **12**:68; **17**:12, 115–131, 171–187; **18**:10–18, 89–96, 97–98
peregrina—**11**:1–24; **12**:68, 154; **15**:124; **16**:159; **17**:12, 171–187; **18**:205; **19**:1–23
pinus—**11**:103–110; **12**:68; **16**:32; **17**:12, 66, 171–187; **19**:131, 151, 152
pinus × *V. chrysoptera*—**17**:1; **19**:131, 152
ruficapilla—**11**:1–24, 113–128; **12**:68, 154; **15**:21, 124; **16**:1–23; **17**:12, 171–187; **18**:205; **19**:1–23
virginiae—**11**:1–24; **12**:68, 81, 83, 154; **15**:124; **17**:12, 115–131, 171–187; **18**:205
versicolor, *Quiscalus quiscula*—**14**:11; **19**:159
Vestiaria coccinea—**14**:82; **15**:105, 107
violaceus, *Nycticorax violaceus*—**19**:137
Violet-ear, Green—**12**:71; **17**:2, 15, 73
Vireo, Bell's—**11**:1–24, 129–133; **12**:67, 154; **15**:96; **16**:189–190; **17**:12; **18**:6, 43–49, 50–54, 55–61, 63, 66, 89–96, 205; **19**:1–23, 117–120
Black-capped—**15**:96
Black-whiskered—**15**:96
Gray—**11**:1–24; **12**:67, 77, 80; **15**:85, 88, 96, 124; **17**:12, 39
Hutton's—**11**:1–24, 113–128; **12**:67, 154; **15**:141–142; **16**:1–23; **17**:12; **18**:187, 205; **19**:1–23
Philadelphia—**11**:103–110, 167; **12**:68; **14**:10, 13, 133; **15**:96; **16**:32, 39, 44, 115, 158; **17**:12, 66, 171–187; **19**:131, 151, 158
Red-eyed—**11**:1–24; **12**:68, 154; **14**:10, 133; **15**:96; **16**:39; **17**:1, 12, 171–187; **18**:77–83
Solitary—**11**:1–24, 113–128; **12**:67, 79, 81, 82, 83, 154; **13**:29–33; **15**:21, 96, 124, 141–142; **16**:1–23; **17**:12, 37–39, 115–131, 171–187; **18**:205; **19**:1–23
Warbling—**11**:1–24, 113–128; **12**:67, 78, 80, 81, 83, 154; **15**:21, 96, 124; **16**:44, 63–70; **17**:12, 115–131, 171–187; **18**:205; **19**:1–23
White-eyed—**11**:103–110, 167; **12**:67; **14**:9; **15**:96; **16**:32, 39, 115; **17**:12, 171–187; **18**:97–98; **19**:131, 151
Yellow-green—**11**:167; **14**:10; **16**:39; **19**:130, 131
Yellow-throated—**11**:103–110, 167; **12**:67; **14**:10, 133; **15**:96; **16**:32, 39, 115; **17**:12; **19**:131, 151

Vireo altiloquus—**15:96**
atricapillus—**15:96**
bellii—**11:1–24, 129–133; 12:67, 154; 15:96; 16:189–190; 17:12; 18:6, 43–49, 50–54, 55–61, 63, 66, 89–96, 205; 19:1–23, 117–120**
flavifrons—**11:103–110, 167; 12:67; 14:10, 133; 15:96; 16:32, 39, 115; 17:12; 19:131, 151**
flavoviridis—**11:167; 14:10; 19:130, 131**
gilvus—**11:1–24, 113–128; 12:67, 78, 80, 81, 83, 154; 15:21, 96, 124; 16:44, 63–70; 17:12, 115–131, 171–187; 18:205; 19:1–23**
griseus—**11:103–110, 167; 12:67; 14:9; 15:96; 16:32, 39, 115; 17:12, 171–187; 18:97–98; 19:131, 151**
huttoni—**11:1–24, 113–128; 12:67, 154; 15:141–142; 16:1–23; 17:12; 18:187, 205; 19:1–23**
olivaceus—**11:1–24; 12:68, 154; 14:10, 133; 15:96; 16:39; 17:1, 12, 171–187; 18:77–83**
philadelphicus—**11:103–110, 167; 12:68; 14:10, 13, 133; 15:96; 16:32, 39, 44, 115, 158; 17:12, 66, 171–187; 19:131, 151, 158**
solitarius—**11:1–24, 113–128; 12:67, 79, 81, 82, 83, 154; 13:29–33; 15:21, 96, 124, 141–142; 16:1–23; 17:12, 37–39, 115–131, 171–187; 18:205; 19:1–23**
vicinior—**11:1–24; 12:67, 77, 80; 15:85, 88, 96, 124; 17:12, 39**
viridigularis, Gavia arctica—**17:2**
Vulture, Black—**12:71; 14:136; 16:31; 17:2, 15, 74; 18:89–96; 20:14**
Turkey—**11:1–24, 25–34, 113–128; 12:61, 76, 148; 15:17, 117; 16:126; 17:5, 115–131, 171–187; 18:89–96, 195**

Wagner, Judith L., Post-Breeding Avifauna and Mixed Insectivorous Flocks in a Colorado Spruce-Fir Forest—**15:81–84**

Wagner, William D.—**16:see McCrary, M. D.**

Wagtail, Black-backed—**16:29, 32, 38; 17:2, 11, 64; 19:131**

Citrine—**16:114**

Gray—**14:142; 17:15**

White—**11:103–110, 167; 12:58, 67, 154; 13:7; 14:9; 16:29, 38; 17:2, 11, 64; 19:131**

White/Black-backed—**16:31, 32, 38; 17:1, 64; 19:131**

Yellow—**11:103–110; 12:58, 67; 14:13; 16:29, 105, 114; 17:2, 11; 19:131**

Wahl, Terence [R.], President's Message—**13:42**

Wahl, Terence [R.], Report to Members—**14:197–198**

Wahl, Terence R., Observations on the Diving Behavior of the Northern Fulmar—**15:131–133**

Wahl, Terence [R.], Report to Members—**15:190–191**

Wahl, Terence R., Notes on the Feeding Behavior of Buller's Shearwater—**17:45–47**

Wahl, Terence R., and Speich, Steven M., Survey of Marine Birds in Puget Sound, Hood Canal, and Waters East of Whidbey Island, Washington, in Summer 1982—**15:1–14**

Warbler, Audubon's—**13:29–33; 19:1–23**

Bay-breasted—**11:103–110, 183; 12:68, 154; 15:124; 16:158; 17:12, 171–187; 18:105**

Black-and-white—**11:1–24; 12:68, 154; 15:125; 17:12, 171–187; 18:77–83, 205**

Blackburnian—**11:1–24, 103–110; 12:68; 15:124; 17:12, 171–187; 19:1–23**

Blackpoll—**11:1–24, 103–110; 12:68, 154; 15:124, 185; 16:120, 159, 171–187; 17:12; 18:205**

Black-throated Blue—**11:1–24; 12:68, 154; 17:12, 171–187**

Black-throated Gray—**11**:1–24, 113–128, 157–158; **12**:68, 77, 78, 80, 81, 134, 154;
14:185; **15**:85, 88, 124; **16**:1–23, 63–70; **17**:12, 115–131, 171–187; **18**:205;
19:1–23
 Black-throated Green—**11**:1–24, 157, 183; **12**:68; **16**:158; **17**:12, 171–187
 Blue-winged—**11**:103–110; **12**:68; **16**:32; **17**:12, 66, 171–187; **19**:131, 151
 Blue-winged × Golden-winged Warbler—**17**:1; **19**:131, 152
 Canada—**11**:1–24, 103–110, 170; **12**:68; **14**:11; **15**:125; **16**:158; **17**:13
 Cape May—**12**:68, 154; **14**:199–200; **16**:158; **17**:12
 Cerulean—**11**:103–110, 167; **12**:68; **14**:10, 15; **16**:32, 116; **17**:12; **18**:97–98; **19**:131,
 153
 Chestnut-sided—**11**:1–24; **12**:68, 154; **17**:12, 171–187
 Connecticut—**11**:103–110, 170; **12**:68; **14**:11, 15, 134, 142; **16**:32, 40, 44; **17**:12, 68;
18:97–98; **19**:131, 153, 158
 Dusky—**12**:58, 67; **14**:1, 9; **16**:31, 32; **17**:11, 63–64; **19**:131
 Golden-cheeked—**11**:103–110; **12**:58, 68; **16**:32; **17**:12, 66; **19**:131
 Golden-winged—**11**:103–110, 167; **12**:55, 68, 154; **14**:10, 133; **16**:32, 39, 116; **17**:12,
 66, 171–187; **19**:131, 152
 Golden-winged × Blue-winged Warbler—**17**:1; **19**:131, 152
 Grace's—**11**:103–110, 170, 172; **12**:68; **14**:11, 133; **16**:32, 39; **17**:12, 67, 171–187;
19:131, 152
 Hermit—**11**:1–24, 113–128; **12**:68, 154; **14**:185–196; **15**:124; **17**:12, 171–187; **18**:97–
 98, 104, 205; **19**:1–23
 Hooded—**11**:103–110, 170; **12**:68, 154; **14**:11, 134; **15**:91–92; **16**:29; **17**:13
 Kentucky—**11**:103–110, 170; **12**:68; **14**:142; **16**:32, 40; **17**:12, 68, 171–187; **19**:131,
 153
 Kirtland's—**18**:63
 Lucy's—**11**:1–24; **12**:68; **17**:12, 115–131, 171–187; **18**:10–18, 89–96, 97–98
 MacGillivray's—**11**:1–24, 113–128, 157–159; **12**:68, 80, 82, 154; **15**:21, 125; **16**:1–23,
 63–70, 116; **17**:13, 70, 171–187; **18**:206; **19**:1–23
 Magnolia—**11**:1–24; **12**:68, 154; **15**:124; **16**:159; **17**:12, 171–187
 Mourning—**11**:103–110, 157, 170, 172; **12**:68; **16**:32, 40–41, 44, 116, 158; **17**:13, 70,
 171–187; **18**:97–98, 104; **19**:131, 153
 Myrtle—**13**:29–33; **19**:1–23
 Nashville—**11**:1–24, 113–128; **12**:68, 154; **15**:21, 124; **16**:1–23; **17**:12, 171–187;
18:205; **19**:1–23
 Olive—**16**:45, 120; **17**:15
 Orange-crowned—**11**:1–24, 113–128; **12**:68, 79, 134, 154, 157–172; **15**:21, 124; **16**:63–
 70, 120; **17**:12, 171–187; **18**:205; **19**:1–23
 Palm—**11**:1–24; **12**:68, 154; **13**:36; **15**:124; **17**:12, 171–187; **18**:205
 Parula—**11**:103–110
 Pine—**11**:103–110, 172; **12**:68; **14**:11, 15, 142; **16**:32, 39, 45, 120; **17**:12, 67–68;
19:131, 153
 Prairie—**11**:1–24, 103–110; **12**:68, 154; **15**:124; **17**:12; **18**:97–98, 205
 Prothonotary—**11**:1–24, 103–110, 167; **12**:68, 154; **14**:10, 134; **16**:32, 39–40, 116;
17:12, 68, 171–187; **19**:131, 153, 158
 Radde's—**17**:63

Red-faced—**11**:103–110; **12**:58, 68; **14**:11, 31–38, 134; **16**:32, 116; **17**:13, 70, 171–187; **19**:131

Swainson’s—**17**:15, 64, 171–187; **18**:97–98

Tennessee—**11**:1–24; **12**:68, 154; **15**:124; **16**:159; **17**:12, 171–187; **18**:205; **19**:1–23

Townsend’s—**11**:1–24, 113–128, 157–159, 183; **12**:68, 154; **14**:185, 193, 194; **15**:21, 82, 124; **17**:12, 115–131, 171–187; **18**:205; **19**:1–23

Virginia’s—**11**:1–24; **12**:68, 81, 83, 154; **15**:124; **17**:12, 115–131, 171–187; **18**:205

Wilson’s—**11**:1–24, 113–128, 183; **12**:68, 154; **15**:21, 82, 91–92, 125; **16**:1–23, 63–70; **17**:13, 115–131, 171–187; **18**:187, 206; **19**:1–23

Worm-eating—**11**:103–110, 167; **12**:68; **14**:10; **16**:32, 40, 44, 116, 120; **17**:12, 68, 171–187; **19**:131, 153

Yellow—**11**:1–24, 113–128; **12**:55, 68, 154; **15**:21, 33, 124; **16**:63–70, 183; **17**:12, 115–131, 171–187; **18**:10–18, 89–96, 205; **19**:1–23

Yellow-rumped—**11**:1–24, 113–128; **12**:68, 125–135, 154; **13**:29–33, 36; **14**:36; **15**:21, 82–83, 124; **16**:1–23; **17**:12, 115–131, 171–187; **18**:205

Yellow-rumped “Audubon’s”—**11**:19, 113–128, 157–158; **12**:79, 81; **13**:29–33; **15**:21

Yellow-rumped “Myrtle”—**11**:19, 113–128; **13**:29–33; **15**:21

Yellow-throated—**11**:1–24, 103–110, 170; **12**:68; **14**:10, 133; **16**:32, 39, 95–97, 116; **17**:12, 66–67, 171–187; **19**:131, 152

Waterthrush, Louisiana—**12**:68; **16**:32; **17**:12, 68; **18**:97–98; **19**:131, 153

Northern—**11**:1–24; **12**:68, 154; **15**:125; **17**:12, 115–131, 171–187; **18**:206; **19**:41–42

Waxwing, Bohemian—**11**:1–24; **12**:67, 154; **17**:11, 171–187

Cedar—**11**:1–24, 113–128; **12**:67, 154; **13**:29–33; **15**:124; **17**:11, 171–187; **18**:204; **19**:1–23

Weathers, Wesley W., and Mayhew, Wilbur W., Time of Day and Desert Bird Censuses—**12**:157–172

Webb, Bruce, Identification Quiz—**13**:43–44

Webb, Bruce E.—**11**:*see* Conry, J. A., and *see* Manolis, T.; **13**:*see* Conry, J. A.

Weber, John W., First Verified Record of the Mew Gull for Idaho—**17**:141–142

Weber, Robin R.—**12**:*see* Weber, W. C.

Weber, Wayne C., Cannings, Richard J., Kautesk, Brian M., and Weber, Robin R., Second Documented Record of the Black Phoebe in Canada—**12**:101–102

Webster, Richard, Book Review:*Field Guide to the Birds of North America*—**15**:45–47

Webster, Richard, Book Review:*Island Biogeography in the Sea of Cortez*—**15**:137–140

Webster, Richard, Book Review:*Checklist of the Birds of Texas*—**16**:103

Webster, Richard, Book Review:*Hawaii’s Birds*—**16**:103–104

Webster, Richard, Book Review:*The Joy of Birding. A Guide to Better Birdwatching*—**16**:104

Webster, Richard E., Book Review:*Distributional Checklist of North American Birds*—**19**:43–44

websteri, *Sula sula*—**11**:200

Welker, Heather J., Food Color Preference in the Anna’s Hummingbird—**15**:23–27

West, Steve, Great Horned Owl Predation on Cave Swallows—**18**:125

Wheatear—**11**:103–110, 167; **12**:153

Wheatear, Northern—**12**:58, 67; **14**:13; **16**:32; **17**:11; **19**:131, 150

Whimbrel—**11**:1–24; **12**:62, 150, 173–180; **14**:203, 204; **15**:119, 171; **17**:6; **18**:197; **19**:71, 157; **20**:203

Whip-poor-will—**11**:103–110; **12**:64; **17**:9, 171–187; **18**:97–98

Whistling-Duck, Black-bellied—**11**:164; **12**:60; **16**:31, 121; **18**:89–96, 97–98, 99, 100; **19**:130–131, 157
 Fulvous—**11**:1–24; **12**:60, 148; **17**:4; **18**:193
 White-eye, Japanese—**15**:104, 107, 108, 109
 Whitfield, Mary J.—**20**:*see* Halterman, M. D.
 Widrig, Ralph S., A Bristle-thighed Curlew at Leadbetter Point, Washington—**14**:203–204
 Wigeon, American—**11**:1–24; **12**:54, 60, 148; **15**:17, 117; **16**:63–70; **17**:5, 171–187; **18**:109–116, 186, 194; **20**:178, 239, 240
 Eurasian—**12**:60, 148; **17**:4, 171–187; **18**:194; **20**:176–178
 Wilbur, Sanford R., The Least Bell's Vireo in Baja California, Mexico—**11**:129–133
 Wilkinson, Gerald S., and Debban, Kim R., Habitat Preferences of Wintering Diurnal Raptors in the Sacramento Valley—**11**:25–34
 Willet—**11**:1–24, 53; **12**:62, 150, 173–180; **15**:18, 119; **17**:6; **18**:197; **20**:63, 200–202, 241
 Williams, Pamela L.—**11**:*see* Davis, J.
 Williams, Sartor O. III, A Northern Jacana in Trans-Pecos Texas—**18**:123–124
 Wilson, Erika M., and Harriman, Bettie R., First Record of the Terek Sandpiper in California—**20**:63–69
wilsoni, *Hemignathus virens*—**15**:105, 107
Wilsonia canadensis—**11**:1–24, 103–110, 170; **2**:68; **14**:11; **15**:125; **16**:158; **17**:13
citrina—**11**:103–110, 170; **12**:68, 154; **14**:11, 134; **15**:91–92; **16**:29; **17**:13
pusilla—**11**:1–24, 113–128, 183; **12**:68, 154; **15**:21, 82, 91–92, 125; **16**:1–23, 63–70; **17**:13, 115–131, 171–187; **18**:187, 206; **19**:1–23
 Winter, Jon, Partial Albinism in a Melanistic Mew Gull—**16**:187–188
 Woodpecker, Acorn—**11**:1–24, 113–128; **12**:65, 134, 152; **13**:29–33; **15**:121; **17**:9, 115–131, 171–187; **19**:1–23
 Black-backed—**12**:65; **17**:9; **19**:110
 Black-backed Three-toed—**12**:152
 Downy—**11**:1–24, 113–128; **12**:65, 152; **13**:29–33; **15**:83; **17**:9, 171–187; **18**:201; **19**:1–23
 Downy × Nuttall's Woodpecker—**17**:43–44
 Gila—**12**:65; **13**:30; **17**:9, 115–131, 139–140, 171–187; **18**:10–18, 89–96
 Golden-fronted—**18**:89–96
 Hairy—**11**:1–24, 113–128; **12**:65, 80, 82, 83, 125–135, 152; **13**:29–33; **15**:19; **16**:1–23; **17**:9, 115–131, 171–187; **18**:77–83, 201; **19**:1–23, 109, 110, 114
 Ladder-backed—**12**:65, 76, 82, 84; **13**:29–33; **17**:9, 115–131; **18**:89–96
 Lewis'—**11**:1–24, 113–128; **12**:65, 152; **15**:19, 121; **16**:63–70; **17**:9, 171–187; **18**:209–212
 Northern Three-toed—**12**:152
 Nuttall's—**11**:1–24, 113–128; **12**:65, 134, 152; **13**:29–33; **17**:9; **18**:201; **19**:1–23
 Nuttall's × Downy Woodpecker—**17**:43–44
 Pileated—**12**:65, 152; **17**:9; **18**:77–83
 Red-bellied—**14**:201
 Red-headed—**11**:103–110; **12**:57, 65; **16**:32, 37; **17**:9; **19**:131
 Three-toed—**16**:43, 119; **17**:2, 15, 171–187; **19**:109–115; **20**:270
 White-headed—**11**:1–24; **12**:65, 125–135, 152; **17**:9
 Wood-Pewee, Eastern—**11**:103–110, 166; **12**:58, 65; **14**:13; **16**:32, 112–113, 120; **17**:9, 74,

171–187; **18**:77–83; **19**:131
 Western—**11**:1–24, 113–128; **12**:65, 77, 79, 82, 83–84, 134, 152; **13**:29–33; **15**:19, 122; **16**:1–23, 63–70, 120; **17**:9, 115–131, 171–187; **18**:89–96, 202; **19**:1–23
 Wren, Bewick’s—**11**:1–24, 113–128; **12**:66, 76, 78, 79, 134, 153, 157–172; **13**:29–33; **15**:85, 88, 123, 125, 127; **17**:11, 115–131, 171–187; **18**:89–96, 204; **19**:1–23
 Cactus—**11**:1–24; **12**:66, 157–172; **15**:123; **17**:11; **18**:89–96, 187, 203, 219
 Cañon—**11**:113–128
 Canyon—**12**:66, 77, 79, 153; **13**:29–33; **16**:63–70; **17**:11, 171–187; **18**:89–96; **19**:1–23
 Carolina—**14**:201
 House—**11**:1–24, 113–128; **12**:66, 79, 134, 153, 157–172; **13**:29–33; **14**:206; **15**:20, 123; **16**:146, 162; **17**:11, 115–131, 171–187; **18**:204; **19**:1–23
 Long-billed Marsh—**11**:1–24; **12**:153
 Marsh—**12**:66; **15**:123; **17**:11, 115–131, 171–187; **18**:89–96, 204
 Rock—**11**:1–24, 113–128; **12**:66, 77, 79, 153; **13**:29–33, 41; **15**:123, 128; **16**:63–70; **17**:11, 171–187; **18**:89–96, 163–168, 204; **19**:1–23; **20**:90
 Sedge—**12**:58, 66; **12**:58; **14**:1, 8; **16**:32; **17**:11; **19**:131
 Winter—**11**:113–128; **12**:66, 153; **16**:1–23; **17**:11, 17–20, 115–131, 171–187; **18**:77–83; **19**:1–23
 Wrentit—**11**:113–128; **12**:67, 134, 153; **16**:1–23; **17**:11; **18**:204; **19**:1–23
 Wright, Will C.—**16**:*see* Miller, G. S.
 Wright, Philip L.—**18**:*see* Ellis, D. H.
wymani, *Larus occidentalis*—**14**:87, 88, 96; **16**:42; **19**:82
Xanthocephalus xanthocephalus—**11**:1–24; **12**:69, 155; **14**:201; **15**:33, 126; **16**:63–70; **17**:14, 171–187; **18**:89–96, 207; **19**:1–23
Xema sabini—**11**:1–24, 182; **12**:63, 151; **17**:7, 171–187; **19**:82; **20**:262
Xenus cinereus—**20**:63–69, 270
 Yates-Mills, Karlyn L.—**19**:*see* Ivey, G. L.
 Yellowlegs, Greater—**11**:1–24; **12**:62, 150, 173–180; **13**:29–33; **15**:18, 119; **17**:6, 171–187; **18**:197; **19**:71, 76; **20**:200
 Lesser—**11**:1–24; **12**:62, 150, 173–180; **15**:18, 119; **17**:6, 171–187; **18**:197; **19**:71; **20**:144, 200
 Yellowthroat—**11**:113–128
 Yellowthroat, Common—**11**:1–24; **12**:68, 154; **15**:21, 125; **16**:63–70; **17**:13, 115–131, 171–187; **18**:89–96, 206; **19**:1–23
 Young, Donald A., and Kratt, L. F., Dippers Capturing Fish During Winter in the Yukon Territory—**12**:141–142
 Young, Kimberley E.—**11**:*see* Svoboda, P. L.
 Zeillemaker, C. Fred—**12**:*see* Byrd, G. V.
 Zembal, Richard, and Massey, Barbara W., A Census of the Light-footed Clapper Rail in California—**12**:87–99
Zenaida asiatica—**11**:1–24; **12**:64, 151; **15**:121; **17**:8, 115–131; **18**:89–96, 200
macroura—**11**:1–24, 113–128; **12**:64, 76, 82, 84, 134, 151, 157–172; **15**:19, 121; **16**:63–70, 98; **17**:8, 115–131, 171–187; **18**:89–96, 133, 200; **19**:1–23; **20**:22, 89
 Zink, Robert M.—**11**:*see* Dickerman, R. W.

zonaris, *Streptoprocne zonaris*—**20**:29

Zonotrichia albicollis—**11**:1–24, 113–128; **12**:69, 156; **17**:13, 115–131, 171–187; **18**:207

atricapilla—**11**:1–24, 113–128; **12**:69, 156, 157–172; **15**:22, 126; **17**:13, 171–187;

18:207; **19**:1–23

iliaca [= *Passerella iliaca*]—**12**:125–135

leucophrys—**11**:1–24, 113–128; **12**:69, 156, 157–172; **15**:22, 126; **16**:1–23; **17**:13, 115–131, 171–187; **18**:207; **19**:1–23; **20**:19–24

lincolnii [= *Melospiza lincolnii*]—**12**:125–135

querula—**11**:1–24, 113–128; **12**:69, 156; **15**:126; **17**:13, 171–187

Zosterops japonicus—**15**:104, 107, 108, 109